

DULCOLAX PINK STIMULANT LAXATIVE- bisacodyl tablet, coated
Chattem, Inc.

Dulcolax Pink Stimulant Laxative

Dulcolax Stimulant Laxative Tablets

Drug Facts

Active ingredient (in each tablet)

Bisacodyl (USP) 5 mg

Purpose

Stimulant laxative

Use

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- if you cannot swallow without chewing

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- it may cause stomach discomfort, faintness and cramps
- do not chew or crush tablet(s) ● do not use within 1 hour after taking an antacid or milk

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

OVERNIGHT RELIEF

Dulcolax Pink®

Easy-to-swallow, comfort coated Dulcolax Pink Tablets are gentle enough for sensitive stomachs, yet strong enough for effective overnight relief. Trust Dulcolax Pink Tablets to relieve constipation in 6 to 12 hours.

Blister packaged for your protection. Do not use if individual seals are broken.

Dulcolax Pink®

Bisacodyl (USP) 5 mg Tablets/Stimulant Laxative
LAXATIVE



Gentle, dependable relief
for sensitive stomachs

RELIEF IN
6-12 HOURS

*Among Stimulant Laxatives

25
COMFORT COATED
TABLETS

201 188

Dulcolax Pink®
does not supply
store brands.

Keep cartons as they contain
important product information.

Drug Facts (continued)
magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate, potassium bicarbonate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate
Questions? Call 1-888-844-2788 or visit www.Dulcolax.com

Drug Facts
Active ingredient (in each tablet) Bisacodyl (USP) 5 mg Stimulant laxative
Use • for relief of occasional constipation and irregularity
• this product generally produces bowel movement in 6 to 12 hours
Warnings
Do not use • If you cannot swallow without chewing
Ask a doctor before use if you have • stomach pain, nausea or vomiting
• noticed a sudden change in bowel habits that lasts more than 2 weeks
When using this product • it may cause stomach discomfort, flatulence and cramps
• do not chew or crush tablets) • do not use within 1 hour after taking an antacid or milk
Stop use and ask a doctor if • you have rectal bleeding or fail to have a bowel movement
• you need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a
Poison Control Center right away.
Directions Take with a glass of water
adults and children 12 years of age and over 1 to 2 tablets in a single daily dose
children 6 to under 12 years of age 1 tablet in a single daily dose
children under 6 years of age ask a doctor
Other information • contains FDAC yellow no. 6 • protect from excessive humidity
• store at 20°-25° C (68°-77° F) • do not use if individual blister unit is open or torn
Inactive ingredients acacia senegal gum, ammonium hydroxide, calcium carbonate, carmelum wax, candelilla wax, corn starch, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide, lactose.



8142102905
Distributed by:
Chatham, Inc.
a Sandoz Company
P.O. Box 2278
Chattanooga, TN 37408-0278
©2018 01005532-01

Dulcolax Pink® Tablets are convenient to use overnight,
or whenever you need effective relief from constipation.

DULCOLAX PINK STIMULANT LAXATIVE
bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0290
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	DL

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0290-5	1 in 1 CARTON	01/21/2019	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/21/2019	

Labeler - Chattem, Inc. (003336013)

Revised: 11/2023

Chattem, Inc.