METZ SOFT KOTE TEAT DIP- chlorhexidine solution Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Metz Soft Kote Teat Dip

METZ SOFT KOTE TEAT Dip

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS PRODUCT #: 630900

WARNING

Causes serious eye irritation.

DIRECTIONS:

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution.

At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Teat Dip for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

PRECAUTIONARY STATEMENTS Prevention

Wash face, hands and any exposed skin throughly after handling. Wear eye/face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinising. If eye irritation persists, get medical attention.

INGREDIENTS:

ACTIVE: Chlorhexidine digluconate 0.5%

3% Emollients

FIRST AID:

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IN CASE OF CONTACT: Wash skin with soap and water. Remove and wash

contaminated clothing before re-use. If skin irritation persists, cal la physician. IF INHALED: Move to fresh air.

IF SWALLOWED: Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptons persist, call a physician.

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

Surpass Chemical Company, Inc. **Phone:** (518) 434-8101 **24 HOUR EMERGENCY ASSISTANCE:**

www.surpasschemical.com

CHEMTREC 1-800-424-9300 Email:

Fax: (518) 434-2798

1254 Broadway Albany NY, 12204 customerservice@surpasschemical.com

KEEP OUT OF REACH OF

CHILDREN!

KEEP OUT OF REACH OF CHILDREN!





AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS



INGREDIENTS ACTIVE: Chlorhexidine digluconate 0.5% 3% Emollients

DIRECTIONS Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft-Kote Teat Dip Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels

PRECAUTIONARY STATEMENTS

Prevention Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection

SPLASHED IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

FIRST AID


IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. IF ON SKIN (or hair): Wash skin with soap and water. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

IF INHALED: Move to fresh air

IF SWALLOWED: Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.



Surpass Chemical Company, Inc. w.surpasschemical.com 1254 Broadway Albany NY, 12204 Phone: (518) 434-8101 merservice@surpasschemical.com Fax: (518) 434-2798 BEFORE LISING THIS MATERIAL READ AND UNDERSTAND THE CUR SAFETY DATA SHEET. CURRENT 24 HOUR EMERGENCY ASSISTANCE CHEMTREC 1-800-424-9300



METZ SOFT KOTE TEAT DIP chlorhexidine solution **Product Information** OTC ANIMAL DRUG NDC:86067-0127 **Product Type** Item Code (Source) TOPICAL **Route of Administration Active Ingredient/Active Moiety Basis of Strength Ingredient Name** Strength CHLORHEXIDINE (UNII: R4K00DY52L) (CHLORHEXIDINE - UNII:R4K00DY52L) CHLORHEXIDINE 0.005 kg in 1 kg **Inactive Ingredients Ingredient Name** Strength WATER (UNII: 059QF0K00R) 0.9517 kg in 1 kg HYDROXYETHYLCELLULOSE (UNII: T4V6TWG28D) 0.003 kg in 1 kg C9-11 PARETH-3 (UNII: 8049740MUO) 0.01 kg in 1 kg GLYCERIN (UNII: PDC6A3C0OX) 0.03 kg in 1 kg FD&C BLUE NO. 1 (UNII: H3R47K3TBD) 0.0002 kg in 1 kg ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) 0.0001 kg in 1 kg Packaging

| # | ltem Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|----------------------|-------------------------|-----------------------|
| 1 | NDC:86067- 0127-2 | 4 in 1 CASE | | |
| 1 | NDC:86067- 0127-1 | 3.855 kg in 1 JUG | | |
| 2 | NDC:86067- 0127-3 | 19.05 kg in 1 JUG | | |
| 3 | NDC:86067- 0127-4 | 57.15 kg in 1 DRUM | | |
| 4 | NDC:86067- 0127-5 | 114.76 kg in 1 DRUM | | |
| E | NDC:86067- | 210 47 ka in 1 DELIM | | |

| Э | 0127-6 | 210.47 KY III 1 DRUM | | | | | |
|-----------------------|--|--|-------------------------|-----------------------|--|--|--|
| n | NDC:86067- 0127-7 | 1223.79 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK | | | | | |
| | | | | | | | |
| Marketing Information | | | | | | | |
| Μ | arketing | Information | | | | | |
| Μ | arketing Marketing | Information Application Number or Monograph | Marketing Start | Marketing End | | | |
| M | _ | | Marketing Start Date | Marketing End Date | | | |
| | Marketing Category approved drug | Application Number or Monograph | - | - | | | |

Labeler - Surpass Chemical. Company, Inc. (002075133)

EstablishmentNameAddressID/FEIBusiness OperationsSurpass Chemical. Company, Inc.002075133manufacture, api manufacture

Revised: 5/2024

Surpass Chemical. Company, Inc.