

**BARMICIL PLUS- hydrocortisone cream**  
**OPMX LLC**

-----  
**BARMICIL PLUS**

**ACTIVE INGREDIENTS**

HYDROCORTISONE USP 1%

**PURPOSE**

ANTI-ITCH

**USES**

- FOR THE TEMPORARY RELIEF OF ITCHING ASSOCIATED WITH MINOR SKIN IRRITATIONS, INFLAMMATION, AND RASHES DUE TO:
  - ECZEMA
  - SEBORRHEIC DERMATITIS
  - PSORIASIS
  - INSECT BITES
  - POISON IVY, POISON OAK, AND POISON SUMAC
  - COSMETICS
  - JEWELRY
  - DETERGENTS
  - SOAPS
- TEMPORARILY RELIEVES EXTERNAL ANAL AND GENITAL ITCHING
- OTHER USES OF THIS PRODUC SHOULD BE ONLY UNDER THE ADVICE AND SUPERVISION OF A DOCTOR

**WARNINGS**

For external use only.

**DO NOT USE**

- FOR THE TREATMENT OF DIAPER RASH. ASK A DOCTOR.
- FOR EXTERNAL GENITAL ITCHING IF YOU HAVE A VAGINAL DISCGARGE. ASK A DOCTOR.
- FOR EXTERNAL ANAL ITCHING IF RECTAL BLEEDING OCCURS. CONSULT A DOCTOR PROMPTLY.

**WHEN USING THIS PRODUCT**

- DO NOT GET INTO THE EYES
- FOR EXTERNAL ANAL ITCHING, DO NOT USE MORE THAN DIRECTED UNLESS TOLD TO DO SO BY A DOCTOR
- DO NOT PUT INTO THE RECTUM BY USING FINGERS OR ANY MECHANICAL DEVICE OR APPLICATOR

STOP USE AND ASK A DOCTOR IF

- CONDITION GETS WORSE, OR IF SYMPTOMS LAST FOR MORE THAN 7 DAYS OR CLEAR UP AND OCCUR AGAIN WITHIN A FEW DAYS. DO NOT BEGIN USE OF ANY OTHER HYDROQUINONE PRODUCT.

**Keep out of reach of children.** If swallowed get medical help or contact Poison Control Center right away.

## **DIRECTIONS**

- ADULTS AND CHILDREN 2 YEARS AND OVER: APPLY TO AFFECTED AREA NOT MORE THAN 3 TO 4 TIMES DAILY.
- CHILDREN UNDER 2 YEARS: ASK A DOCTOR
- FOR EXTERNAL ANAL ITCHING IN ADULTS:
  - WHEN PRACTICAL, CLEANSE THE AFFECTED AREA WITH MILD SOAP AND WARM WATER AND RINSE THOROUGHLY, OR BY PATTING OR BLOTTING WITH AN APPROPRIATE CLEANSING PAD
  - GENTLY DRY BY PATTING OR BLOTTING WITH TOILET TISSUE OR A SOFT CLOTH BEFORE APPLYING.
- FOR EXTERNAL ANAL ITCHING IN CHILDREN UNDER 12 YEARS: ASK A DOCTOR.

## **OTHER INFORMATION**

- STORE AT 20°C TO 25°C (68°F TO 77°F)

## **INACTIVE INGREDIENTS**

ALOE VERA LEAF EXTRACT, CETOSTEARYL ALCOHOL, GLYCERYL MONOSTEARATE SE, METHYLISOTHIAZOLINONE, PROPYLENE GLYCOL, PURIFIED WATER, STEARIC ACID, TRIETHANOLAMINE, WHITE SOFT PARAFFIN

Barmicil plus

with Aloe Vera

1% Hydrocortisone Anti-Itch Cream

Net Wt. 1 oz (28g)

Inflammation & Redness

Skin Irritation & Rashes

Insect Bites, Poison Ivy

Eczema & Psoriasis

# Barmicil<sup>®</sup> plus

con Aloe Vera  
1% Hidrocortisona  
Crema contra Irritaciones  
y Alergias de la Piel

- Inflamación y Ardor
- Irritación y Alergia
- Piquetes de Insectos  
y Hiedra venenosa
- Eczema y Psoriasis



- Inflammation & Redness
- Skin Irritation & Rashes
- Insect Bites, Poison Ivy
- Eczema & Psoriasis

**Maximum  
Strength  
Cream**

# Barmicil<sup>®</sup> plus

with Aloe Vera



1% Hydrocortisone Anti-Itch Cream

Net Wt. 1 oz (28 g)



**Barmicil<sup>®</sup> plus**  
with Aloe Vera  
1% Hydrocortisone  
Anti-Itch Cream

Keep this carton—it has complete information.

## Drug Facts

**Active ingredient Purpose**  
Hydrocortisone USP 1%.....Anti-itch

### Uses

- for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema ■ seborrheic dermatitis
  - psoriasis ■ insect bites ■ poison ivy, poison oak, and poison sumac
  - cosmetics ■ jewelry
  - detergents ■ soaps
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

### Warnings

#### For external use only

#### Do not use

- for the treatment of diaper rash. Ask a doctor.
- for external genital itching if you have a vaginal discharge. Ask a doctor.
- for external anal itching if rectal bleeding occurs. Consult a doctor promptly.

#### When using this product

- do not get into the eyes
- for external anal itching, do not use more than directed unless told to do so by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

#### Stop use and ask a doctor if

- condition gets worse, or if symptoms last for more than 7 days or clear up and occur again within a few days. Do not begin use of any other hydrocortisone product.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. ►



## Drug Facts (continued)

### Directions

- **adults and children 2 years and over:** apply to affected area not more than 3 to 4 times daily
- **children under 2 years:** ask a doctor
- **for external anal itching in adults:**
  - when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly, or by patting or blotting with an appropriate cleansing pad
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- **for external anal itching in children under 12 years:** ask a doctor

### Other information

- store at 20 °C to 25 °C (68 °F to 77 °F)

### Inactive ingredients

Aloe Vera Leaf Extract, Cetostearyl Alcohol, Glyceryl Monostearate SE, Methylisothiazolinone, Propylene Glycol, Purified Water, Stearic Acid, Triethanolamine, White Soft Paraffin

Made for:



Exclusively distributed by:



ITEM # RRX1007 REV. 11.2024



**Maximum  
Strength  
Cream**

**Barmicil<sup>®</sup> plus**   
with Aloe Vera  
**1% Hydrocortisone Anti-Itch Cream**  
**Net Wt. 1 oz (28 g)**



**Keep outer carton—it has complete information.**

**Active ingredient** Hydrocortisone USP 1% **Purpose** Anti-itch **Uses** ■ for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: ■ eczema ■ seborrheic dermatitis ■ psoriasis ■ insect bites ■ poison ivy, poison oak, and poison sumac ■ cosmetics ■ jewelry ■ detergents ■ soaps ■ temporarily relieves external anal and genital itching ■ other uses of this product should be only under the advice and supervision of a doctor. **Warnings For external use only.**

**Do not use** ■ for the treatment of diaper rash. Ask a doctor. ■ for external genital itching if you have a vaginal discharge. Ask a doctor. ■ for external anal itching if rectal bleeding occurs. Consult a doctor promptly. **When using this product** ■ do not get into the eyes ■ for external anal itching, do not use more than directed unless told to do so by a doctor ■ do not put into the rectum by using fingers or any mechanical device or applicator **Stop use and ask a doctor if** ■ condition gets worse, or if symptoms last for more than 7 days or clear up and occur again within a few days. Do not begin use of any other hydrocortisone product. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ **adults and children 2 years and over:** apply to affected area not more than 3 to 4 times daily ■ **children under 2 years:** ask a doctor ■ **for external anal itching in adults:** ■ when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly, or by patting or blotting with an appropriate cleansing pad ■ gently dry by patting or blotting with toilet tissue or a soft cloth before applying ■ **for external anal itching in children under 12 years:** ask a doctor **Other information** ■ store at 20 °C to 25 °C (68 °F to 77 °F)

Made for:



Exclusively distributed by:



## BARMICIL PLUS

hydrocortisone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-103
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	

**PARAFFIN** (UNII: I9O0E3H2ZE)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-103-11	28 g in 1 TUBE; Type 0: Not a Combination Product	10/22/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/21/2020	

**Labeler** - OPMX LLC (029918743)

Revised: 12/2024

OPMX LLC