

**SALINE LAXATIVE- sodium phosphate enema**  
**Kmart Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

(in each 118 mL delivered dose)

Dibasic sodium phosphate 7 g

Monobasic sodium phosphate 19 g

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation

**Warnings**

**For rectal use only**

**Dosage warning: Using more than one enema in 24 hours can be harmful.**

**Ask a doctor before use if you have**

- a sodium-restricted diet
- abdominal pain, nausea or vomiting
- kidney disease, heart problems, or are dehydrated
- noticed a sudden change in bowel habits that lasts over 2 weeks

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**When using this product**

- do not use more than directed. Serious side effects may occur from excess dosage.
- do not use for more than 3 days

**Stop use and ask a doctor if**

- you have rectal bleeding
- you have no bowel movement after use of a laxative

These may be signs of a serious condition.

**If pregnant or breastfeeding, ask a health professional before use.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

**Do not use more unless directed by a doctor. See Warnings.**

adults & children 12 years and over	one bottle once daily
children 2 to under 12 years	1/2 bottle once daily Discard unused portion
children under 2 years	do not use

**CAUTION:**

Remove green protective shield before inserting. Hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently to remove.



**Positioning:**

**Left-side position:** lie on left side with knee bent and arms at rest.



**Knee-chest position:** kneel, then lower head and chest forward until left side of face is resting on surface. Position arms comfortably.



## **Administering enema:**

- with steady pressure, gently insert enema with tip pointing toward navel.
- squeeze bottle until recommended dose is expelled (it is not necessary to empty unit completely. Bottle contains more liquid than needed for effective use. A small amount of liquid will remain in bottle after squeezing).
- remove tip from rectum
- stop using if tip is hard to insert. Forcing the tip into the rectum can cause injury (especially if you have hemorrhoids). If enema tip causes rectal bleeding or pain, get immediate medical care.
- maintain position until urge to evacuate is strong (usually 1 to 5 minutes)
- if no urge is felt after 5 minutes of using, try to empty bowel. Call a doctor promptly if no liquid comes out of the rectum after 30 minutes because dehydration could occur.

## **Other Information**

- **each 118 mL contains:** sodium 4.3 g
- store at room temperature 20-25 deg C (68-77 deg F)
- this product generally produces bowel movement in 1 to 5 minutes

## **Inactive ingredients**

benzalkonium chloride, disodium EDTA, purified water

## **Questions or comments?**

1-800-633-5463

## **Side and Principal Display Panel - box**

**CAUTION:** Remove green protective shield before inserting; hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently to remove.



**Positioning:**

**Left-side position:** lie on left side with knee bent and arms at rest.



**Knee-chest position:** kneel, then lower head and chest forward until left side of face is resting on surface. Position arms comfortably.



**Administering enema:**

- with steady pressure, gently insert enema with tip pointing toward navel
- squeeze bottle until recommended dose is expelled (it is not necessary to empty unit completely. Bottle contains more liquid than needed for effective use. A small amount of liquid will remain in bottle after squeezing).
- remove tip from rectum
- stop using if tip is hard to insert. Forcing the tip into the rectum can cause injury (especially if you have hemorrhoids). If enema tip causes rectal bleeding or pain, get immediate medical care.
- maintain position until urge to evacuate is strong (usually 1 to 5 minutes)
- if no urge is felt after 5 minutes of using, try to empty bowel. Call a doctor promptly if no liquid comes out of the rectum after 30 minutes because dehydration could occur.

Distributed by: Kmart Corporation  
Hoffman Estates, IL 60179

Shop [kmart.com](http://kmart.com)

Made in USA RB15CTR

REF KM-PH-2-24N

**SATISFACTION  
GUARANTEE**

If you are unsatisfied for any reason, return the unused portion to the store for a full refund or call 1-800-842-7886.



8 83967 39104 2

\*This product is not manufactured or distributed by C.B. Fleet Co., Inc., the distributor of Fleet® Saline Enema.

**TWIN PACK**  
2 BOTTLES INSIDE



NDC 49738-005-35

COMPARE TO THE  
ACTIVE INGREDIENTS  
IN FLEET®  
SALINE ENEMA\*

smart  
sense™



# enema

## SALINE LAXATIVE

READY-TO-USE

for relief of occasional constipation

LATEX  
FREE

SOFT,  
FLEXIBLE  
COMFORT  
TIP

EASY  
SQUEEZE  
BOTTLE

2 BOTTLES  
4.5 FL OZ (133 mL) EACH  
9 FL OZ (266 mL) TOTAL

NDC 49738-005-35

Compare to the active ingredients in Fleet Saline Enema

Smart sense

**ENEMA**

Saline Laxative

Ready to Use

For relief of occasional constipation

Latex Free

Soft, flexible comfort tip

Easy Squeeze Bottle

2 Bottles

4.5 FL OZ (133 ml) each

9 FL OZ (266ml) total

Side and Back - box

**ACTUAL SIZE**

Protective shield prevents contamination

One-way safety valve controls flow and prevents reflux

Comfortable, lubricated tip for ease of insertion

Easy, soft squeeze bottle

**TEP**

**smart sense**

**enema**  
**SALINE LAXATIVE**  
**READY-TO-USE**

COMPARE TO THE ACTIVE INGREDIENTS IN FLEET® SALINE ENEMA\*

**TAMPER EVIDENT: CARTON SEALED FOR SAFETY. IF PRINTED SEAL ON BOTTOM OR TOP FLAP IS BROKEN OR MISSING, DO NOT USE**

Drug Facts	
<b>Active ingredients (in each 118 mL delivered dose)</b>	<b>Purpose</b>
Dibasic sodium phosphate 7 g	Saline Laxative
Monobasic sodium phosphate 18 g	Saline Laxative
<b>Uses</b>	
Relieves occasional constipation	
<b>Warnings</b>	
For rectal use only	
<b>Dosage warning:</b> Using more than one enema in 24 hours can be harmful.	
Ask a doctor before use if you have	
• a sodium-restricted diet	
• abdominal pain, nausea or vomiting	
• kidney disease, heart problems, or are dehydrated	
• noticed a sudden change in bowel habits that lasts over 2 weeks	
Ask a doctor or pharmacist before use if you are taking any other drug.	
Take this product two or three hours before or after other drugs. Laxatives may affect how other drugs work.	
<b>When using this product do not use</b>	
• more than directed. Serious side effects may occur from excess dosage.	
• for more than 3 days.	
<b>Stop use and ask a doctor if</b>	
• you have rectal bleeding	
• you have no bowel movement after use of a laxative	
These could be signs of a serious condition.	
<b>If pregnant or breastfeeding, ask a health professional before use.</b>	
<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-232-1222)</b>	
<b>Directions</b>	
Do not use more unless directed by a doctor. See Warnings.	
adults & children 12 years and over	one bottle once daily
children 2 to under 12 years	1/2 bottle once daily discard unused portion
children under 2 years	do not use
<b>Other information</b>	
• each 118 mL contains sodium 4.1 g	
• store at room temperature 20°-25°C (68°-77°F)	
• this product generally produces bowel movement in 1 to 5 minutes	
<b>Inactive ingredients:</b> benzalkonium chloride, disodium EDTA, purified water	
<b>Questions or comments?</b> 1-800-631-5463	

**TEP**

PLEASE RECYCLE

## SALINE LAXATIVE

sodium phosphate enema

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:49738-005

Route of Administration

RECTAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74) (PHOSPHATE ION - UNII:NK08V8K8HR)	SODIUM PHOSPHATE, DIBASIC	7 g in 118 mL
<b>SODIUM PHOSPHATE, MONOBASIC</b> (UNII: 3980JIH2SW) (PHOSPHATE ION - UNII:NK08V8K8HR)	SODIUM PHOSPHATE, MONOBASIC	19 g in 118 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49738-005-35	2 in 1 BOX		
1		133 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49738-005-36	3 in 1 BOX		
2		133 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/31/2012	

**Labeler** - Kmart Corporation (008965873)

Revised: 6/2015

Kmart Corporation