

# **KIDS PAIN AND FEVER- acetaminophen suspension**

## **KinderFarms, LLC**

-----

### **Drug Facts**

#### **Active ingredient (in each 5 mL)**

Acetaminophen 160 mg

#### **Purpose**

Pain reliever/fever reducer

#### **Uses**

- temporarily reduces fever
- temporarily relieves minor aches and pains due to
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

#### **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash.

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

**Ask a doctor before use if your child has** liver disease.

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin.

**When using this product, do not exceed recommended dose (see Overdose warning).**

**Stop use and ask a doctor if**

- any new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see Overdose warning)**
- **shake well before using**
- mL = milliliter
- use only the enclosed dosing cup designed for use with this product. Do not use any other dosing device.
- if needed, repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give more than 5 days unless directed by a doctor
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

Weight (lb)	Age (years)	Dose (mL)*
under 24	under 2	ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

\*or as directed by a doctor

### **Other information**

- **Each 5mL contains:** sodium 10mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- see bottom panel for lot number and expiration date

### **Inactive ingredients**

Organic agave syrup, non-GMO ascorbic acid (vitamin C), organic cherry flavor, glycerin, natural flavor, non-GMO sodium citrate

**DISTRIBUTED BY:** KinderFarms®  
Redondo Beach, CA 90277 USA  
**kinderfarms.com**

### **QUESTIONS?**

hello@kinderfarms.com  
or call **424-235-0355**

### **Principal Display Panel - 118 mL Carton Label**

**KinderMed®**

Same active ingredient as  
**Children's Tylenol®†**

Ages  
2-11 yrs.

**KIDS'**  
**PAIN & FEVER**  
**Acetaminophen**

**160 mg per 5 mL Oral Suspension**

**Pain Reliever | Fever Reducer**

**Organic Cherry Flavor**

**NON**  
**GMO**  
**Project**

**VERIFIED**

**nongmoproject.org**

**NO DYES.**

**NO ARTIFICIAL FLAVORS.**

**NO ARTIFICIAL SWEETENERS.**

**DOSING CUP INCLUDED**

**4 FL OZ (118 mL)**



**KIDS PAIN AND FEVER**

acetaminophen suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82673-104
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY (CHERRY)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82673-104-04	1 in 1 CARTON	07/01/2025	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/01/2025	

**Labeler -** KinderFarms, LLC (075458767)