

**PSEUDOEPHEDRINE HCL- pseudoephedrine hydrochloride tablet**  
**Innovida Pharmaceutique Corporation**

-----

***Active Ingredient (in each tablet)***

Pseudoephedrine HCl 60 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland

**When using this product do not exceed recommended dose.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- adults and children 12 years and older: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
- children under 12 years of age: do not use

***Other Information***

- Store in a dry place at 15°-30°C (59°-86°F)
- keep lid tightly closed

***Inactive Ingredients***

croscarmellose sodium, lactose, magnesium stearate, microcrystalline cellulose, silica and stearic acid

***Questions or Comments? 1-888-462-4166***

**Product label**

**Drug Facts** *(continued)*

When using this product do not exceed recommended dose.

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and older: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
- children under 12 years of age: do not use

**Other Information**

- Store in a dry place at 15°-30°C (59°-86°F)
- keep lid tightly closed

**Inactive ingredients**

croscarmellose sodium, lactose, magnesium stearate, microcrystalline cellulose, silica and stearic acid

**Questions or Comments?**

1-888-462-4166

NDC: 71800-053-07

INN  
VIDA  
PHARMACEUTIQUE CORPORATION

**Pseudoephedrine  
HCL** 60 mg

NASAL DECONGESTANT

30 Tablets

TEMPER EVIDENT: DO NOT USE OF IMPRENTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Drug Facts****Active ingredient  
(in each tablet)****Purpose**

Pseudoephedrine  
HCL 60 mg.....Nasal decongestant

**Uses** • temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies • temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland

Mfd. for: Innovida Pharmaceutique Corporation, Phoenix, AZ 85040

**PSEUDOEPHEDRINE HCL**

pseudoephedrine hydrochloride tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71800-053
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII: 7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	60 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

**Product Characteristics**

<b>Color</b>	white (Off White)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71800-053-07	30 in 1 BOTTLE; Type 0: Not a Combination Product	02/10/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/10/2025	

**Labeler** - Innovida Pharmaceutique Corporation (080892908)

Revised: 3/2025

Innovida Pharmaceutique Corporation