SINUS HEADACHE- acetaminophen and phenylephrine hydrochloride tablet, coated Harris Teeter

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HTE - 1123 - 2019-1011

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever
rectalinophen 323 mg	reducer
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - headache
 - sinus congestion and pressure
 - nasal congestion
 - minor aches and pains
- helps decongest sinus openings and passages
- promotes sinus drainage
- helps clear nasal passages
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after

stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

• if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 caplets every 4 hours swallow whole – do not crush, chew, or dissolve do not take more than 10 caplets in 24 hours
children under 12 years	• ask a doctor

Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information

Inactive ingredients

acesulfame potassium, colloidal silicon dioxide, croscarmellose sodium, D&C yellow #10, FD&C

blue #1, flavor, hypromellose, lactose anhydrous, magnesium stearate, povidone, pregelatinized starch, propylene glycol, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

Harris Teeter

Sinus & Headache

Compare to the Active Ingredients in Tylenol(R) Sinus + Headache

Daytime, Non-Drowsy

Acetaminophen & Phenylephrine HCl

PAIN RELIEVER/FEVER REDUCER, NASAL DECONGESTANT

Relieves

Sinus Headache

Sinus Pressure

Nasal Congestion

For Adults

24 COOL TASTE CAPLETS

Actual Size

 	•

- trouble unnating due to an enlarged prostate gland ■ µidµ plood bressure ■ Deart disease ■ tryroid disease Ask a doctor before use if you have ■ liver disease ■ diabetes
 - of its ingredients it you have ever had an allergic reaction to this product or any petone taking this product.
 - prescription drug contains an MAOI, ask a doctor or pharmacist after stopping the MAOI drug. If you do not know if your if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks
 - acetaminophen, ask a doctor or pharmacist. nonprescription). If you are not sure whether a drug contains
 - with any other drug containing acetaminophen (prescription or

If a skin reaction occurs, stop use and seek medical help right away. Symptoms may include:

skin reddening

blisters

rash Allergy alert: acetaminophen may cause severe skin reactions.

- 3 or more alcoholic drinks every day while using this product
 - more than 4,000 mg of acetaminophen in 24 hours

24 hours. Severe liver damage may occur if you take daily dose of this product is 10 caplets (3,250 mg acetaminophen) in Liver warning: This product contains acetaminophen. The maximum

Drug Facts (continued)

SSK S GOCTOF cyildren under ■ do not take more than 10 caplets in 24 hours or dissolve years and over swallow whole – do not crush, chew, children 12

■ take 2 caplets every 4 hours

 do not take more than directed (see overdose warning) Directions

notice any signs or symptoms.

attention is critical for adults as well as for children even if you do not Poison Control Center right away (1-800-222-1222). Quick medical Overdose warning: In case of overdose, get medical help or contact a keep out of reach of children.

If pregnant or breast-feeding, ask a health professional before use These could be signs of a serious condition.

uew symptoms occur

adults and

- redness or swelling is present ■ fever gets worse or lasts more than 3 days
- pain or nasal congestion gets worse or lasts more than 7 days ■ uervousness, dizziness, or sleeplessness occur
 - Stop use and ask a doctor if

When using this product do not exceed recommended dosage ильпид агид малали Ask a doctor or pharmacist before use if you are taking the blood

nund racts (continued)

temporarily reduces fever

■ femborarily relieves these symptoms associated with hay fever ▶

Nasal decongestant Phenylephrine HCl 5 mg. Purpose Active ingredients (in each caplet)

Drug Facts

 реірь сіеаг пазаі раззадея ■ promotes sinus drainage ■ µelps decongest sinus openings and passages ■ minor aches and pains ■ ussal congestion siuns coudespou sug bressure реадасре

or other upper respiratory allergies, and the common cold:

Drug Facts (continued)

F112305HTE_R0

†Compare to the

Active Ingredients in Tylenol® Sinus Headache

Sinus & Headache

Daytime, Non-Drowsy Acetaminophen & Phenylephrine HCI

PAIN RELIEVER / FEVER REDUCER, NASAL DECONGESTANT

Relieves

- Sinus Headache
- Sinus Pressure
- Nasal Congestion
- For Adults

24 COOL TASTE CAPLETS

Actual Size

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenof® Sinus + Headache.

Syour*plus*guarantee.

PROUDLY DISTRIBUTED BY: Harris Teeter, LLC Matthews, NC 28105

USE IF BLISTER UNITS TORN OR BROKEN

NOT I 8

silicon dioxide, croscarmellose sodium, D&C yellow #10, acesulfame potassium, colloidal stnaibargni avitosnis

> retain carton for complete product information Other information afore between 20-25°C (68-77°F) in a dry place ■

> > Drug Facts (continued)

1-844-705-4384 Questions or comments?

starch glycolate, stearic acid, titanium dioxide

stearate, povidone, pregelatinized starch, propylene glycol, sodium FD&C blue #1, flavor, hypromellose, lactose anhydrous, magnesium

Drug Facts (continued)

acetaminophen and phenylephrine hydrochloride tablet, coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72036-123	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients				
Ingredient Name	Strength			
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)				
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)				
CROSCARMELLOSE SODIUM (UNII: M28 OL 1HH48)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
LACTOSE (UNII: J2B2A4N98G)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
PO VIDO NE, UNS PECIFIED (UNII: FZ 989 GH 94E)				
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)				

Product Characteristics				
Color	green	Score	no score	
Shape	OVAL	Size	17mm	
Flavor	MINT	Imprint Code	AAA;1114	
Contains				

	Packaging					
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
ı	1 NDC:72036-123-05	2 in 1 CARTON	07/17/2012			
ı	1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC monograph final part341 07/17/2012

Labeler - Harris Teeter (047279351)

Revised: 10/2019 Harris Teeter