

XTRA BLU (PART A)- lactic acid solution solution
AgroChem Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

XTRA BLU (Part A)

XTRA BLU (Part A)

XTRA BLU (PART A)

SPRAY

DIP CUP

FOAM

WARNING

AVOID FREEZING.

KEEP OUT OF DIRECT SUNLIGHT

CAUSES SERIOUS EYE IRRITATION.

KEEP OUT OF REACH OF CHILDREN.

FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Wash skin thoroughly after handling. Wear eye protection/ face protection.

FIRST AID / RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plant

EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494

INGREDIENTS:

Lactic Acid - 2.64%

Emollient Package - 12 %

XTRA EcoBLU is a two-part Chlorine Dioxide teat dip that can be effectively used to reduce the spread of mastitis causing organisms. Recommended for pre and post milking applications.

Directions:

NOTE: MUST BE MIXED PRIOR TO USE. MIX PART A & PART B in equal parts.

CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing. Will maintain minimum Chlorine Dioxide levels for up to 24 hours. It is recommended to replace with freshly mixed XTRA BLU after 24 hours.

Directions:

General Use

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Teat Sprays can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post Dipping Use

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.

Dipping should be resumed at least twice daily one week before calving.

XTRA BLU (PART A)



WARNING

AVOID FREEZING.
KEEP OUT OF DIRECT SUNLIGHT.
CAUSES SERIOUS EYE IRRITATION.
KEEP OUT OF REACH OF CHILDREN.
FOR FARM AND INDUSTRIAL USE ONLY.



PREVENTION: Wash skin thoroughly after handling. Wear eye protection/ face protection.

FIRST AID / RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plant.

EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 (CN205494)

INGREDIENTS:

Lactic Acid - 2.64%
Emollient Package - 12%

NET CONTENTS: BULK

LOT#:

EXP:

XTRA BLU is a two-part Chlorine Dioxide test dip that can be effectively used to reduce the spread of mastitis causing organisms. Recommended for pre and post milking applications.

Directions:

NOTE: MUST BE MIXED PRIOR TO USE. MIX PART A & PART B in equal parts.
CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing. Will maintain minimum Chlorine Dioxide levels for up to 24 hours. It is recommended to replace with freshly mixed XTRA Blu after 24 hours.

General Use:

Use a test dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use test dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Sprays can also be foamed or sprayed using recommended equipment.

Pre Dipping Use:

Perform foremilk stripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking test dip. Teats should then be dried with single service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the test dip or foam cup containing product.

Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single service towels to avoid contamination of milk.

Post Dipping Use:

Immediately after each milking, use product.

Dip each teat full-length into the test dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use:

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.

Dipping should be resumed at least twice daily one week before calving.



AgroChem

26 Freedom Way - Saratoga Springs, NY 12866 • (518)226-4890

XTRA BLU (PART A)

lactic acid solution solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17307-3631
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	0.03 kg in 1 kg
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZENESULFONIC ACID	0.01 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
LANOLIN (UNII: 7EV65EAW6H)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17307-3631-1	19 kg in 1 CONTAINER		
2	NDC:17307-3631-2	57 kg in 1 DRUM		
3	NDC:17307-3631-3	208 kg in 1 DRUM		
4	NDC:17307-3631-4	1040 kg in 1 CONTAINER		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			09/21/2020	

Labeler - AgroChem Inc. (805427700)

Registrant - AgroChem Inc. (805427700)

Establishment			
Name	Address	ID/FEI	Business Operations
AgroChem Inc.		805427700	api manufacture, manufacture