

**BISMUTH SUBSALICYLATE SUSPENSION REGULAR STRENGTH- bismuth subsalicylate liquid**  
**FSA Store Inc. (Caring Mill)**

-----

**Stomach Relief**

***ACTIVE INGREDIENT (in each 30 mL dose cup or 2 tablespoons)***

Bismuth subsalicylate 525 mg

**PURPOSES**

Upset stomach reliever and antidiarrheal

**Uses** relieves • travelers' diarrhea • diarrhea  
• upset stomach due to overindulgence of food and drink  
including: • heart burn • indigestion • nausea • gas  
• belching

**WARNINGS**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Contains salicylate. Do not take if you are  
• allergic to salicylates (including aspirin)  
• taking other salicylate products

**Do not use if you have** • an ulcer  
• a bleeding problem • black or bloody stool

**Ask a doctor before use if you have**  
• fever • mucus in stool

**Ask a doctor or pharmacist before use if you are**  
taking any drug for • anticoagulation (thinning of the blood)  
• diabetes • gout • arthritis

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur

**Stop use and ask a doctor if**  
• diarrhea lasts more than 2 days  
• symptoms get worse or last more than 2 days  
• ringing in the ears or loss of hearing occurs

**If pregnant or breast feeding,** ask health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** • Shake well before use

- use dose cup or tablespoon (TBSP)
- adults and children 12 years and over: 1 dose (30 mL or 2 TBSP) every 1/2 to 1 hour as needed
- do not exceed 8 doses (240 mL or 16 TBSP) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information**

- each 30 mL dose cup contains: sodium 13 mg, salicylate 256 mg
- protect from freezing • avoid excessive heat (over 104°F or 40°C)
- low sodium

**Inactive ingredients** benzoic acid, D&C red #22, D&C red # 28, flavor, purified water, saccharin sodium, salicylic acid, sodium salicylate, xanthan gum

=====

**caring mill™ Stomach Relief Labeling**

**NDC 81522-557-28**

**caring mill™**

**Stomach**

**Relief**

Compare to the active ingredients in Pepto-Bismol™

**Regular Strength**

**Bismuth Subsalicylate**

**Antidiarrheal / Upset Stomach Reliever**

**12 FL OZ**

**(354 mL)**

"This product is not manufactured or distributed by Procter & Gamble, Inc., the distributor of Pepto-Bismol™.

Made in USA LR-224

Manufactured for FSA Store Inc.

5473 Blair Rd Suite 100

PMB 24308 Dallas, TX 75231



res

## BISMUTH SUBSALICYLATE SUSPENSION REGULAR STRENGTH

bismuth subsalicylate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81522-557
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKNOB0MIM)	
<b>D&amp;C RED NO. 22</b> (UNII: 1678RKX8RT)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)	
<b>SODIUM SALICYLATE</b> (UNII: WMQ1H85SYP)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

Color	PINK	Score	
-------	------	-------	--

Shape		Size		
Flavor	MINT	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81522-557-28	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M008	09/01/2025	

**Labeler** - FSA Store Inc. (Caring Mill) (049283340)