

**ACT ANTICAVITY FLUORIDE KIDS BUBBLEGUM- sodium fluoride rinse
Chattem, Inc.**

ACT Anticavity Fluoride Rinse Kids Bubblegum

Drug Facts

Active Ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other Information

- do not use if safety seal is broken or missing

Inactive ingredients

benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water (245-163)

Learn more at www.actfluoride.com

PRINCIPAL DISPLAY PANEL

#1 DENTIST RECOMMENDED
KID'S RINSE BRAND
ACT Kids
ANTICAVITY
FLUORIDE RINSE
BUBBLE GUM BLOWOUT
16.9 fl oz (500 mL)



ACT Kids ANTICAVITY FLUORIDE RINSE
Bubble Gum Blowout | Alcohol Free

Drug Facts	
Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion) ...	Anticavity
Use ■ aids in the prevention of dental cavities	
Warnings Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away	
Directions adults and children 6 years of age and older:	
<ul style="list-style-type: none"> ■ use once a day after brushing your teeth with a toothpaste ■ remove cap ■ hold bottle upright and squeeze. FILL to FILL LINE (10 mL) ■ vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out ■ do not swallow the rinse ■ do not eat or drink for 30 minutes after rinsing ■ instruct children under 12 years of age in good rinsing habits (to minimize swallowing) ■ supervise children as necessary until capable of using without supervision 	
children under 6 years of age: consult a dentist or doctor	
Other information	
■ do not use if safety seal is broken or missing	
Inactive ingredients benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water	

Bottle configuration is a trademark of Chatterm, Inc. 245-163
Learn more at www.ctoralcare.com

Distributed by: Chatterm, Inc.,
P.O. Box 2219, Chattanooga, TN 37409-0219 ©2023
†among mouth rinses

Certified

Corporation


Recycle
PLASTIC BOTTLE
how2recycle.info


0 41167 09444 0


885996

ACT ANTICAVITY FLUORIDE KIDS BUBBLEGUM

sodium fluoride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0944
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0944-1	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/1993	
2	NDC:41167-0944-3	88 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/1993	
3	NDC:41167-0944-2	3 in 1 CELLO PACK	02/01/1993	
3	NDC:41167-0944-8	500 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/01/1993	

Labeler - Chattem, Inc. (003336013)

