

**MOIST SURE- triclosan liquid**  
**MOIST SURE- isopropyl alcohol liquid**  
**MOIST SURE- alcohol liquid**  
**DSHealthcare**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Moist SURE™ Foaming Sanitizer**

***Drug Facts***

**Active ingredient**

62% v/v Ethyl Alcohol

**Purposes**

Surgical Scrub

Healthcare Personnel Handwash

**Uses**

- **Surgical Scrub**
- **Healthcare Personnel Handwash** in patient care or other high risk settings to reduce transient bacteria and the risk of cross contamination. Use when hands are physically clean.

**Warnings**

Flammable, keep away from fire or flame. **For external use only.** Avoid contact with eyes. Eye irritant. If splashed in eyes, rinse promptly and thoroughly with water. Discontinue use if irritation and redness develop. Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Contents under pressure. Do not puncture or incinerate. Do not store above 120°F (49°C). For best foam density store and use at 55 - 85°F (13 - 29°C).

**Stop use and ask a doctor if** irritation and redness develop and persist for more than 5 days.

**Directions**

**Surgical Scrub** Clean under nails with a pick. Nails should be maintained with a 1 mm free edge. Dispense 5 grams (tennis ball) onto one hand. Spread on both hands, paying particular attention to the nails, cuticles, and interdigital spaces and forearms. Rub into skin until dry. Dispense 2.5 grams (golf ball) onto one hand and spread over both hands to the wrists and rub into the skin until dry. **Healthcare Personnel Handwash** Dispense a palm full (golf ball) in one hand. Spread over both hands up to one-half inch above the wrists. Rub vigorously.

**Inactive ingredients**

Water, Hydrofluorocarbon 152A, Isobutane, Emulsifying Wax, Polyquaternium-6, Sodium Benzoate, Propane, Sodium Sesquicarbonate

**Questions or comments?**

800-637-8582 • 201-871-1232

**PRINCIPAL DISPLAY PANEL - 62.4 g Label**

NDC 0699-5750-76

**Foaming Sanitizer**

**Moist**

**SURE™**

- **Increased skin hydration  
for up to 2 hours**
- **Effective against  
MRSA in 5 seconds**
- **Surgical scrub**

**REF95750**

**Net Weight: 2.2 oz [62.4 g]**

Manufactured for:

**Sultan®**

**Sultan Healthcare**

411 Hackensack Avenue, 9th Floor • Hackensack, NJ 07601

Toll Free: 800-637-8582 • Phone: 201-871-1232

Fax: 201-871-0321 • [www.sultanhealthcare.com](http://www.sultanhealthcare.com)

62164

10D5-PSB(1209)



<b>Drug Facts</b>	
<b>Active ingredient</b> 62% v/v Ethyl Alcohol	<b>Purposes</b> Surgical Scrub Healthcare Personnel Handwash
<b>Uses</b> • Surgical Scrub • Healthcare Personnel Handwash in patient care or other high risk settings to reduce transient bacteria and the risk of cross contamination. Use when hands are physically clean.	
<b>Warnings</b> Flammable, keep away from fire or flame. For external use only. Avoid contact with eyes. Eye irritant. If splashed in eyes, rinse promptly and thoroughly with water. Discontinue use if irritation and redness develop. Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Contents under pressure. Do not puncture or incinerate. Do not store above 120°F (49°C). For best foam density store and use at 55 - 85°F (13 - 29°C).	
<b>Stop use and ask a doctor if irritation and redness develop and persist for more than 5 days.</b>	
<b>Directions</b> <b>Surgical Scrub</b> Clean under nails with a pick. Nails should be maintained with a 1 mm free edge. Dispense 5 grams (tennis ball) onto one hand. Spread on both hands, paying particular attention to the nails, cuticles, and interdigital spaces and forearms. Rub into skin until dry. Dispense 2.5 grams (golf ball) onto one hand and spread over both hands to the wrists and rub into the skin until dry. <b>Healthcare Personnel Handwash</b> Dispense a palm full (golf ball) in one hand. Spread over both hands up to one-half inch above the wrists. Rub vigorously.	
<b>Inactive ingredients</b> Water, Hydrofluorocarbon 152A, Isobutane, Emulsifying Wax, Polyquaternium-6, Sodium Benzoate, Propane, Sodium Sesquicarbonate	
<b>Questions or comments?</b> 800-637-8582 • 201-871-1232	

DOT 2Q

M5655

Made in U.S.A.

## MOIST SURE

triclosan liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0699-5720
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Triclosan (UNII: 4NM5039Y5X) (Triclosan - UNII:4NM5039Y5X)	Triclosan	7.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Hexylene Glycol (UNII: KEH0A3F75J)	
Sorbitol (UNII: 506T60A25R)	
ETHANOLAMINE (UNII: 5KV86114PT)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
AMMONIUM LAURYL SULFATE (UNII: Q7AO2R1M0B)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5720-13	448 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	03/06/2006	

## MOIST SURE

triclosan liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5727
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Triclosan (UNII: 4NM5039Y5X) (Triclosan - UNII:4NM5039Y5X)	Triclosan	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Sorbitol (UNII: 506T60A25R)	
Sodium Chloride (UNII: 451W47IQ8X)	
Iodopropynyl Butylcarbamate (UNII: 603P14DHEB)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5727-41	1039 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	01/02/1992	

## MOIST SURE

triclosan liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5725
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Triclosan (UNII: 4NM5039Y5X) (Triclosan - UNII:4NM5039Y5X)	Triclosan	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
Sorbitol (UNII: 506T60A25R)	
Sodium Chloride (UNII: 451W47IQ8X)	
Iodopropynyl Butylcarbamate (UNII: 603P14DHEB)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5725-03	123 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	01/02/1992	

## MOIST SURE

triclosan liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5726
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Triclosan (UNII: 4NM5039Y5X) (Triclosan - UNII:4NM5039Y5X)	Triclosan	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Sorbitol</b> (UNII: 506T60A25R)	
<b>Sodium Chloride</b> (UNII: 451W47IQ8X)	
<b>Iodopropynyl Butylcarbamate</b> (UNII: 603P14DHEB)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5726-13	461 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	01/02/1992	

## MOIST SURE

isopropyl alcohol liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0699-5743
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Isopropyl Alcohol</b> (UNII: ND2M416302) (Isopropyl Alcohol - UNII:ND2M416302)	Isopropyl Alcohol	630 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Methylpropanediol</b> (UNII: N8F53B3R4R)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Hydroxypropyl Cellulose</b> (UNII: RFW2ET671P)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5743-03	105 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	05/01/2004	

## MOIST SURE

isopropyl alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5741
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Isopropyl Alcohol (UNII: ND2M416302) (Isopropyl Alcohol - UNII:ND2M416302)	Isopropyl Alcohol	630 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Methylpropanediol (UNII: N8F53B3R4R)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Glycerin (UNII: PDC6A3C0OX)	
Hydroxypropyl Cellulose (UNII: RFW2ET671P)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5741-13	396 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	05/01/2004	

## MOIST SURE

isopropyl alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5742
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
Isopropyl Alcohol (UNII: ND2M416302) (Isopropyl Alcohol - UNII:ND2M416302)		Isopropyl Alcohol	630 mg in 1 g	
Inactive Ingredients				
Ingredient Name		Strength		
Water (UNII: 059QF0KO0R)				
Methylpropanediol (UNII: N8F53B3R4R)				
Phenoxyethanol (UNII: HIE492ZZ3T)				
Glycerin (UNII: PDC6A3C0OX)				
Hydroxypropyl Cellulose (UNII: RFW2ET671P)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5742-41	891 g in 1 BOTTLE, PUMP		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part333E	05/01/2004		

## MOIST SURE

isopropyl alcohol liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5740
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Isopropyl Alcohol (UNII: ND2M416302) (Isopropyl Alcohol - UNII:ND2M416302)		Isopropyl Alcohol	630 mg in 1 g
Inactive Ingredients			
Ingredient Name		Strength	
Water (UNII: 059QF0KO0R)			
Methylpropanediol (UNII: N8F53B3R4R)			
Phenoxyethanol (UNII: HIE492ZZ3T)			
Glycerin (UNII: PDC6A3C0OX)			
Hydroxypropyl Cellulose (UNII: RFW2ET671P)			
Packaging			



#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5740-25	53 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	05/01/2004	

## MOIST SURE

alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5750
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Alcohol (UNII: 3K9958V90M) (Alcohol - UNII:3K9958V90M)	Alcohol	620 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Isobutane (UNII: BXR49TP611)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Propane (UNII: T75W9911L6)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5750-76	62.4 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	01/02/1988	

## MOIST SURE

alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0699-5751
--------------	----------------	--------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Alcohol (UNII: 3K9958V90M) (Alcohol - UNII:3K9958V90M)	Alcohol	620 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
Isobutane (UNII: BXR49TP611)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Propane (UNII: T75W9911L6)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0699-5751-36	255 g in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333E	01/02/1988	

**Labeler** - DSHealthcare (056296981)

**Registrant** - Steris Corporation (139424188)

### Establishment

Name	Address	ID/FEI	Business Operations
Steris Corporation		139424188	MANUFACTURE

Revised: 2/2010

DSHealthcare