

**NEUTROGENA ULTRA SHEER DRY TOUCH SUNSCREEN BROAD SPECTRUM  
SPF55- avobenzone, homosalate, octisalate, and octocrylene lotion  
Kenvue Brands LLC**

-----  
**Neutrogena® Ultra Sheer® dry-touch sunscreen BROAD SPECTRUM SPF55**

***Drug Facts***

| <b><i>Active ingredients</i></b> | <b><i>Purpose</i></b> |
|----------------------------------|-----------------------|
| Avobenzone 3%                    | Sunscreen             |
| Homosalate 10%                   | Sunscreen             |
| Octisalate 5%                    | Sunscreen             |
| Octocrylene 10%                  | Sunscreen             |

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Water, Styrene/Acrylates Copolymer, Silica, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Beeswax, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Cetyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Aluminum Starch Octenylsuccinate, Behenyl Alcohol, Acrylates/Dimethicone Copolymer, Xanthan Gum, Sodium Polyacrylate, Chlorphenesin, Dimethicone PEG - 10/15 Crosspolymer, Hydrolyzed Jojoba Esters, Fragrance, Disodium EDTA, Ethylhexyl Stearate, Tocopheryl Acetate, BHT, Trideceth-6, Jojoba Esters

## **Questions or Comments?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

*NEW LOOK*

**Neutrogena**®

**DERMATOLOGIST RECOMMENDED BRAND**

**ULTRA**

**SHEER**®

**Dry-Touch**

**Sunscreen**

**55**

**BROAD SPECTRUM SPF 55**

**Antioxidant Vitamin E**

Lightweight clean feel

Shields skin 6 layers deep

**with helioplex**®

Water resistant (80 minutes)

3.0 FL OZ (88 mL)

**Neutrogena®  
Ultra Sheer®  
with Helioplex®**



30059546

provides superior broad-spectrum protection against skin-aging UVA and burning UVB rays with a non-greasy, invisible finish.

**Drug Facts**

|  |                |
|--|----------------|
| <b>Active ingredients</b>  | <b>Purpose</b> |
| Avobenzone (3%), Homosalate (10%),<br>Octisalate (5%), Octocrylene (10%) | Sunscreen      |

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

■ **For external use only** ■ **Do not use** on damaged or broken skin ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs ■ **Keep out of reach of children.** if swallowed, get medical help or contact a Poison Control Center right away

**Directions**

■ apply liberally 15 minutes before sun exposure  
 ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients**

Water, Styrene/Acrylates Copolymer, Silica, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Beeswax, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Cetyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Aluminum Starch Octenylsuccinate, Behenyl Alcohol, Acrylates/Dimethicone Copolymer, Xanthan Gum, Sodium Polyacrylate, Chlorphenesin, Dimethicone/PEG-10/15 Crosspolymer, Hydrolyzed Jojoba Esters, Fragrance, Disodium EDTA, Ethylhexyl Stearate, Tocopheryl Acetate, BHT, Trideceth-6, Jojoba Esters

**Questions or Comments?**

Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com



Free of: Oxybenzone, PABA, parabens, phthalates and dyes



Dermatologist tested



HELIOPLEX®: UVA/UVB protection + antioxidant vitamin E



NEW LOOK

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

**ULTRA SHEER®  
Dry-Touch  
Sunscreen**

**55**

**BROAD SPECTRUM SPF 55**

**Antioxidant Vitamin E**

Lightweight clean feel  
Shields skin 6 layers deep

with **HELIOPLEX®**  
Water resistant (80 minutes)

3.0 FL OZ (88 mL)

Distributed by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands LLC 2025 Pat. www.kenvuepatis.com

**NEUTROGENA ULTRA SHEER DRY TOUCH SUNSCREEN BROAD SPECTRUM SPF55**

avobenzone, homosalate, octisalate, and octocrylene lotion

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:69968-0576 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 30 mg in 1 mL  |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 100 mg in 1 mL |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 50 mg in 1 mL  |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 100 mg in 1 mL |

**Inactive Ingredients**

| Ingredient Name   | Strength |
|---|----------|
| <b>JOJOBA OIL, RANDOMIZED</b> (UNII: 7F0EV20QYL)  |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)  |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)  |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)   |          |
| <b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)   |          |
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)  |          |
| <b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)  |          |
| <b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)  |          |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)   |          |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)  |          |
| <b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)  |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)   |          |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)  |          |
| <b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)   |          |
| <b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)  |          |
| <b>DOCOSANOL</b> (UNII: 9G1OE216XY)   |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)   |          |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)   |          |
| <b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)  |          |
| <b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)  |          |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)  |          |
| <b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)   |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)  |          |
| <b>2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW)</b> (UNII: S7ZA3CCJ4M) |          |

**Packaging**

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69968-0576-3 | 88 mL in 1 TUBE; Type 0: Not a Combination Product  | 10/07/2019           |                    |
| 2 | NDC:69968-0576-5 | 147 mL in 1 TUBE; Type 0: Not a Combination Product | 10/07/2019           |                    |

|   |                  |  |            |            |
|---|------------------|--|------------|------------|
| 3 | NDC:69968-0576-1 | 29 mL in 1 TUBE; Type 0: Not a Combination Product | 10/07/2019 | 09/30/2022 |
| 4 | NDC:69968-0576-6 | 3 in 1 CARTON                                      | 10/07/2019 |            |
| 4 |                  | 88 mL in 1 TUBE; Type 0: Not a Combination Product |            |            |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 10/07/2019           |                    |

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 3/2025

Kenvue Brands LLC