TOLNAFTATE- anti-fungal liquid maximum strength liquid LEADER/ Cardinal Health 110, Inc.

Leader Tolnaftate 1% Antifungal Liquid

Active ingredient

Tolnaftate 1% w/w

Purpose

Antifungal

Uses

proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corportis)

prevents the recurrences of most athlete's foot with daily use

for effective relief of itching, burning, cracking, redness and scaling

Warnings

For external use only.

Do not use

on children 2 years of age unless directed by a doctor.

When using this product

avoid contact with eyes.

Stop use and consult a doctor if

- irritation occurs
- there is no improvement in 4 weeks

Keep out of reach of children.

If accidental ingestion occurs, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Read all warnings and directions. Use only as directed.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks.
- If condition persists longer, consult a doctor
- to prevent athlete's foot: wash the feet thoroughly, apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information

- store at room temperature 15°-30°C (59° 86°F)
- protect from freezing. If freezing occurs warm to room temperature
- keep tightly closed when not in use

Inactive ingredient

Acrylates Copolymer, Ethylhexyglycerin, Glycerin, Phenoxyethanol, Sodium Hydroxide, Tocopherol, Water.

Questions?

Call 1-866-964-0939

Principal Display

Leader

Maximum Strength

Antifungal

Liquid

TOLNAFTATE 1%

MEDICATED

ANTIFUNGAL

- Proven clinically effective in the cure & prevention of fungus on fingers, toes & around nails
- Relieves itching, burning & scaling
- With moisturizer
- Built-in brush for easy application

NET WT 1 FL OZ (30 mL)



BACK OF BOX

Maximum Strength Antifungal Liquid

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active ingredient Purpose

Uses
proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corpors)
prevents the recurrence of most athlete's foot with deligrance.

- foot with daily use for effective relief of itching, burning, cracking, redness and scaling

Warnings

For external use only.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact

Stop use and ask a doctor if
irritation occurs
there is no improvement within 4 weeks

Keep out of reach of children. If accidental ingestion occurs, get medical help or contact a Poison Control Center (1-800-222-1222)

Directions Read all warnings and

- DIFECTIONS Read all warnings and directions. Use only as directed.

 clean the affected area and dry thoroughly apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor

 supervise children in the use of this product

 for affected by supervise children in the use of this product

 for affected by supervise children in the use of this product

 for affected by supervise and ordering a supervise and socks at least once daily
- ventilated shoes, and change shoes and socks at least once daily

 for athlete's foot and ringworm, use daily for 4 weeks

 if condition persists longer, consult a doctor

 to prevent athlete's foot wesh the feet and dry throughly, apply a thin layer of the product to the feet once or twice daily immaing and/or night,

 this product is not effective on the scalp or nais.

- Other information

 store at room temperature 15'-30'C(59'-86'F)
 protect from freezing; if freezing occurs,
- warm to room temperature ■ keep tightly closed when not in use

Inactive ingredients
Acrylates Copolymer, Ethylhexylglycerin,
Glycerin, Phenoxyethanol, Sodium Hydroxide, Tocopherol, Water

Questions? Call 1-866-964-0939

Eliminates and helps stop the spread of fungal infections on cuticles, around nail edges, and under nail tips where reachable with applicator brush. Topical antifungal treatment will not penetrate hard nail surfaces.

Non-oily formula **Dries quickly Built-in brush for** easy application

@2023 Cardinal Health All Pinhts Reserved CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the LEADER LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017 www.myleader.com 1-800-200-6313

Made in Canada

This product is not manufactured or distributed by Kramer Laboratories, Inc., owner of the registered trademark Fungi-Nail.

All LEADER™ Brand Products Have A 100% Money Back Guarantee



LEADER? LEADER?

NDC 70000-0637-1

Antifungal Liquid

Tolnaftate, 1%

COMPARE TO FUNGI-NAIL*

Proven Clinically Effective in the Cure and Prevention of Fungus on Fingers, Toes & Around Nails

Relieves Itching, Burning & Scaling Built-In Brush for Easy Application

1 FL OZ (30 mL)

Actual Size

53-121LD

NO VARNISH AREA (WHITE ONLY)

SIDE



Warnings: For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation reach of children. If accidental ingestion occurs, get medical help ayer of the product over the affected area twice daily (moming and Tocopherol. Water **Other information:** Store at room temperature directed. Clean the affected area and dry thoroughly. Apply a thin or contact a Poison Control Center (1-800-222-1222) right away between the toes; wear well-fitting, ventilated shoes, and change twice daily (morning and/or night). This product is not effective on occurs or there is no improvement within 4 weeks. Keep out of night) or as directed by a doctor. Supervise children in the use of Ethylhexylglycerin, Glycerin, Phenoxyethanol, Sodium Hydroxide, warm to room temperature. Keep tightly closed when not in use. consult a doctor. To prevent athlete's foot: wash the feet and dry thoroughly; apply a thin layer of the product to the feet once or Directions: Read all warnings and directions. Use only as this product. For athlete's foot: pay special attention to spaces the scalp or nails. Inactive ingredients: Acrylates Copolymer, 15"-30°C (59"-86°F). Protect from freezing. If freezing occurs, ringworm, use daily for 4 weeks. If condition persists longer shoes and socks at least once daily. For athlete's foot and Questions? Call 1-866-964-0939

REV. 3/23

www.myleader.com 1-800-200-6313 Made in Canada 50-121LD

©2023 Cardinal Health

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

TOLNAFTATE

anti-fungal liquid maximum strength liquid

Product Information	n
----------------------------	---

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70000-0637

Route of Administration TOPICAL

Active Ingredient/Active Moiety

TOCOPHEROL (UNII: R0ZB2556P8)

Ingredient Name
Basis of Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)
TOLNAFTATE
10 mg in 1 mL

Inactive Ingredients Ingredient Name Strength PHENOXYETHANOL (UNII: HIE492ZZ3T) SODIUM HYDROXIDE (UNII: 55X04QC32I) WATER (UNII: 059QF0KO0R) GLYCERIN (UNII: PDC6A3C0OX)

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:70000- 0637-1	1 in 1 CARTON	05/18/2023				
1		30 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M005	05/18/2023				

Labeler - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 2/2024 LEADER/ Cardinal Health 110, Inc.