

**CVS HEALTH LIDOCAINE PAIN-RELIEVING- lidocaine patch**  
**Natural Essentials, Inc.**

-----  
**Drug Facts**

**Active ingredients**

Lidocaine 4%

**Purpose**

Topical Anesthetic

**Use**

For the temporary relief of pain.

**Warnings**

**For external use only**

**Do not use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch
- **NOTE:** patches may not adhere as well to all individuals, skin types, or certain parts of the body.

**Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast feeding**ask a physician before use.

**Keep out of reach of children.**If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- **Adults/children 12 years and older**
- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area
- once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin
- do not remove patch and reapply, this will result in the patch not sticking
- avoid strenuous exercise while wearing patch, this will result in patch not sticking
- do not use more than one patch in an 8 hour period.

**Children 12 years or younger:**ask a doctor.

## **Other information**

Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

## **Inactive ingredients**

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.

## **Principal Display Panel - 567 mg Carton Label**

**CVS  
Health™**

Compare to the active  
ingredient in Salonpas®  
4% Lidocaine Gel Patch\*

**MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription †**

**Lidocaine**

**Pain-Relieving  
Patch**

**LIDOCAINE 4% GEL**

**Numbing muscle  
& joint relief**

**For temporary relief of  
minor aches & pains:**

- **Arthritis**
- **Bruises**
- **Strains & sprains**

**Unscented**

**6 PATCHES**

**3 15/16" x 5 1/2" (10 cm x 14 cm)**

**Pain-relieving ointment on a breathable adhesive pad**

**EACH PATCH IS SEALED IN A CHILD-RESISTANT POUCH FOR SAFETY**

**†Among over the counter  
topical analgesics.**



Compare to the active ingredient in Salonpas® 4% Lidocaine Gel Patch\*



HOW TO APPLY



Drug Facts

Active ingredients: Lidocaine 4% Purpose: Topical Anesthetic

Use: For the temporary relief of pain.

Warnings

For external use only

Do not use more than 1 patch on your body at a time or on cut, irritated or swollen skin

Do not use on puncture wounds or for more than one week without consulting a doctor

When using this product use only as directed. Read and follow all directions and warnings on this carton.

Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.

Rare cases of serious burns have been reported with products of this type

Do not apply to wounds or damaged, broken or irritated skin

Do not allow contact with the eyes and mucous membranes

Do not bandage tightly or apply local heat (such as heating pads) to the area of use

Do not use at the same time as other topical analgesics

Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch

NOTE: patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if condition worsens or redness is present or irritation develops

symptoms persist for more than 7 days or clear up and occur again within a few days

you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding, ask a physician before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Adults/children 12 years and older: clean and dry affected area; remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle; carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area; once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area; once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin; do not remove patch and reapply; this will result in the patch not sticking; avoid strenuous exercise while wearing patch; this will result in patch not sticking; do not use more than one patch in an 8 hour period.

Children 12 years or younger: ask a doctor.

Other information: Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients: Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polycrylate, Tartaric Acid, Titanium Dioxide, Water.

\*This product is not manufactured or distributed by Heamitsu Pharmaceutical Co., Inc., owner of the registered trademark Salonpas®.

Child-resistant packaging. Please read and understand the Drug Facts before using.

MAXIMUM STRENGTH Lidocaine concentration without a prescription!

Lidocaine Pain-Relieving Patch LIDOCAINE 4% GEL

Numbing muscle & joint relief

For temporary relief of minor aches & pains:

- Arthritis • Bruises • Strains & sprains

\*Among over-the-counter topical analgesics

Distributed by: CVS Pharmacy, Inc. One CVS Drive Woonsocket, RI 02895 © 2014 CVS Pharmacy CVS.com 1-800-SHOP-CVS

Made in China Y-33148

100% money back guaranteed. CVS.com/returnpolicy

MAXIMUM STRENGTH Lidocaine concentration without a prescription!

Lidocaine Pain-Relieving Patch

LIDOCAINE 4% GEL

Numbing muscle & joint relief

For temporary relief of minor aches & pains:

- Arthritis • Bruises • Strains & sprains

Unscented

6 PATCHES 3 15/16 IN X 5 1/2 IN (10 cm X 14 cm)

Pain-relieving ointment on a breathable adhesive pad EACH PATCH IS SEALED IN A CHILD-RESISTANT POUCH FOR SAFETY

\*Among over-the-counter topical analgesics



MAXIMUM STRENGTH Lidocaine concentration without a prescription!

Lidocaine Pain-Relieving Patch LIDOCAINE 4% GEL

Numbing muscle & joint relief

For temporary relief of minor aches & pains:

- Arthritis • Bruises • Strains & sprains

\*Among over-the-counter topical analgesics



Principal Display Panel - 567 mg Pouch Label

CHILD-RESISTANT POUCH SEALED FOR SAFETY  
CUT HERE

**CVS Health**

**MAXIMUM STRENGTH**  
Lidocaine concentration without a prescription<sup>†</sup>

# Lidocaine Pain-Relieving Patch

**LIDOCAINE 4% GEL**

**Numbing muscle & joint relief**

For temporary relief of minor aches & pains:

- Arthritis
- Bruises
- Strains & sprains

Unscented

**1 PATCH**  
**3 15/16 IN X 5 1/2 IN**  
**(10 cm X 14 cm)**

<sup>†</sup>Among over-the-counter topical analgesics

CHILD-RESISTANT POUCH SEALED FOR SAFETY  
CUT HERE

**How to apply:**

Drug Facts	Purpose
<b>Active ingredients</b> Lidocaine 4%	Topical Anesthetic
<b>Use</b> For the temporary relief of pain.	
<b>Warnings</b> For external use only	
<b>Do not use</b> ■ more than 1 patch on your body at a time or on cut, irritated or swollen skin ■ on puncture wounds ■ for more than one week without consulting a doctor	
<b>When using this product</b> ■ use only as directed. Read and follow all directions and warnings. ■ Do not use more than one patch in an 8 hour period. Maximum 3 patches per day. ■ Rare cases of serious burns have been reported with products of this type ■ Do not apply to wounds or damaged, broken or irritated skin ■ Do not allow contact with the eyes and mucous membranes ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not use at the same time as other topical analgesics ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch ■ <b>NOTE:</b> patches may not adhere as well to all individuals, skin types, or certain parts of the body.	
<b>Stop use and ask a doctor if</b> ■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
<b>If pregnant or breast feeding</b> ask a physician before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ <b>Adults/children 12 years and older</b> ■ clean and dry affected area ■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle ■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■ once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area ■ once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin ■ do not remove patch and reapply, this will result in the patch not sticking ■ avoid strenuous exercise while wearing patch, this will result in patch not sticking ■ do not use more than one patch in an 8 hour period. <b>Children 12 years or younger:</b> ask a doctor.	
<b>Other information</b> Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.	
<b>Inactive ingredients</b> Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.	
<b>Distributed by:</b> CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2024 CVS/pharmacy CVS.com® 1-800-SHOP CVS Made in China_V-33548 #371271	

**CVS Health™**

**MAXIMUM STRENGTH**  
**Lidocaine concentration**  
**without a prescription<sup>†</sup>**

**Lidocaine**  
**Pain-Relieving**  
**Patch**

**LIDOCAINE 4% GEL**

**Numbing muscle & joint relief**

**For temporary relief of**  
**minor aches & pains:**

- **Arthritis**
- **Bruises**
- **Strains & sprains**

**Unscented**

**1 PATCH**

**3 15/16" x 5 1/2"**  
**(10 cm x 14 cm)**

**<sup>†</sup>Among over the counter**

## topical analgesics.

### CVS HEALTH LIDOCAINE PAIN-RELIEVING

lidocaine patch

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66902-276
<b>Route of Administration</b>	TRANSDERMAL		

#### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	567 mg

#### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

#### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66902-276-06	6 in 1 BOX	12/18/2019	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

#### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	12/18/2019	

**Labeler** - Natural Essentials, Inc. (947484713)

## Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co., Ltd.		529128763	manufacture(66902-276)

Revised: 10/2024

Natural Essentials, Inc.