

MENSTRUAL RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated
Walgreen Company

Walgreens 44-390 Menstrual Relief

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- fatigue
- bloating
- headache
- muscle aches
- cramps
- backache
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- redness or swelling is present
- new symptoms occur
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water

- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED†

Compare to the active ingredients in
Midol® Complete††

NDC 0363-3909-21

Menstrual Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER

CAFFEINE 60 mg / DIURETIC

PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Multi-Symptom Aspirin Free

- Relieves cramps, bloating, fatigue, headaches & backaches

16 CAPLETS

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

†Our pharmacists recommend the Walgreens brand.
We invite you to compare to national brands.

††This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered

trademark Midol® Complete.

50844 REV0623A39021

DDISTRIBUTED BY: **WALGREEN CO.**
DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.

W30RG0821-F
REV-0124

Directions
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)
■ do not take more than directed

Other information ■ TAMPER EVIDENT DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

Drug Facts (continued)
■ adults and children 12 years and over: take 2 caplets with water
■ repeat every 6 hours, as needed
■ do not exceed 6 caplets per day
■ children under 12 years: ask a doctor

Drug Facts (continued)
■ see end flap for expiration date and lot number
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments? 1-800-426-9391

Drug Facts (continued)
■ taking the blood thinning drug warfarin
■ when using this product
■ avoid alcoholic beverages
■ drowsiness may occur
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ excitability may occur, especially in children
■ use caution when driving a motor vehicle or operating machinery
■ limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask doctor if
■ redness or swelling is present
■ difficulty in urination due to enlargement of the prostate gland ■ liver disease
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are
■ taking sedatives or tranquilizers

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
■ rash
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the prostate gland ■ liver disease
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are
■ taking sedatives or tranquilizers

Drug Facts (continued)
acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
■ rash
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.
ITEM 540934 W00000-0000-0

50844 REV0623A39021

No print area
Lot no/exp date

3 11917 09196 9

B-2201-390-21-HRR
REV0623A39021

Drug Facts (continued)
associated with menstrual periods: ■ fatigue
■ bloating ■ headache ■ muscle aches
■ cramps ■ backache ■ water-weight gain

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of

Drug Facts (continued)
Pyrilamine maleate 15 mgAntihistamine
Caffeine 60 mgDiuretic
Acetaminophen 500 mgPain reliever

Purpose
associated with menstrual periods: ■ fatigue
■ bloating ■ headache ■ muscle aches
■ cramps ■ backache ■ water-weight gain

Active ingredients (in each caplet)
Acetaminophen 500 mgPain reliever
Caffeine 60 mgDiuretic
Pyrilamine maleate 15 mgAntihistamine

Uses
for the temporary relief of these symptoms

Drug Facts (continued)
associated with menstrual periods: ■ fatigue
■ bloating ■ headache ■ muscle aches
■ cramps ■ backache ■ water-weight gain

NDC 0363-3909-21

Walgreens 

Compare to the active ingredients in Midol® Complete™

Menstrual Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER
CAFFEINE 60 mg / DIURETIC
PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Multi-Symptom Aspirin Free

- Relieves cramps, bloating, fatigue, headaches & backaches

16 CAPLETS


ACTUAL SIZE

MENSTRUAL RELIEF

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-3909
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIA CETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-3909-21	2 in 1 CARTON	03/01/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/01/2024	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-3909)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-3909) , pack(0363-3909)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-3909)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-3909)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-3909)

Revised: 1/2026

Walgreen Company