

PURELAX- polyethylene glycol 3350 powder, for solution
CVS Pharmacy

CVS Pharmacy, Inc. Purelax Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper -evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

natural and artificial orange flavor, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

CVS Health®

Compare to the active ingredient in MiraLAX®

Purelax®

POLYETHYLENE GLYCOL 3350 Powder for solution, Osmotic laxative

GRIT FREE POWDER

- Relieves occasional constipation/irregularity
- Softens stool

- Sugar free & dye free

Orange Flavor

NET WT 4.1 OZ (119 g)

7 Once-Daily Doses



Compare to the active ingredient in MiraLAX®*

Purelax®

NDC 69842-458-01

POLYETHYLENE GLYCOL 3350
Powder for solution, Osmotic laxative

GRIT FREE POWDER

- Relieves occasional constipation/irregularity
- Softens stool
- Sugar free & dye free



NET WT 4.1 OZ (119 g)
7 Once-Daily Doses

: 7U9D9 17 F2

Peel Here

#711774



Drug Facts

Active ingredient (in each dose) Polyethylene Glycol 3350, 17 g (cap filled to line).....**Purpose** Osmotic Laxative

Use ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking ◀ a prescription drug

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2022 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-16487

: 7U9D9 17 B1

Drug Facts (continued)

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

◀ **Directions** ■ do not take more than

Drug Facts (continued)

directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) ■ adults and children 17 years of age and older: ■ use once a day ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F) ■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients natural and artificial orange flavor, sucralose

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®.
Patent Pending

ADHESIVE AREA
NO COPY

PURELAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-458
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-458-01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	10/19/2022	
2	NDC:69842-458-02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/14/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/14/2022	

Labeler - CVS Pharmacy (062312574)