ANTI-BLEMISH MATTE PRIMER- saliclylic acid lotion Jouer Cosmetics LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

| NON DRYING NON IRRITATING PORE REFINER |
|--|
| anti-ödemish matte printer skiporuge oge adver medramer von divryde over pedramer en eur reseauterop reseauterop anderen apporteren |
| Jouer |
| |

Anti-blemish matte primer SALICYLIC ACID ACNE TREATMENT NON DRYING NON IRRITATING PORE REFINER jouer anti-blemish matte primer SALICYLIC ACID ACNE TREATMENT NON DRYING NON IRRITATING PORE REFINER OIL-FREE - HYPOALLERGENIC - PARABEN FREE - SILICONE FREE oil free - hypoallergenic fragrance free - paraben free silicone free - dermatologist tested 1 mL / 0.03 fl. oz.

This oil free mattifying anti-blemish primer, formulated with Salicylic Acid, penetrates into skin to help treat existing blemishes, prevent development of new acne, and minimize the appearance of pores. Aloe, Vitamin E, Ginseng & Gingko Biloba Extract help calm redness and reduce inflammation, promoting a shine-free, even complexion Apply a pearl size to clean skin to prime for makeup application. Warnings: For external use only. Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swalled, get medical help or contact a Poison Control Center right away. Jouer **CONNECTIONG BEAUTY & STYLE (TM)** Distributed by Jouer (R) Cosmetics, LLC. Los Angeles, CA 90024 Made in Canada - Not tested on animals - Nor for Retail Sale www.jouercosmetics.com

ACTIVE INGREDIENTS: SALICYLIC ACID 1%

Acne treatment

Uses

- for the treatment of acne.

- dries and clears acne pimples, acne blemishes and blackheads and allows skin to heal.
-helps prevent new acne pimples, acne blemishes and blackheads from forming.

Warnings

For external use only.

When using this product

-skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at all a time.

-avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.

Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

Directions

Cleanse skin thoroughly before applying. Cover the affected area with a thin layer 1 to 3 times a day. Because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information

-do not use this product if you have very sensitive skin of if you are sensitive to salicylic acid.

Inactive ingredients

Aqua (water / Eau), Ethylhexyl Palmitate, Cetyl Alcohol, Tapioca Starch, Glycerin, Ceteareth-20, Glyceryl Stearate Se, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Hamamelis Virginiana (Witch Hazel) Water, Opuntia Ficus-indica Stem Extract, Biosaccharide Gum-1, Carbomer, Sodium Hydroxide, Ethylhexylglycerin, Phenoxyethanol

| ANTI-BLEMISH MAT | FE PRIMER | | | | | |
|---------------------------------|--------------------------------|--------------------|------------------|---------------|----------------|--|
| saliclylic acid lotion | | | | | | |
| | | | | | | |
| Product Information | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | | NDC:69017-101 | | |
| Route of Administration | TOPICAL | | | | | |
| | | | | | | |
| | | | | | | |
| Active Ingredient/Active M | oiety | | | | | |
| In | | Basis of Strengt | th St | Strength | | |
| SALICYLIC ACID (UNII: 0414PZ4LF | Z) (SALICYLIC ACID - UNII:0414 | PZ4LPZ) | SALICYLIC ACID 1 | | 1 mg in 100 mL | |
| | | | | | | |
| T | | | | | | |
| Inactive Ingredients | | | | | Strength | |
| Ingredient Name | | | | | | |
| WATER (UNII: 059QF0KO0R) | | | | | | |
| ETHYLHEXYL PALMITATE (UNII: | 2865993309) | | | | | |
| CETYL ALCOHOL (UNII: 936JST6. | ICN) | | | | | |

| STARCH, TAPIOCA (UN | II: 24SC3U704I) | | | | | | | | | | |
|--|--|----------------------|----------------------|--------------------|--------------------|--|--|--|--|--|--|
| GLYCERIN (UNII: PDC6A3C0OX) | | | | | | | | | | | |
| POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY) | | | | | | | | | | | |
| GLYCERYL STEARATE SE (UNII: FCZ5MH785I) | | | | | | | | | | | |
| .ALPHATO COPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) | | | | | | | | | | | |
| ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X) | | | | | | | | | | | |
| HAMAMELIS VIRGINIANA LEAF WATER (UNII: 8 FP9 3 ED6 H2) | | | | | | | | | | | |
| OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL) | | | | | | | | | | | |
| GINKGO (UNII: 19FUJ2C58T) | | | | | | | | | | | |
| ASIAN GINSENG (UNII: CUQ3A77YXI) | | | | | | | | | | | |
| BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H) | | | | | | | | | | | |
| CARBOMER HOMOPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: F68VH75CJC) | | | | | | | | | | | |
| SO DIUM HYDRO XIDE (UNII: 55X04QC32I) | | | | | | | | | | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | | | | | | | | | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Packaging | | | | | | | | | | | |
| # Item Code | Package Description | Marketing Start Date | | Marketing End Date | | | | | | | |
| 1 NDC:69017-101-03 | 1 mL in 1 PACKET | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Marketing Information | | | | | | | | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | | Marketing End Date | | | | | | |
| OTC monograph final | C monograph final part333D | | 0 1/0 1/20 14 | | | | | | | | |
| | | | | | | | | | | | |

Labeler - Jouer Cosmetics LLC (011002088)

Registrant - Jouer Cosmetics LLC (011002088)

Revised: 6/2014

Jouer Cosmetics LLC