

**NITROGEN OXYGEN MIX- nitrogen oxygen mix gas**  
**NexAir, LLC**

-----  
**Nitrogen Oxygen Mix Label**

COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN) UN1956  
% OXYGEN USP % NITROGEN NF MIXTURE NON-FLAMMABLE GAS 2  
CAS: OXYGEN (7782-44-7) (7727-37-9)

Rx only CONTAINS LESS THAN 19.5%

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable bor breathing. Get medical advice/attention.

NET CONTENTS Contains Cubic Feet at 70 degrees F and PSIG

DO NOT REMOVE THIS PRODUCT LABEL

nexAir

Distributed by nexAir, LLC . [www.nexAir.com](http://www.nexAir.com)

1385 Corporate Ave. . Memphis, TN 38132 . 888-639-2474

# COMPRESSED GAS, N.O.S.

(NITROGEN, OXYGEN)

## UN1956



\_\_\_\_\_ % OXYGEN, USP

\_\_\_\_\_ % NITROGEN, NF

CAS: (7782-44-7) (7727-37-9)

Rx only

---

**CONTAINS LESS THAN 19.5% OXYGEN**

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

**WARNING:** CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

---

### NET CONTENTS

Contains

Cubic Feet at 70°F and

PSIG

---

**DO NOT REMOVE THIS PRODUCT LABEL.**

Distributed by nexAir, LLC • [www.nexAir.com](http://www.nexAir.com)  
1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN) UN1956  
% OXYGEN USP % NITROGEN NF MIXTURE NON-FLAMMABLE GAS 2  
CAS: OXYGEN (7782-44-7) (7727-37-9)

Rx only CONTAINS BETWEEN 19.5% and 23.5% OXYGEN

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

NET CONTENTS Contains Cubic Feet at 70 degrees F and PSIG

**DO NOT REMOVE THIS PRODUCT LABEL**

nexAir

Distributed by nexAir, LLC . [www.nexAir.com](http://www.nexAir.com)

1385 Corporate Ave. . Memphis, TN 38132 . 888-639-2474

# COMPRESSED GAS, N.O.S.

(NITROGEN, OXYGEN)

## UN1956

\_\_\_\_\_ % OXYGEN, USP

\_\_\_\_\_ % NITROGEN, NF



CAS: (7782-44-7) (7727-37-9)

Rx only

---

### CONTAINS BETWEEN 19.5% AND 23.5% OXYGEN

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

**WARNING:** CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

---

### NET CONTENTS

Contains	Cubic Feet at 70°F and	PSIG
----------	------------------------	------

---

**DO NOT REMOVE THIS PRODUCT LABEL.**

## nexAir

Distributed by nexAir, LLC • [www.nexAir.com](http://www.nexAir.com)  
1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN) UN1956  
% OXYGEN USP % NITROGEN NF MIXTURE NON-FLAMMABLE GAS 2  
CAS: OXYGEN (7782-44-7) (7727-37-9)

Rx only CONTAINS LESS THAN 19.5%

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

**NET CONTENTS** Contains Cubic Feet at 70 degrees F and PSIG

**DO NOT REMOVE THIS PRODUCT LABEL**

nexAir

Distributed by nexAir, LLC . [www.nexAir.com](http://www.nexAir.com)

1385 Corporate Ave. . Memphis, TN 38132 . 888-639-2474

**COMPRESSED GAS,  
OXIDIZING, N.O.S.**  
(NITROGEN, OXYGEN)  
**UN3156**



\_\_\_\_ % OXYGEN USP  
\_\_\_\_ % NITROGEN NF  
MIXTURE

**Rx Only**

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. CAS: (7782-44-7) (7727-37-9)

**NET CONTENTS**

Contains	Cubic Feet at 70°F and	PSIG
----------	------------------------	------

**DO NOT REMOVE THIS PRODUCT LABEL.**



Distributed by nexAir, LLC • www.nexAir.com  
1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

**NITROGEN OXYGEN MIX**

nitrogen oxygen mix gas

**Product Information**

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:12213-736
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Oxygen</b> (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	210 mL in 1 L

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Nitrogen</b> (UNII: N762921K75)	790 mL in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:12213-736-12	5890 L in 1 CYLINDER		
2	NDC:12213-736-58	595 L in 1 CYLINDER		
3	NDC:12213-736-13	368 L in 1 CYLINDER		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NADA	NADA141387	06/01/1996	

**Labeler** - NexAir, LLC (927024422)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NEXAIR, LLC		010263301	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		927024422	manufacture

Revised: 11/2025

NexAir, LLC