MUCUS RELIEF - DM MAXIMUM STRENGTH- guaifenesin, dextromethorphan hbr tablet YYBA CORP

YYBA (as PLD) - WELMATE MUCUS RELIEF - DM (MAXIMUM STRENGTH (73581-404)

Active ingredient (in each tablet)

Dextromethorphan Hydrobromide 60 mg Guaifenesin 1200 mg

Purpose

Cough suppressant Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

do not use more than directed

Stop use and ask a doctor if

• cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information


• store at 20° - 25°C (68° - 77°F)

Inactive ingredients

colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch (maize)

Questions?

call 1-866-933-6337



DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredients

Purpose

(in each extended-release tablet)

Dextromethorphan Hydrobromide 60 mg........Cough suppressant Guaifenesin 1200 mg.......Expectorant

Uses • helps loosen phiegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

- temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have = persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema = cough accompanied by too much phlegm (mucus)

When using this product ■ do not use more than directed

Stop use and ask a doctor if = cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

PEEL FOR DIRECTIONS

G7554-050-103-0

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-900-222-1222) right away.

Directions = do not crush, thew, or break tablet = take with and glass of water a this product can be administered without regard for timing of neals a adults and shildren 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours;

■ ohildren under 12 years of age: donotuse

Other information = store at 20° - 25°C (68° - 77°F)

Inactive ingredients coloidal silicondizade, hypromelose, magnesium descrite, microcrystaline collulose, povidane, pregelatnized starch (maize)

Questions? call 1-866-933-6337

"This product is not manufactured or distributed by the owner of the registered trademark Machess" DM.

Distributed by: Wellspring Airmont, RY 10952, U.S.A.



Why pay more? welspringmeds.com 866-933-6337

MUCUS RELIEF - DM MAXIMUM STRENGTH

guaifenesin, dextromethorphan hbr tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-404
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	60 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg	

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)		

STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics			
Color	white (WHITE TO OFF-WHITE)	Score	no score
Shape	OVAL	Size	23mm
Flavor		Imprint Code	X;63
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:73581-404- 05	50 in 1 BOTTLE; Type 0: Not a Combination Product	05/25/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206941	05/25/2023	

Labeler - YYBA CORP (006339772)

Revised: 1/2024 YYBA CORP