

**PANCOLD A- acetaminophen, guaifenesin, pentoxyverine citrate,
phenylephrine hydrochloride, chlorpheniramine maleate, caffeine
anhydrous liquid
DONGWHA PHARM. CO. LTD.**

PANCOLD A ORAL SOLUTION

ACTIVE INGREDIENTS

Active ingredients (in each 30 mL bottle)

- Acetaminophen 300 mg
- Guaifenesin 80 mg
- Pentoxyverine citrate 15 mg
- Phenylephrine Hydrochloride 10 mg
- Chlorpheniramine maleate 2.5 mg
- Caffeine 30 mg

PURPOSE

Pain Reliever-Fever Reducer, Expectorant, Antitussive, Nasal Decongestant,
Antihistamine, Pain reliever aid

INDICATIONS & USAGE

Uses temporarily relieves these common cold symptoms:

- runny nose & sneezing
- nasal congestion
- sore throat
- cough
- phlegm
- chills
- fever
- headache
- joint pain
- muscle pain

WARNINGS SECTION

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more glasses of alcohol everyday while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

- **Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

DO NOT USE

Do not use

- if you ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen. If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains MAOI, ask a doctor or pharmacist before taking this product.
- If you are taking expectorants, other cold drugs, antipyretic-analgesics, sedatives, oral drugs containing antihistamines (oral drugs for rhinitis, motion sickness drugs, and allergy drugs)

ASK A DOCTOR

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)
- glaucoma (eye pain, blurred vision)
- weak body
- high fever

STOP USE

Stop use and ask doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion or cough gets worse or last more than 7 days
- fever gets worse or lasts more than 3 days and redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

PREGNANCY OR BREAST FEEDING

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children.

OVERDOSAGE

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptom.

DOSAGE & ADMINISTRATION

Directions

- do not take more than directed (see overdose warning)

Adults: Take 1 bottle (30mL) three times a day, 30 minutes after meal.
Children and infants: Do not administer. Ask a doctor.

STORAGE AND HANDLING

Other nformation

- store at room temperature between 15°-25°C (59°-77°F) and avoid direct sunlight

INACTIVE INGREDIENTS

- **Inactive Ingredients:** : alcohol, citric acid monohydrate, edetate disodium, fructooligosaccharide, lemon flavor, orange flavor, propylene glycol, sodium citrate, sucralose, water

Drug Facts

Active ingredients (in each 30 mL bottle)

- Acetaminophen 300 mg
- Chlorpheniramine maleate 2.5 mg
- Caffeine 30 mg
- Guafenesin 80 mg
- Phenylephrine hydrochloride 10 mg
- Pseudoephedrine sulfate 15 mg

Purpose

Relieves cold symptoms

Warnings

Do not use

- If you ever had an allergic reaction to the product or any of its ingredients
- If you are taking a prescription drug that contains acetaminophen
- If you are taking a prescription drug that contains MAOI

Directions

Adults: Take 1 bottle (30mL) three times a day, 30 minutes after meal.

Children and Infants: Do not administer. Ask a doctor.

Other information

Keep out of reach of children.

Questions?

1-800-944-8900

Oral Liquid

Fast Relief Cold Medicine

판콜에이A

PANCOLD

Runny Nose

Nasal Congestion

Cough

Sneezing

Phlegm

Sore Throat

Chills

Fever

Headache

Muscle pain

1 FL OZ (30mL) X 3

DO NOT SELL SEPARATELY

Drug Facts (Continued)

Inactive Ingredients alcohol, citric acid monohydrate, edetate disodium, fructooligosaccharide, lemon flavor, orange flavor, propylene glycol, sodium citrate, sucralose, water

Fast Relief Cold Medicine

판콜에이A

PANCOLD

Runny Nose

Cough

Sore throat

Body aches

1 FL OZ (30mL) X 3

DO NOT SELL SEPARATELY

Important: Read all product information before using. Keep this box for important information.

Manufactured by: Dongwha Pharm. Co., Ltd.
 20000 Gyeonggi-do, Seoul, South Korea 04522 / www.dongwha.co.kr
 Distributed by: Dongwha Pharm. Co., Ltd.
 10000 Los Angeles, CA 90021 / Tel: 462-944-4800
 N.J. Carlsbad, N.J. 07072 / Tel: 201-438-7909
MADE IN KOREA

PANCOLD A

acetaminophen, guaifenesin, pentoxyverine citrate, phenylephrine hydrochloride, chlorpheniramine maleate, caffeine anhydrous liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51352-189
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PENTOXYVERINE CITRATE (UNII: 4SH0MFJ5HJ) (PENTOXYVERINE - UNII:32C726X12W)	PENTOXYVERINE CITRATE	15 mg in 30 mL
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	300 mg in 30 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	80 mg in 30 mL
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2.5 mg in 30 mL
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	30 mg in 30 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CITRATE (UNII: 1Q73Q2JULR)	32.4 mg in 30 mL
SUCRALOSE (UNII: 96K6UQ3ZD4)	10 mg in 30 mL

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	29 mg in 30 mL
EDETATE DISODIUM (UNII: 7FLD91C86K)	3 mg in 30 mL
ALCOHOL (UNII: 3K9958V90M)	0.5 mL in 30 mL
SACCHARUM OFFICINARUM STEM FRUCTOOLIGOSACCHARIDES (UNII: 8LLD82AE3S)	7.5 g in 30 mL
WATER (UNII: 059QF0KO0R)	
ORANGE (UNII: 5EVU04N5QU)	
LEMON (UNII: 24RS0A988O)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	ORANGE (Light yellowish clear oral liquid with orange-lemon flavor.)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51352-189-73	3 in 1 CASE	07/01/2023	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51352-189-75	5 in 1 CASE	12/07/2023	12/07/2023
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2023	06/04/2028

Labeler - DONGWHA PHARM. CO. LTD. (687745240)

Registrant - DONGWHA PHARM. CO. LTD. (687745240)

Establishment

Name	Address	ID/FEI	Business Operations
DONGWHA PHARM. CO., LTD.		687745240	manufacture(51352-189)

Revised: 12/2025

DONGWHA PHARM. CO. LTD.