

**NU SKIN AGELOC ME DAY T9 BROAD SPECTRUM SPF 25- octinoxate, avobenzone, octocrylene, and homosalate lotion**  
**NSE Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Nu Skin® ageLOC Me™ Day T9 Broad Spectrum SPF 25**

***Drug Facts***

**Active Ingredient**

Octinoxate (4.0%),  
Avobenzone (2.3%),  
Octocrylene (2.0%),  
Homosalate (2.0%)

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor if** rash occurs
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- After applying serum and allowing it to dry, apply moisturizer in an upward, outward motion to the face and neck. If layering additional products, allow each to dry completely before applying the next.
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.
- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

## **Inactive Ingredients**

Water (Aqua), Butylene Glycol, Isostearyl Alcohol, Isononyl Isononanoate, Dimethicone, Polymethyl Methacrylate, Butylene Glycol Cocoate, Diphenyl Dimethicone/Vinyl Diphenyl Dimethicone/Silsesquioxane Crosspolymer, Epilobium Angustifolium Flower/Leaf/Stem Extract, Glycerin, Camellia Sinensis Leaf Extract, Oryza Sativa (Rice) Extract, Plankton Extract, Narcissus Tazetta Bulb Extract, Dunaliella Salina Extract, Tocopherol, Bisabolol, Ethylcellulose, Sodium Dehydroacetate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Schizandra Chinensis Fruit Extract, Corn Starch Modified, Hydroxyacetophenone, Squalane, PEG-40 Hydrogenated Castor Oil, Zea Mays (Corn) Oil, Caprylyl Methicone, 7-Dehydrocholesterol, Xanthan Gum, Disodium EDTA, Sodium Hydroxide, Fragrance (Parfum), Phenoxyethanol

## **Other Information**

- Protect this product from excessive heat and direct sun.

## **Questions?**

1-888-742-7626

## **PRINCIPAL DISPLAY PANEL - 28 ml Cartridge Carton**

NU SKIN®

ageLOC me™ DAY T9 BROAD SPECTRUM SPF 25

28 ml e (0.95 fl. oz.)

AGELOC Me™ DAY T9  
BROAD SPECTRUM SPF 25

### Drug Facts

Active Ingredient	Purpose
Octinoxate (4.0%)	Sunscreen
Avobenzone (2.3%)	
Octocrylene (2.0%)	
Homosalate (2.0%)	

**Uses** ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings** ■ For external use only.  
■ Do not use on damaged or broken skin.  
■ Stop use and ask a doctor if rash occurs.  
■ When using this product keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ After applying serum and allowing it to dry, apply moisturizer in an upward, outward motion to the face and neck. If layering additional products, allow each to dry completely before applying the next.  
■ **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.  
■ Apply liberally 15 minutes before sun exposure. ■ Use a water resistant sunscreen if swimming or sweating. ■ Reapply at least every 2 hours. ■ Children under 6 months: Ask a doctor.

**Inactive Ingredients** Water (Aqua), Butylene Glycol, Isostearyl Alcohol, Isononyl Isononanoate, Dimethicone, Polymethyl Methacrylate, Butylene Glycol Cocoate, Diphenyl Dimethicone/Vinyl Diphenyl

#### QUALITY

SOLD EXCLUSIVELY BY NU SKIN ENTERPRISES  
AUTHORIZED DISTRIBUTORS  
MADE IN THE U.S.A. NSE PRODUCTS, INC.,  
75 W. CENTER, PROVO, UT 84601  
©2015 NSE PRODUCTS, INC.  
01001637 94505230/2



001637

### Drug Facts (continued)

Dimethicone/Silsesquioxane Crosspolymer, Epilobium Angustifolium Flower/Leaf/Stem Extract, Glycerin, Camellia Sinensis Leaf Extract, Oryza Sativa (Rice) Extract, Plankton Extract, Narcissus Tazetta Bulb Extract, Dunaliella Salina Extract, Tocopherol, Bisabolol, Ethylcellulose, Sodium Dehydroacetate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Schizandra Chinensis Fruit Extract, Corn Starch Modified, Hydroxyacetophenone, Squalane, PEG-40 Hydrogenated Castor Oil, Zea Mays (Corn) Oil, Caprylic Methicone, 7-Dehydrocholesterol, Xanthan Gum, Disodium EDTA, Sodium Hydroxide, Fragrance (Parfum), Phenoxyethanol

### Other Information

■ Protect this product from excessive heat and direct sun.

### Questions?

1-888-742-7626

Safety-Allergy-Dermatologist-Tested



ageLOC me™ DAY T9 BROAD SPECTRUM SPF 25

28 ml e (0.95 fl. oz.)

ageLOC Me™ Day Moisturizer targets the sources and visible signs of aging while providing hydration to strengthen and maintain the skin's natural moisture barrier—helping to protect throughout the day.



## NU SKIN AGELOC ME DAY T9 BROAD SPECTRUM SPF 25

octinoxate, avobenzone, octocrylene, and homosalate lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62839-1637
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	40 mg in 1 mL
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	23 mg in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	20 mg in 1 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	20 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
<b>Isostearyl Alcohol</b> (UNII: Q613OCQ44Y)	
<b>Isononyl Isononanoate</b> (UNII: S4V5BS6GCX)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Caprylyl Trisiloxane</b> (UNII: Q95M2P1KJL)	
<b>Squalane</b> (UNII: GW89575KF9)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Rice Germ</b> (UNII: 7N2B70SFEZ)	
<b>Polyoxyl 40 Hydrogenated Castor Oil</b> (UNII: 7YC686GQ8F)	
<b>Xanthan Gum</b> (UNII: TTV12P4NEE)	
<b>ETHYLCELLULOSE, UNSPECIFIED</b> (UNII: 7Z8S9VYZ4B)	
<b>Levomenol</b> (UNII: 24WE03BX2T)	
<b>Edetate Disodium</b> (UNII: 7FLD91C86K)	
<b>Sodium Hydroxide</b> (UNII: 55X04QC32I)	
<b>Sodium Dehydroacetate</b> (UNII: 8W46YN971G)	
<b>Green Tea Leaf</b> (UNII: W2ZU1RY8B0)	
<b>Schisandra Chinensis Fruit</b> (UNII: ABS794681C)	
<b>Corn Oil</b> (UNII: 8470G57WFM)	
<b>Epilobium Angustifolium Flowering Top</b> (UNII: 08H094218D)	
<b>Dunaliella Salina</b> (UNII: F401DKI9A6)	
<b>Narcissus Tazetta Bulb</b> (UNII: K17762966S)	
<b>7-Dehydrocholesterol</b> (UNII: BK1IU07GKF)	
<b>Tocopherol</b> (UNII: R0ZB2556P8)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-1637-1	1 in 1 CARTON	05/01/2016	
1		28 mL in 1 CARTRIDGE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	05/01/2016	

**Labeler** - NSE Products, Inc. (803486393)

Revised: 12/2019

NSE Products, Inc.