MEMBERS MARK VALUE SIZE SPORT SUNSCREEN BROAD SPECTRUM SPF 50avobenzone homosalate octisalate octocrylene oxybenzone spray Sam's West Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Member's Mark Value Size Sport Sunscreen Broad Spectrum SPF 50

Active ingredients

Avobenzone 3.0%

Homosalate 10.0%

Octisalate 5.0%

Octocrylene 4.0%

Oxybenzone 5.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

•on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • keep away from face to avoid

breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride.

Label


Member's Mark Value Size Sport Sunscreen Broad Spectrum SPF 50

Product NDC 68196-787

NET WT 9.1 OZ (258 g)

4 - NET WT 9.1 OZ (258 g) cans







Member's Mark. 4 CAN CLUB PACK

4 - NET WT 9.1 OZ (258 g) cans TOTAL - NET WT 36.4 OZ (1032 g)

Member's Mark Sport Clear Spray SPF 50 provides quick and easy coverage with broad-spectrum protection for people with active lifestyles. Its clear, specially formulated spray goes on at any angle. Water-resistant formula provides protection in and out of the water for up to 80 minutes.

Drug Facts

ienzone 3.0% osalate 10.0% salate 5.0%

Purpose

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Wamings For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
 avoid long term storage above 104°F (40°C)

Do not use . on damaged or broken skin

When using this product . keep out of eyes. Rinse with water to remove. . keep away from face to avoid breathing it. . do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if . rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- INFECTIONS

 Spray Ibernily and apread eventy by hand 15 minutes before our exposure

 Hold can 4-8 inches every from the skin to apply

 Do not spray directly into face. Spray into hands then apply to face

 Do not apply in windy conditions

 Use in a well-ventilisted area.

- Fleepoly:

 a time 60 minutes of swimming or awasting

 in mediately after towel drying

 at least overy 2 hours

 Children under 6 months of age: sak a doctor

 Sun Protection Measurems. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

 This time in the sun, especially from 10 a.m. 2 p.m.

 wear long-sleeve shirts, pants, hate, and sunglasses

- Other inforcertion

 protect this product from excessive heet and direct sun
 may stain or damage some fabrics, materials or surfaces

Exactive ingredients acristan/oct/scrytemide copelymer, steerosylmethylation physicin, distription of physicing physicin, distription of entry points of the steer of the stee

Queetione or comments? Call toll free 1-800-527-7791



100 GUARANTEED

We are so confident you will be delighted with your Member's Mark purchase that we promise to refund or replace any Item you find unsatisfactory. We aim to delight all our members and would love to hear about your discoveries! Call us at:1-800-527-7731 (toll-free), 8am - 5pm CST Monday - Friday.



MEMBERS MARK VALUE SIZE SPORT SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone homosalate octisalate octocrylene oxybenzone spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:6819

Route of Administration TOPICAL

Active Ingredient/Active Moiety

,		
Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 g

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	50 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
ALCOHOL (UNII: 3K9958V90M)		
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)		
GLYCERIN (UNII: PDC6A3C0OX)		
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)		
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)		
TOCOPHEROL (UNII: R0ZB2556P8)		
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)		
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)		

F	Packaging					
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:68196- 787-10	258 g in 1 CAN; Type 0: Not a Combination Product	02/08/2019			
2	NDC:68196- 787-47	1032 g in 1 CELLO PACK; Type 0: Not a Combination Product	02/08/2019			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	02/08/2019		

Labeler - Sam's West Inc (051957769)

Revised: 10/2022 Sam's West Inc