MUCINEX DM- guaifenesin and dextromethorphan hydrobromide tablet, extended release

A-S Medication Solutions

Mucinex® DM

Drug Facts

Active ingredients (in each extended-release bi-layer tablet)	Purposes
Dextromethorphan HBr 30 mg	Cough suppressant
Guaifenesin 600 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

do not use more than directed

Stop use and ask a doctor if

• cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US) Parsippany, NJ 07054-0224

Made in England

HOW SUPPLIED

Product: 50090-1077

NDC: 50090-1077-0 20 TABLET, EXTENDED RELEASE in a BLISTER PACK / 1 in a

CARTON

Guaifenesin and Dextromethorphan Hydrobromide



MUCINEX DM

guaifenesin and dextromethorphan hydrobromide tablet, extended release

Product	Inform	ation
riouuct		Iativii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-1077(NDC:63824-056)

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg		

Inactive Ingredients			
Ingredient Name	Strength		
Carbomer Homopolymer Type B (Allyl Pentaerythritol Crosslinked) (UNII: HHT01ZNK31)			
D&C yellow no. 10 (UNII: 35SW5USQ3G)			
aluminum oxide (UNII: LMI26O6933)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
magnesium stearate (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			

Product Characteristics				
Color	WHITE (yellow and white)	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	Mucinex;600	
Contains				

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090- 1077-0	1 in 1 CARTON	11/28/2014	
1		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021620	06/26/2012	

Labeler - A-S Medication Solutions (830016429)

Establishment				
Na me	Address	ID/FEI	Business Operations	
A-S Medication Solutions		830016429	RELABEL(50090-1077)	

Revised: 12/2023 A-S Medication Solutions