

**PLEO SAN MYC- mycobacterium bovis liquid**  
**Sanum Kehlbeck GmbH & Co. KG**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Pleo™ San MYC**  
**PORTABLE SIPS 5X**

**Oral Homeopathic Medicine**

**50 doses, each 1 mL**  
**(.03 fl oz)**

**INDICATIONS**

For temporary relief of dry and scaly skin.

**DIRECTIONS FOR USE**

Snap off top portion of sipping container. Insert glass sipping straw.

**DOSAGE**

1 SIP, every 1–3 days.

**INGREDIENTS**

1 mL contains Mycobacterium bovis 5X, in a base of purified saline solution.

**WARNING**

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

**Tamper Evident**

Do not use this product if the glass vial is broken or if imprinted security strip on carton is torn.

Made in Germany

**Distributed by:**  
SANUM USA Corp.  
1465 Slater Road  
Ferndale, WA 98248

**Manufactured By:**  
Sanum-Kehlbeck GmbH & Co. KG

Rev. 11/97

**PRINCIPAL DISPLAY PANEL - 1 mL Carton**

**1205-2**

**Pleo™ San MYC  
PORTABLE SIPS 5X**

**Oral Homeopathic Medicine**

**INDICATIONS:** For temporary relief of dry and scaly skin.

**DIRECTIONS FOR USE:** Snap off top portion of sipping container. Insert glass sipping straw.


**DOSAGE:** 1 SIP, every 1–3 days.

**INGREDIENTS:** 1 mL contains Mycobacterium bovis 5X, in a base of purified saline solution.

**convenient, disposable  
single dose containers**

**50 doses, each 1 mL  
(.03 fl oz)**

Rev. 11/97



# PLEO SAN MYC

mycobacterium bovis liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:60681-1205
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
mycobacterium bovis (UNII: XZQ806VFEO) (mycobacterium bovis - UNII:XZQ806VFEO)	mycobacterium bovis	5 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
sodium chloride (UNII: 451W47IQ8X)	
water (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-1205-1	10 in 1 CARTON		
1		1 mL in 1 VIAL, GLASS		
2	NDC:60681-1205-2	50 in 1 CARTON		
2		1 mL in 1 VIAL, GLASS		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		04/21/2004	

**Labeler** - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 11/2009

Sanum Kehlbeck GmbH & Co. KG