

**LANCOME PARIS RENERGIE LIFT MULTIACTION SUNSCREEN BROAD SPECTRUM  
SPF 15 FIRMING ANTIWRINKLE- avobenzone, octisalate and  
octocrylene cream  
SICOS ET CIE**

-----

**Drug Facts**

**Active ingredients**

Avobenzone 3%

Octisalate 5%

Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**For sunscreen use:**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, adenosine, aluminum starch octenylsuccinate, caprylyl glycol, disodium EDTA, disodium stearoyl glutamate, ethylhexylglycerin, glyceryl stearate, glyceryl stearate SE, guanosine, methyl glucose sesquistearate, myristic acid, palmitic acid, PEG-100 stearate, pentylene glycol, secale cereale (rye) seed extract, sodium hydroxide, sodium polyacrylate, stearic acid, tocopherol, yeast extract, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, acetyl cedrene, benzaldehyde, benzyl alcohol, beta-caryophyllene, carvone, citronellol, citrus aurantium peel oil, coumarin, eugenia caryophyllus oil, eugenol, limonene, linalool, linalyl acetate, pinene, tetramethyl acetyloctahydronaphthalenes, vanillin, red 4, yellow 5, chlorphenesin, phenoxyethanol, fragrance

**Questions or comments?**

**1-800-LANCOME (1-800-526-2663)**

<p><b>Drug Facts</b> (continued)</p> <p><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeved shirts, pants, hats and sunglasses</li> <li>• children under 6 months of age: Ask a doctor.</li> </ul>
<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• protect the product in this container from excessive heat and direct sun</li> </ul>
<p><b>Inactive ingredients</b></p> <p>water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, adenosine, aluminum starch octenylsuccinate, caprylyl glycol, disodium EDTA, disodium stearoyl glutamate, ethylhexylglycerin, glyceryl stearate, glyceryl stearate SE, guanosine, methyl glucose sesquistearate, myristic acid, palmitic acid, PEG-100 stearate, pentylene glycol, secale cereale (rye) seed extract, sodium hydroxide, sodium polyacrylate, stearic acid, tocopherol, yeast extract, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, acetyl cedrene, benzaldehyde, benzyl alcohol, beta-caryophyllene, carvone, citronellol, citrus aurantium peel oil, coumarin, eugenia caryophyllus oil, eugenol, limonene, linalool, linalyl acetate, pinene, tetramethyl acetyloctahydronaphthalenes, vanillin, red 4, yellow 5, chlorphenesin, phenoxyethanol, fragrance</p>
<p><b>Questions or comments?</b></p> <p>1-800-LANCOME (1-800-526-2663)</p>

V70087290/1

762904 6

**LANCÔME**  
PARIS

**RÉNERGIE**

LIFT MULTI-ACTION

SUNSCREEN BROAD SPECTRUM SPF 15  
FIRMING - ANTI-WRINKLE CREAM

50 ml 1.69 FL. OZ.

PROVEN BY SCIENCE  
POWERED BY TECH



SCAN FOR YOUR  
PERSONALIZED  
SKIN DIAGNOSIS

MADE IN FRANCE  
LANCÔME.COM

<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Azobenzene 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <ul style="list-style-type: none"> <li>Do not use on damaged or broken skin</li> <li>When using this product keep out of eyes. Rinse with water to remove.</li> <li>Stop use and ask a doctor if rash occurs</li> <li>Keep out of reach of children.</li> <li>If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul> <p><b>Directions</b></p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> <li>• apply generously and evenly 15 minutes before sun exposure</li> <li>• reapply at least every 2 hours</li> <li>• use a water resistant sunscreen if swimming or sweating</li> </ul>	Active Ingredients	Purpose	Azobenzene 3%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 7%	Sunscreen
Active Ingredients	Purpose							
Azobenzene 3%	Sunscreen							
Octisalate 5%	Sunscreen							
Octocrylene 7%	Sunscreen							

IMPORTANT:  
DO NOT USE ON  
OR AROUND EYES



SVC

<p><b>Drug Facts</b> (continued)</p> <p><b>Other information</b>          • protect the product in this container from excessive heat and direct sun</p> <p><b>Inactive ingredients</b>          water, dimethicone, glycerin, hydrogenated polyisobutane, beeswax, poly C10-30 alkyl acrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, adenosine, aluminum starch octenylsuccinate, caprylyl glycol, disodium EDTA, disodium stearyl glutamate, ethylhexylglycerin, glyceryl stearate SE, guanosine, methyl glucose sesquisebacate, myristic acid, palmitic acid, PEG-100 stearate, perfluorenyl glycol, saccharide ceresite (rye) seed extract, sodium hydroxide, sodium polyacrylate, stearic acid, tocopherol, yeast extract, dimethiconol, dimethicone crosspolymer, dimethiconol, acetyl cedrene, benzaldehyde, benzyl alcohol, beta-caryophyllene, citronellol, citrus aurantium peel oil, coumarin, eugenol, geranylphenyl ether, limonene, linalool, linalyl acetate, pinene, tetramethyl silyloxydihydroxyphenylsiloxane, vanillin, red 4, yellow 5, chlorophenol, phenoxethanol, fragrance</p> <p><b>Questions or comments?</b>          1-800-LANCOME (1-800-455-2963)</p> <p>V7008728D1 76204 6</p>	<p><b>LANCÔME</b> PARIS</p> <p><b>RÉNERGIE</b></p> <p>LIFT MULTI-ACTION</p> <p>SUNSCREEN BROAD SPECTRUM SPF 15 FIRMING - ANTI-WRINKLE CREAM</p> <p>75 ml 2.5 FL. OZ.</p>	<p>PROVEN BY SCIENCE POWERED BY TECH</p>  <p>SCAN FOR YOUR PERSONALIZED SKIN DIAGNOSIS</p> <p>MADE IN FRANCE LANCÔME.COM</p>	<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avobenzone 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b>          • helps prevent sunburn          • If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</p> <p><b>Warnings</b>  <b>For external use only</b>          Do not use on damaged or broken skin          When using this product keep out of eyes. Rinse with water to remove.          Stop use and ask a doctor if rash occurs</p> <p><b>Keep out of reach of children.</b>          If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>          For sunscreen use:          • apply generously and evenly 15 minutes before sun exposure          • reapply at least every 2 hours          • use a water resistant sunscreen if swimming or sweating  <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:          • limit time in the sun, especially from 10 a.m. - 2 p.m.          • wear long-sleeved shirts, pants, hats and sunglasses          • children under 6 months of age: Ask a doctor</p> <p style="font-size: small;">IMPORTANT: DO NOT USE ON OR AROUND EYES</p>  <p>SV</p>	Active ingredients	Purpose	Avobenzone 3%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 7%	Sunscreen
Active ingredients	Purpose										
Avobenzone 3%	Sunscreen										
Octisalate 5%	Sunscreen										
Octocrylene 7%	Sunscreen										

# LANCÔME PARIS RENÉNERGIE LIFT MULTI-ACTION SUNSCREEN BROAD SPECTRUM SPF 15 FIRMING ANTIWRINKLE

avobenzone, octisalate and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51150-333
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>BEESWAX</b> (UNII: 2Z A36H0S2V)	
<b>SILICA</b> (UNII: ETJ7Z 6XBU4)	
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5Z AL5H3V)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>GUANOSINE</b> (UNII: 12133JR80S)	
<b>METHYL GLUCOSE SESQUISTEARATE</b> (UNII: V1YW10H14D)	
<b>MYRISTIC ACID</b> (UNII: 0I3V7S25AW)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	

<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>RYE</b> (UNII: 0R4AQI398X)
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)
<b>ACETYL CEDRENE</b> (UNII: X6I62755AK)
<b>BENZALDEHYDE</b> (UNII: TA269SD04T)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>BETA-CARYOPHYLLENE</b> (UNII: BHW853AU9H)
<b>CARVONE</b> (UNII: 75GK9XIA8I)
<b>CITRONELLOL</b> (UNII: P01OUT964K)
<b>CITRUS AURANTIUM PEEL OIL</b> (UNII: 9TLV70SV6I)
<b>COUMARIN</b> (UNII: A4VZ22K1WT)
<b>CLOVE LEAF OIL</b> (UNII: VCA5491KVF)
<b>EUGENOL</b> (UNII: 3T8H1794QW)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>LINALOOL</b> (UNII: D81QY6I88E)
<b>LINALYL ACETATE</b> (UNII: 5K47SSQ51G)
<b>PINENE</b> (UNII: 996299PUKB)
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)
<b>VANILLIN</b> (UNII: CHI530446X)
<b>RED 4</b> (UNII: X3W0AM1JLX)
<b>YELLOW 5</b> (UNII: I753WB2F1M)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-333-01	1 in 1 CARTON	05/27/2026	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:51150-333-02	1 in 1 CARTON	05/27/2026	
2		75 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/27/2026	

**Labeler** - SICOS ET CIE (276993581)

## Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	pack(51150-333) , manufacture(51150-333)

Revised: 5/2026

SICOS ET CIE