RELEEV COLD SORE TREATMENT- benzalkonium chloride liquid
Merix Pharmaceutical Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

RELEEV 1 day Cold sore Symptom Treatment

Active ingredient

Benzalkonium chloride 0.13%

Purpose

Cold Sore/ Fever Blister Treatment

Uses:

Treats cold sores/ fever blisters. For the pain, tingling, itching, & burning associated with cold sores. May be used as an antiseptic to help cleanse or dry cold sores & fever blisters. May be used inside the mouth on sores.

Warnings:

For external use only

Do Not Use:

• If you have ever had an allergic reaction to this product or any of its ingredients. • Do not swallow. • Do not use for yeast infections (may be used in conjunction with yeast medication). • Avoid contact with eyes. • If condition worsens or does not improve, contact a health care professional.

When Using This Product

• Use only as directed • Brief tingling may occur.

Keep this and all drugs out of reach of children. In case of accidental ingestion other than intended use, seek professional assistance or call a poison control center.

Directions:

SHAKE WELL (Adults and children 12 years of age or older) apply to clean, dry, affected area 3-4 times per day by dabbing and pressing solution into the area well. Allow to dry. Best when used at first sign of outbreak. Do not use cotton applicator.

Inactive Ingredients:

Echinacea Purpurea [Viracea®, proprietary blend of Benzalkonium Chloride and

Echinacea herb], Methyl Cellulose, Methyl Paraben, Potassium Sorbate, Propyl Paraben, Purified Water,

Other Information:

We suggest that you not consume alcohol during an outbreak or when using this product. Due to the natural ingredients in this product, colour may vary. Product dries clear.

Packaging

6 mL

Symptoms of cold sores relieved within 24 hours.*

*as always, individual results may vary.

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.13%	Cold Sore/Fever BlisterTreatment

Uses: Treats cold sores/fever blisters. For the pain, tingling, itching, & burning associated with cold sores. May be used as an antiseptic to help cleanse or dry sores & fever blisters. May be used inside the mouth on sores.

Warnings:
For external use only.

Do Not Use:
• If you have ever had an allergic reaction to this product or any of its ingredients. • Do not swallow. • Do not use for yeast infections (may be used in conjuction with yeast medication). • Avoid contact with eyes. • If condition worsens or does not improve, contact a health care professional.

When Using This Product:
• Use only as directed. • Brief tingling may occur.

Keep this and all drugs out of reach of children. In case of accidental ingestion other than intended use, seek professional assistance or call a poison control center.

Directions: SHAKE WELL (Adults and children 12 years of age or older) apply to clean, dry, affected area 3-4 times per day by dabbing and pressing solution into the area well. Allow to dry. Best when used at first sign of outbreak. Do not use cotton application.

Other Information: We suggest that you not consume alcohol during an outbreak or when using this product. Due to the natural ingredients in this product, color may vary. Product dries clear.

Inactive Ingredients: Echinacea Purpurea [Viracea®, proprietary blend of Benzalkonium Chloride and Echinacea herb], Methyl Cellulose, Methyl Paraben, Potassium Sorbate, Propyl Paraben, Purified Water.

Scientific publications regarding this product can be obtained by contacting: Merix Pharmaceutical Corp.

Retain this package for directions & information.

LOT
EXP

6 43689 41906 2

1 mL

Manufactured for:
Merix Pharmaceutical Corp.
Barrington, IL 60010

Questions?
1-800-224-4024
www.releev.com
Made in the USA

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.13%	Cold Sore/Fever BlisterTreatment

Uses: Treats cold sores/fever blisters. For the pain, tingling, itching, & burning associated with cold sores. May be used as an antiseptic to help cleanse or dry sores & fever blisters. May be used inside the mouth on sores.

Warnings:
For external use only.

Do Not Use:
• If you have ever had an allergic reaction to this product or any of its ingredients. • Do not swallow. • Do not use for yeast infections (may be used in conjuction with yeast medication). • Avoid contact with eyes. • If condition worsens or does not improve, contact a health care professional.

When Using This Product:
• Use only as directed. • Brief tingling may occur.

Keep this and all drugs out of reach of children. In case of accidental ingestion other than intended use, seek professional assistance or call a poison control center.

Directions: SHAKE WELL (Adults and children 12 years of age or older) apply to clean, dry, affected area 3-4 times per day by dabbing and pressing solution into the area well. Allow to dry. Best when used at first sign of outbreak. Do not use cotton applicatior.

Other Information: We suggest that you not consume alcohol during an outbreak or when using

this product. Due to the natural ingredients in this product, color may vary. Product dries clear.

Inactive Ingredients: Echinacea Purpurea [Viracea®, proprietary blend of Benzalkonium Chloride and Echinacea herb], Methyl Cellulose, Methyl Paraben, Potassium Sorbate, Propyl Paraben, Purified Water.

Retain this package for directions & information.

LOT
EXP

U.S. Patent #'s 6,348,503, 6,355,684, 6,946,490, 7,071,233 other patents pending.

NDC 63287-419-01
DIN# 02246905

6 43689 41901 7

3 mL



Formula used by Dentists & Periodontists.

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride (an organic chloride salt) 0.13%	Cold Sore/Fever Blister Treatment

Uses: Symptom relief for oral sores, cold sores, canker sores, mouth sores and minor irritation of the mouth and gums caused by dental procedures or minor injury of the mouth or gums. Treats cold sores/fever blisters. May be used as an antiseptic to help cleanse sores.

Warnings:
For external use only. Do not swallow in quantity.

Do Not Use:
• If you have ever had an allergic reation to this product or any of its ingredients. • Do not swallow. • Do not use for yeast infections (may be used in conjuction with yeast medication). • Avoid contact with eyes. • If condition worsens or does not improve, contact health care professional.

When Using This Product:
• Use only as directed. • Brief tingling may occur.

Keep this and all drugs out of reach of children. In case of accidental ingestion other than intended use, seek professional assistance or call a poison control center.

Directions: SHAKE WELL (Adults and children 12 years or older) Apply to clean, dry, affected area 3-4 times per day by dabbing and pressing solution into the area well. Allow to dry. Best when used at first sign of outbreak. Do not use cotton applicators.

Other Information: We suggest that you not consume alcohol during an outbreak or when using this product. If eye contact occurs, rinse with water. Due to the natural ingredients in this product, color may vary. Product dries clear.

Inactive Ingredients: Echinacea Purpurea (Viracea®, proprietary blend of Benzalkonium Chloride and Echinacea herb), Methyl Cellulose, Methyl Paraben, Potassium Sorbate, Propyl Paraben. Purified Water.

Scientific publications regarding this product can be obtained by contacting Merix Pharmaceutical Corp.
U.S. Patent #'s 6,348,503, 6,355,684, 6,946,490, 7,071,233 other patents pending. NDC 63287-419-33 DIN# 02246905
Manufactured for: Merix Pharmaceutical Corp., Barrington, IL 60010
Questions? Call toll free **1-800-224- 4024 • www.releev.com**

Retain this packaging for directions & information

14133

LOT
EXP

6 43689 41933 8

Made in the USA

RELEEV COLD SORE TREATMENT

benzalkonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:63287-419
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE 2910 (4000 MPA.S) (UNII: RN3152OP35)	
ECHINACEA PURPUREA FLOWERING TOP (UNII: 2EMS3QFX65)	

METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63287-419-01	1 in 1 BLISTER PACK	06/01/2006	
1		1 in 1 POUCH		
1		1 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:63287-419-03	1 in 1 BLISTER PACK	06/01/2006	08/31/2012
2		3 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
3	NDC:63287-419-06	1 in 1 BLISTER PACK	06/01/2006	
3		6 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
4	NDC:63287-419-33	1 in 1 BLISTER PACK	08/21/2018	
4		3 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/01/2006	

Labeler - Merix Pharmaceutical Corp. (158385687)

Revised: 7/2022 Merix Pharmaceutical Corp.