

**ALTIPRES-B- brompheniramine maleate, dextromethorphan hydrobromide,
phenylephrine hydrochloride liquid
Alternative Pharmacal Corporation**

Alt-AltipresB 101

Active Ingredients (in each 5 mL tsp)

Brompheniramine maleate 4 mg

Dextromethorphan HBr 20 mg

Phenylephrine HCl 10 mg

Purpose

Antihistamine

Cough Suppressant

Nasal Decongestant

Purpose

Antihistamine

Cough Suppressant

Nasal Decongestant

Uses

- temporarily relieves symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itchy nose or throat
- runny nose
- itchy, water eyes
- nasal congestion
- temporarily controls cough due to minor throat and bronchial irritation associated with inhaled irritants
- temporarily restores freer breathing through nose

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Do not use on a child under 2 years of age.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- glaucoma
- diabetes
- cough that occurs with too much phlegm (mucus)
- trouble urinating due to an enlarged prostate gland
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or a pharmacist before

- giving this product to children who are taking sedatives or tranquilizers
- if you are taking sedatives or tranquilizers

Do not give this product to children who have a breathing problem such as chronic bronchitis, or who have glaucoma, without first consulting the child's doctor.

When using this product

- **do not use more than directed**
- may cause drowsiness
- avoid alcoholic drink
- alcohol, sedatives and tranquilizers may increase drowsiness effect
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy or sleeplessness
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions Do not exceed more than 6 doses in any 24-hour period.

adults and children 12 years of age and over	take 1 teaspoonfuls (5 mL) every 4 hours
children 6 to under 12 years of age	take 1/2 teaspoonfuls (2.5mL) every 4 hours
children 2 years to under 6 years of age	ask a doctor
children under 2 years of age	do not use

Inactive Ingredients citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

Questions or comments: 1-305-403-3788

Alternative Pharmacal Corp. Miami FL 33147

www.alternativepharmacal.com

NDC 53163-101-16

Altipres-B

- Antihistamine
- Cough Suppressant
- Nasal Decongestant



Contains the same active ingredients as Tussi-Pres®-B†

Sugar FREE
Alcohol FREE
Saccharin FREE
Dye FREE

16 fl. oz. (473 mL)

Drugs Facts

Active Ingredients (in each 5 mL tsp) **Purpose**
 Brompheniramine Maleate, USP 4mg Antihistamine
 Dextromethorphan HBr, USP 20mg Cough Suppressant
 Phenylephrine HCl, USP 10 mg Nasal Decongestant

Uses
 • temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: • sneezing • itchy nose or throat • runny nose
 • itchy, watery eyes • nasal congestion • temporarily controls cough due to minor throat and bronchial irritation associated with inhaled irritants
 • temporarily restores freer breathing through nose

Warnings
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product. Do not use in a child under 2 years of age.

Ask a doctor before use if you have
 • heart disease • high blood pressure • thyroid disease • glaucoma • diabetes • cough that occurs with too much phlegm (mucus)
 • trouble urinating due to an enlarged prostate gland
 • a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Do not give this product to children who have a breathing problem such as chronic bronchitis, or who have glaucoma, without first consulting the child's doctor.

Ask a doctor or a pharmacist before
 • giving this product to children who are taking sedatives or tranquilizers
 • if you are taking sedatives or tranquilizers

When using this product
 • do not use more than directed • may cause drowsiness • avoid alcoholic drink

†Tussi Pres® is a registered trademark of Kramer Novis. This product is not manufactured, distributed or marketed by Kramer Novis.
 Code #: L-50 Rev. 09/21

Lot #:

Exp. Date:

Drugs Facts (Continued)

Warnings (Continued)

- alcohol, sedatives, and tranquilizers may increase drowsiness effect
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not exceed more than 6 doses in any 24-hour period.

adults and children 12 years of age and over	take 1 teaspoonful (5 mL) every 4 hours
children 6 to under 12 years of age	take 1/2 teaspoonful (2.5 mL) every 4 hours
children 2 years to under 6 years of age	ask a doctor
children under 2 years of age	do not use

Other Information

- Store between 15-30° (59-86°F)
 - Tamper evident feature: Do not use if cap seal is broken or missing
- Pharmacist-Preserve and dispense in tight, light-resistant container with a child resistant cap as defined in the USP

Inactive ingredients Citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.

Questions or comments: 1-305-403-3788

Manufactured for: Advanced Generic Corp., Miami, FL 33147
 www.advancedgeneric.com

THIS IS A BULK CONTAINER NOT INTENDED FOR DISPENSING



ALTIPRES-B

brompheniramine maleate, dextromethorphan hydrobromide, phenylephrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53163-101
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 5 mL
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	4 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE (grape flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53163-101-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/01/2012	

Labeler - Alternative Pharmacal Corporation (078528214)

Revised: 12/2025

Alternative Pharmacal Corporation