

**PAIN RELIEVING GEL-PATCH- lidocaine patch**  
**Shanghai Chuangshi Medical Technology (Group) Co., Ltd.**

-----  
**CSI, Pain Relieving Gel-Patch, Lidocaine 4%, 6 Patches**

***Active Ingredient***

Lidocaine 4% ..... Purpose: Topical Anesthetic

***Purpose***

Topical Anesthetic

***Uses***

For temporary relief of pain

***Warnings***

***For external use only***

***Do not use***

- More than 1 patch at a time
- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

***When using this product***

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashes
- Do not bandage tightly

***Stop use ... if***

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

***... ask a doctor if***

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen

- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

***If pregnant or breast-feeding***

ask a health professional before use

***Keep out of reach of children***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

***Adult and Children 12 years of age and over:***

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

***Children under 12 years of age:*** Consult a doctor

***Dosage forms & strengths***

This is a strip, patch dosage form.

The active ingredient strength is 4% w/w.

One patch one time, no more than 8 hours one time.

***Other information***

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

***Inactive Ingredients***

Dihydroxyaluminum Aminoacetate, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

***Questions or Comments***

86-21-31166566

**Package label. Principal display panel**

**FAST ACTING PAIN RELIEF**

# PAIN RELIEVING GEL-PATCH

**Desensitize aggravated nerves for temporary relief of pain**

- Back
- Neck
- Shoulders
- Knees & Elbows



LIDOCAINE 4%

APPLY FOR  
8  
 HOURS

**1 PATCH**  
 1 PATCH-5.5" x 3.94" (14cm x10cm)

**PAIN RELIEVING GEL-PATCH** **LIDOCAINE 4%**

<p><b>Drug Facts</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">Active Ingredient</th> <th style="text-align: left;">Purpose</th> </tr> <tr> <td>Lidocaine 4%</td> <td>Topical anesthetic</td> </tr> </table> <p><b>Uses:</b> For temporary relief of pain</p> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use:</b> • More than 1 patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product</p> <p><b>When using this product:</b> • Use only as directed</p> <p>• Avoid contact with the eyes, mucous membranes or rashes</p> <p>• Do not bandage tightly</p> <p><b>Stop use and ask a doctor if:</b></p> <ul style="list-style-type: none"> <li>• localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering</li> <li>• Conditions worsen</li> <li>• Symptoms persist for more than 7 days</li> <li>• Symptoms clear up and occur again within a few days</li> </ul> <p><i>If pregnant or breast-feeding, ask a health professional before use</i></p>	Active Ingredient	Purpose	Lidocaine 4%	Topical anesthetic	<p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p><b>Adult and children 12 years of age and over:</b></p> <ul style="list-style-type: none"> <li>• Clean and dry affected area</li> <li>• Remove film from patch and apply to the skin (see illustration)</li> <li>• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily</li> <li>• Remove patch from the skin after at most 8-hour application</li> </ul> <p><b>Children under 12 years of age:</b> Consult a doctor</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• Avoid storing product in direct sunlight</li> <li>• Protect product from excessive moisture</li> </ul> <p><b>Inactive Ingredients</b></p> <p>Dihydroxyaluminum Ammonoacetate, Glycerin, Kaolin, Methylparaben, Polyisobutyl Methacrylate, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.</p> <p><b>Questions or Comments: 86-21-31166566</b></p>
Active Ingredient	Purpose				
Lidocaine 4%	Topical anesthetic				

Produced by:  
 SHANGHAI CHUANSHI MEDICAL TECHNOLOGY (GROUP) CO.,LTD  
 No.388, Zhong Jiang Road, Qingpu District, Shanghai, China, 201716  
 Tel: 86-21-31166566  
 Fax: 86-21-31166568  
 E-mail: webmaster@csigroup.com.cn  
 www.csigroup.com.cn

Made in china

LOT



6 924239 1705380

**FAST ACTING PAIN RELIEF**

# PAIN RELIEVING GEL-PATCH

**Desensitize aggravated nerves for temporary relief of pain**

- Back
- Neck
- Shoulders
- Knees & Elbows



LIDOCAINE 4%

APPLY FOR  
8  
 HOURS

**HOW TO APPLY**

- 1 Remove patch from outer package
- 2 Partially peel back protective film
- 3 Place on affected area
- 4 Remove remaining film while pressing patch to skin

**6 PATCHES**  
 CONTAINS FIVE 5.5" x 3.94" INDIVIDUALLY PACKAGED PATCHES

**PAIN RELIEVING GEL-PATCH**

**LIDOCAINE 4%**


**PAIN RELIEVING GEL-PATCH** **LIDOCAINE 4%**

<p><b>Drug Facts</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">Active Ingredient</th> <th style="text-align: left;">Purpose</th> </tr> <tr> <td>Lidocaine 4%</td> <td>Topical anesthetic</td> </tr> </table> <p><b>Uses:</b> For temporary relief of pain</p> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use:</b> • More than 1 patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product</p> <p><b>When using this product:</b> • Use only as directed</p> <p>• Avoid contact with the eyes, mucous membranes or rashes</p> <p>• Do not bandage tightly</p> <p><b>Stop use and ask a doctor if:</b></p> <ul style="list-style-type: none"> <li>• localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering</li> <li>• Conditions worsen</li> <li>• Symptoms persist for more than 7 days</li> <li>• Symptoms clear up and occur again within a few days</li> </ul> <p><i>If pregnant or breast-feeding, ask a health professional before use</i></p>	Active Ingredient	Purpose	Lidocaine 4%	Topical anesthetic	<p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p><b>Adult and children 12 years of age and over:</b></p> <ul style="list-style-type: none"> <li>• Clean and dry affected area</li> <li>• Remove film from patch and apply to the skin (see illustration)</li> <li>• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily</li> <li>• Remove patch from the skin after at most 8-hour application</li> </ul> <p><b>Children under 12 years of age:</b> Consult a doctor</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• Avoid storing product in direct sunlight</li> <li>• Protect product from excessive moisture</li> </ul> <p><b>Inactive Ingredients</b></p> <p>Dihydroxyaluminum Ammonoacetate, Glycerin, Kaolin, Methylparaben, Polyisobutyl Methacrylate, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.</p> <p><b>Questions or Comments: 86-21-31166566</b></p>
Active Ingredient	Purpose				
Lidocaine 4%	Topical anesthetic				

Produced by:  
 SHANGHAI CHUANSHI MEDICAL TECHNOLOGY (GROUP) CO.,LTD  
 No.388, Zhong Jiang Road, Qingpu District, Shanghai, China, 201716  
 Tel: 86-21-31166566  
 Fax: 86-21-31166568  
 E-mail: webmaster@csigroup.com.cn  
 www.csigroup.com.cn

Made in china

LOT



6 924239 1705397

# PAIN RELIEVING GEL-PATCH

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73557-158
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73557-158-06	6 in 1 BOX	06/01/2023	
1	NDC:73557-158-01	12 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	06/01/2023	

**Labeler** - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

**Registrant** - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(73557-158) , label(73557-158)

Revised: 4/2024

Shanghai Chuangshi Medical Technology (Group) Co., Ltd.