### PAIN RELIVEING PATCH- lidocaine 4% patch Anhui Miao De Tang Pharmaceutical Co., Ltd.

-----

#### **Pain Relieving Patch**

**LIDOCAINE PATCH 4%** 

Lidocaine 4% Topical anesthetic

For the temporary relief of pain

LIDOCAINE PATCH to help Temporarily relteves minor pain

For external use only

Do not use more than 1 patch on vour body at a time on cut, irritated.or swolen skin on puncture wounds

for more than one week without consulting a doctor

use only as directed. Read and follow all directions and warnings on this carton. do not allow contact with the eyes

do not bandage tightly or apply local heat (such as heating pads) to the area of use do not use at the same time as other topical analcesics

dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

use only as directed. Read and follow all directions and warnings on this carton. do not allow contact with the eyes

do not bandage tightly or apply local heat (such as heating pads) to the area of use do not use at the same time as other topical analcesics

dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

If pregnant or breast-feeding, ask a health professional before use.

#### condition worsens

symptoms persist for more than 7 days or clear up and occur again within a few days redness or iritation develops you experience signs of skin injury, such as pain, swelling, or blistering where

the product was applied

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away(1-800-222-1222).

Adults and children 12 years of age and older:

Wash and dry the affected area.

Peel off the backing film from one side of the patch carefully

Apply the exposed portion of the patch to the affected area.

Gently press the patch with your hand to fit the affected area completely.

Do not exercise vigorously during use to prevent the patch from falling off.

Use only 1 patch for a maximum of 8 hours.

Children under 12 years of age: Ask a doctor before use.

store at room temperature 15°-30°C (59°-86°F)

aluminum glycinate, glycerin, methyl acrylate, polyacrylic acid, polysorbate 80, propylene glycol.

sodium polvacrylate, tartaric acid, poval, alcohol, water



## **PAIN RELIVEING PATCH**

lidocaine 4% patch

	_		- •
Drod	116	Informa	tion

Product Type HUMAN OTC DRUG Item Code (Source) NDC:81484-601

**Route of Administration** TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name		<b>Basis of Strength</b>	Strength
I	LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100

#### **Inactive Ingredients**

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
TARTARIC ACID (UNII: W4888I119H)	
METHYL ACRYLATE (UNII: WC487PR91H)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
POLYVINYL ALCOHOL (18000 MW) (UNII: BRY146A46V)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81484-601- 02	5 in 1 BOX	06/01/2023	
1	NDC:81484-601- 01	1 in 1 BAG; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	06/01/2023		

# Labeler - Anhui Miao De Tang Pharmaceutical Co., Ltd. (405744102)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Anhui Miao De Tang Pharmaceutical Co., Ltd.		405744102	manufacture(81484-601)	

Revised: 10/2023 Anhui Miao De Tang Pharmaceutical Co., Ltd.