

# **NEO-LUBRINA- acetaminophen suspension**

## **OPMX Chula Vista**

-----

### **Neo-Lubrina**

#### **Active Ingredient(in each 5 mL) Purpose**

Acetaminophen 160 mg..... Pain reliever/fever reducer  
Pain Reliever & Fever Reducer

#### **Uses**

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- sore throat
- the common cold
- flu
- headache
- toothache

#### **Warnings**

**Liver warning:** This product contains acetaminophen.

Severe liver damage may occur if your child takes takes

- more than 5 doses in 24 hours. which is the maximum daily amount.
- with other drugs containing acetaminophen.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### **Do not use**

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has** liver disease.

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dose (see overdose**

## warning)

### Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition

### Keep out of reach of children.

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

- this product does not contain directions or complete warnings for adult use. Shake well before using
- mL= millilitar
- find right dose on chart below, if possible, use weight to dose; otherwise, use age
- repeat dose every 4 hours while symptoms last
- only use enclosed measuring syringe
- do not give more than 5 times in 24 hours
- do not give more than 5 days unless directed by a doctor

---

Weight (lb,)	Age (yrs.)	Dose (mL)*
Under 24	Under 2	Ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

---

\*always check with your doctor before administering medicine to your infant/child

### Other information

- Each teaspoon (5 mL) contains: sodium 3 mg
- Store between 15°-30°C (59°-86°F)
- Protect from freezing. Protect from light

### Inactive ingredients

acesulfame potassium, citric acid, FD&C red no. 40, flavor, glycerine, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, polysorbate, propylene glycol, prosweet N&AK, purified water, sodium benzoate, sucralose, sorbitol,

xanthan gum.

**Questions or comments?**

Call toll free 619-600-5632

Monday through Friday 9AM - 5PM EST

**PRINCIPAL DISPLAY PANEL**

NDC 69729-118-04 Neo-Lubrina



**NEO-LUBRINA**  
acetaminophen suspension

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:69729-118

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

### Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-118-04	1 in 1 CARTON	06/02/2023	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/02/2023	

**Labeler** - OPMX Chula Vista (029918743)

## Establishment

Name	Address	ID/FEI	Business Operations
Seaway Pharma		117218785	manufacture(69729-118)

Revised: 11/2024

OPMX Chula Vista