

SENNA-S- senna and docusate sodium tablets, 8.6 mg tablet, coated
We Care Distributor Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Senna-S - Senna and Docusate Sodium Tablets, 8.6 mg

Drug Facts

Active Ingredient (in each tablet)	Purpose
Docusate Sodium 50 mg	Stool Softener
Sennosides 8.6 mg	Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take preferably at bedtime or as directed by a doctor

- adults and children 12 years of age or older - starting dosage: 2 tablets once a day, maximum dosage: 4 tablets twice a day
- children 6 to under 12 years - starting dosage: 1 tablet once a day, maximum dosage: 2 tablets twice a day

day

- children 2 to under 6 years - starting dosage: 1/2 tablet once a day, maximum dosage: 1 tablet twice a day
- children under 2 years - starting dosage: ask a doctor, maximum dosage: ask a doctor

Other information

- each tablet contains: calcium 21 mg
- each tablet contains: sodium 3 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, colloidal silicon dioxide, dicalcium phosphate, D&C Yellow # 10, FD&C Yellow # 6, hypromellose, microcrystalline cellulose, magnesium stearate, maltodextrin, polyethylene glycol, stearic acid, titanium dioxide

Questions or comments?

1-888-705-WECARE (Mon-Fri 9am-5pm EST) or www.wecaredistributor.com

PRINCIPAL DISPLAY PANEL

Compare to the Active Ingredients in Senokot-S®

Senna and Docusate Sodium Tablets, 8.6 mg and 50 mg

TO OPEN

PUSH IN TAB AND PULL OUT

25 Pouches of 2 Tablets Each

NDC: 70005-016-25

SENNA-S
COMPARE TO THE ACTIVE INGREDIENTS IN
Senokot-S®*
TABLETS

Docusate sodium, 50 mg
Sennosides, 8.6 mg

- *Stool Softener*
- *Laxative*

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot-S®.

25 Pouches of 2 Coated Tablets

Drug Facts

Active ingredients (in each tablet)	Purpose
Docusate sodium 50 mg	Stool softener
Sennosides 8.6 mg	Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
- if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age or older	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: calcium 21 mg
- each tablet contains: sodium 3 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, colloidal silicon dioxide, dicalcium phosphate, D&C Yellow # 10, FD&C Yellow # 6, hypromellose, microcrystalline cellulose, magnesium stearate, maltodextrin, polyethylene glycol, stearic acid, titanium dioxide

Questions or comments?

1-888-705-WECARE (Mon-Fri 9am-5pm EST) or www.wecaredistributor.com

SENNA-S
COMPARE TO THE ACTIVE INGREDIENTS IN
Senokot-S®*
TABLETS

Docusate sodium, 50 mg
Sennosides, 8.6 mg

- *Stool Softener*
- *Laxative*

Manufactured For / Distributed By:
We Care Distributor Inc.
Hermitage, TN 37076
www.wecaredistributor.com

**DO NOT USE IF POUCH IS
BROKEN OR TORN**

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot-S®.

0 70005 01625 2

SENNA-S

senna and docusate sodium tablets, 8.6 mg tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70005-016
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IIX) (SENNOSIDES - UNII:3FYP5M0IIX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	S35
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70005-016-25	25 in 1 BOX		
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:70005-016-50	50 in 1 BOX		
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:70005-016-02	2 in 1 POUCH		
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/07/2016	

Labeler - We Care Distributor Inc. (079832998)

Establishment

Name	Address	ID/FEI	Business Operations
Elysium Pharmaceutical Ltd.		915664486	manufacture(70005-016)

Revised: 3/2016

We Care Distributor Inc.