

SPF 15 ANTI-SHINE MOISTURIZING - octinoxate and octocrylene lotion
Laboratoire Dr Renaud Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Octinoxate (Octyl Methoxycinnamate) 7.77% w/w and Octocrylene 0.10% w/w

INACTIVE INGREDIENTS

WATER/EAU • BIOSACCHARIDE GUM-1 • METHYL GLUCETH-20 • GLYCERIN • VITIS VINIFERA (GRAPE) SEED OIL • DICAPRYLYL CARBONATE • METHYLMETHACRYLATE CROSSPOLYMER • SACCHARIDE ISOMERATE • CETEARYL OLIVATE • DIPROPYLENE GLYCOL • SORBITAN OLIVATE • CANDIDA BOMBICOLA/GLUCOSE/METHYL RAPESEEDATE FERMENT • SILICA • ALPHA GLUCAN OLIGOSACCHARIDE • TALC • SODIUM PALMITOYL PROLINE • AMMONIUM ACRYLOYL DIMETHYLTAURATE/VP COPOLYMER • OLEA EUROPAEA (OLIVE) LEAF EXTRACT • NYMPHEA ALBA FLOWER EXTRACT • HELIANTHUS ANNUUS (SUNFLOWER) OIL • XANTHAN GUM • KAEMPFERIA GALANGA (GALANGAL) EXTRACT • ROSMARINUS OFFICINALIS (ROSEMARY) OIL • SARCOSE • SALVIA SOLAREA (CLARY SAGE) OIL • CITRUS AURANTIUM (ORANGE) OIL • CITRUS RETICULATA BLANCO (MANDARIN) OIL • BUTYLENE GLYCOL • GLUCAMINE • CHLORPHENESIN • CITRUS LIMON (LEMON) OIL • CITRUS AURANTIFOLIA (LIME) OIL • CYMBOPOGON SCHOENANTHUS (LEMONGRASS) OIL • PHENOXYETHANOL • ETHYLHEXYLGLYCERIN • BHT • PVP •

In the morning, first cleanse the skin thoroughly. Then apply a thin layer of your specific skin care product. End with the application of the Anti-Shine Moisturizing Lotion SPF 15. Apply prior to sun exposure.

For external use only. Keep out of reach of children. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor.

image of tube 50 ml label

DIN 02371200

Lotion
hydratante
anti-brillance
FPS 15 SPF
Anti-Shine
Moisturizing
Lotion

50 ml / 1.7 FL. OZ.



Laboratoire
Dr Renaud

MODE D'EMPLOI : Le matin, bien nettoyer la peau au préalable. Poursuivre avec l'application de votre soin spécifique. Puis terminer avec l'application de la Lotion hydratante anti-brillance FPS 15. Appliquer avant l'exposition au soleil.

MISES EN GARDE : Pour usage externe seulement. Garder hors de portée des enfants. Éviter tout contact avec les yeux; le cas échéant, rincer abondamment avec de l'eau. Cesser l'emploi si une irritation de la peau apparaît ou si devient plus sévère. Si l'irritation persiste, consulter un praticien de soins de santé.

DIRECTIONS: In the morning, first cleanse the skin thoroughly. Then apply a thin layer of your specific skin care product. End with the application of the Anti-Shine Moisturizing Lotion SPF 15. Apply prior to sun exposure.

WARNINGS: For external use only. Keep out of reach of children. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor.

LABORATOIRE DR RENAUD INC.
Laval (Québec) Canada H7V 0A3
Made in Canada

10445TU-01-L1

INGRÉDIENTS MÉDICINAUX : Octinoxate (Méthoxydimmate d'octyle) à 7,77% p/p, et Octocrylène à 0,10% p/p / **ACTIVE INGREDIENTS :** Octinoxate (Octyl Methoxydimmate) 7.77% w/w and Octocrylene 0.10% w/w. **INGRÉDIENTS NON-MÉDICINAUX / INACTIVE INGREDIENTS :** WATER/EAU • BIOSACCHARIDE GUM-1 • METHYL GLUCETH-20 • GLYCERIN • VITIS VINIFERA (GRAPE) SEED OIL • DICAPRYLYL CARBONATE • METHYL METHACRYLATE CROSSPOLYMER • SACCHARIDE ISOMERATE • CETEARYL OLIVATE • DIPROPYLENE GLYCOL • SORBITAN OLIVATE • CANDIDA BOMBICOLA/G.LUCOSE/M.ETHYL RAPESEEDATE FERMENT • SIUCA • ALPHA GLUCAN OLIGOSACCHARIDE • TALC • SODIUM PALMITOYL PROLINE • AMMONIUM ACRYLOYL DIMETHYLTAURATE/VP COPOLYMER • OLEA EUROPAEA (OLIVE) LEAF EXTRACT • NYMPHEA ALBA FLOWER EXTRACT • HELIANTHUS ANNUUS (SUNFLOWER) OIL • XANTHAN GUM • KAEMPFERIA GALANGA (GALANGAL) EXTRACT • ROSMARINUS OFFICINALIS (ROSEMARY) OIL • SARCOSENE • SALVIA SOLAREA (CLARY SAGE) OIL • CITRUS AURANTIUM (ORANGE) OIL • CITRUS RETICULATA BLANCO (MANDARIN) OIL • BUTYLENE GLYCOL • GLUCAMINE • CHLORPHENESIN • CITRUS LIMON (LEMON) OIL • CITRUS AURANTIFOLIA (LIME) OIL • CYMBOPOGON SCHOENANTHUS (LEMONGRASS) OIL • PHENOXYETHANOL • ETHYLHEXYLGLYCERIN • BHT • PVP.

image of carton 50ml label

DIN 02371200

Lotion
hydratante
anti-brillance
FPS 15 SPF
Anti-Shine
Moisturizing
Lotion

50 ml / 1.7 FL. OZ.



Non testé sur les animaux
No animal testing



Matériaux recyclables
Recyclable Material

LABORATOIRE DR RENAUD INC.
Laval (Québec) Canada H7V 0A3
Made in Canada



INGRÉDIENTS MÉDICINAUX :
Octinoxate (Méthoxycinnamate d'octyle)
à 7,77% p/p. et Octocrylène à 0.10% p/p

ACTIVE INGREDIENTS : Octinoxate
(Octyl Methoxycinnamate) 7.77% w/w and
Octocrylene 0.10% w/w.

**INGRÉDIENTS NON-MÉDICINAUX /
INACTIVE INGREDIENTS :**

WATER/EAU •
BIOSACCHARIDE GUM-1 •
METHYL GLUCETH-20 •
GLYCERIN •
VITIS VINIFERA (GRAPE) SEED OIL •
DICAPRYLYL CARBONATE •
METHYL METHACRYLATE •
CROSSPOLYMER •
SACCHARIDE ISOMERATE •
CETEARYL OLIVATE •
DIPROPYLENE GLYCOL •
SORBITAN OLIVATE •
CANDIDA BOMBICOLA/GLUCOSE/
METHYL RAPESEDATE FERMENT •
SILICA •
ALPHA GLUCAN OLIGOSACCHARIDE •
TALC •
SODIUM PALMITOYL PROLINE •
AMMONIUM ACRYLOYL
DIMETHYLTAURATE/VP COPOLYMER •
OLEA EUROPAEA (OLIVE) LEAF EXTRACT •
NYMPHEA ALBA FLOWER EXTRACT •
HELIANTHUS ANNUUS
(SUNFLOWER) OIL •
XANTHAN GUM •
KAEMPFERIA GALANGA (GALANGAL)
EXTRACT •
ROSMARINUS OFFICINALIS
(ROSEMARY) OIL •
SARCOSINE •
SALVIA SOLAREA (CLARY SAGE) OIL •
CITRUS AURANTIUM (ORANGE) OIL •
CITRUS RETICULATA BLANCO
(MANDARIN) OIL •
BUTYLENE GLYCOL •
GLUCAMINE •
CHLORPHENESIN •
CITRUS LIMON (LEMON) OIL •
CITRUS AURANTIFOLIA (LIME) OIL •
CYMBOPOGON SCHOENANTHUS
(LEMONGRASS) OIL •
PHENOXYETHANOL •
ETHYLHEXYLGLYCERIN •
BHT •
PVP •

MODE D'EMPLOI : Le
matin, bien nettoyer la peau
au préalable. Poursuivre
avec l'application de
votre soin spécifique. Puis
terminer avec l'application
de la Lotion hydratante
anti-brillance FPS 15.
Appliquer avant l'exposition
au soleil.

MISES EN GARDE : Pour
usage externe seulement.
Éviter tout contact avec les
yeux; le cas échéant, rincer
abondamment avec de
l'eau. Garder hors de portée
des enfants. Cesser l'emploi
si une irritation de la peau
apparaît ou si devient
plus sévère. Si l'irritation
persiste, consulter un
praticien de soins de santé.

DIRECTIONS: In the
morning, first cleanse
the skin thoroughly. Then
apply a thin layer of your
specific skin care product.
End with the application of
the Anti-Shine Moisturizing
Lotion SPF 15. Apply prior to
sun exposure.

WARNINGS: For external
use only. Avoid direct
contact with the eyes.
If product gets into the
eyes, rinse liberally with
water. Discontinue use if
skin irritation develops
or increases. If irritation
persists, consult a doctor.

10445-2bt-01
L1

SPF 15 ANTI-SHINE MOISTURIZING

octinoxate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62499-445
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.77 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BIO SACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYL GLUCETH-20 (UNII: J3QD0LD11P)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
METHYL METHACRYLATE (UNII: 196OC77688)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM PALMITOYL PROLINE (UNII: 64L053FRFO)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLUCAMINE (UNII: 5QN16UUF80)	
OLEA EUROPAEA LEAF (UNII: MJ95C3OH47)	
NYMPHAEA ALBA FLOWER (UNII: 40KQ7Q535O)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
POVIDONE K30 (UNII: U725QWY32X)	
LESSER GALANGAL ROOT (UNII: 42LD90786Y)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
SARCOSINE (UNII: Z711V88R5F)	
CLARY SAGE OIL (UNII: 87L0D4U3M0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ORANGE OIL (UNII: AKN3KSD11B)	
MANDARIN OIL (UNII: NJO720F72R)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LEMON OIL (UNII: I9GRO824LL)	
LIME OIL (UNII: UZH29XGA8G)	
WEST INDIAN LEMONGRASS OIL (UNII: 5BIA40E9ED)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
XANTHAN GUM (UNII: TTV12P4NEE)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	

Product Characteristics

Color	blue (dark bleu)	Score	
Shape		Size	

Flavor		Imprint Code	
Contains			
Packaging			
#	Item Code	Package Description	Marketing Start Date
1	NDC:62499-445-11	1 in 1 CARTON	
1	NDC:62499-445-04	50 g in 1 TUBE	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/29/2011	

Labeler - Laboratoire Dr Renaud Inc. (202501565)

Registrant - Laboratoire Dr Renaud Inc. (202501565)

Establishment			
Name	Address	ID/FEI	Business Operations
Laboratoire Dr Renaud Inc.		202501565	manufacture

Revised: 11/2011

Laboratoire Dr Renaud Inc.