

ATOMY DERMA CALMING SUN- titanium dioxide stick
ATOMY CO., LTD.

ACTIVE INGREDIENT

Titanium Dioxide 8.86%

INACTIVE INGREDIENTS

ISOPROPYL PALMITATE, ETHYLHEXYL PALMITATE, POLYETHYLENE, SYNTHETIC FLUORPHLOGOPITE, C12-15 ALKYL BENZOATE, METHYL METHACRYLATE CROSSPOLYMER, POLYMETHYLSILSESQUIOXANE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, PHENYL TRIMETHICONE, CAPRYLIC/CAPRIC TRIGLYCERIDE, CAPRYLYL METHICONE, OZOKERITE, VINYL DIMETHICONE, POLYHYDROXYSTEARIC ACID, CALAMINE, ALUMINUM STEARATE, ALUMINA, CITRUS AURANTIUM DULCIS (ORANGE) OIL, POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDR OXYSTEARATE/SEBACATE, TRIETHOXYCAPRYLYLSILANE, STEARIC ACID, CITRUS NOBILIS (MANDARIN ORANGE) PEEL OIL, DEHYDROACETIC ACID, LITSEA CUBEBA FRUIT OIL, OCTYLDODECANOL, DIOSPYROS KAKI LEAF EXTRACT, ECHIUM PLANTAGINEUM SEED OIL, GLYCERIN, AQUA/WATER/EAU, CARDIOSPERMUM HALICACABUM FLOWER/LEAF/VINE EXTRACT, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL UNSAPONIFIABLES, PANCRATIUM MARITIMUM EXTRACT

PURPOSE

Sunscreen

WARNINGS

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN

If product is swallowed, get medical help or contact a Poison Control Center right away.

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the

sun

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

Protect this product from excessive heat and direct sun

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

DERMA CALMING
SUN STICK

ATOMY
DERMA CALMING
SUN STICK

SPF 50+ Broad Spectrum

Drug Facts

Active Ingredient	Purpose
Titanium Dioxide 8.86%	SUNSCREEN

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Imported & Distributed by
Atomy America Inc.
33801 1st Way South
Suite #301
Federal Way, WA 98003
Tel +1-253-946-2344
www.atomy.com/us

R&D Center
KOLMAR BNH CO., LTD.
Manufacturer
KOLMAR KOREA CO., LTD.

See bottom of the container
for lot number and
expiration date.

Made in Korea



ATOMY

DERMA CALMING
SUN STICK

To soothe delicate skin

SPF 50+ Broad Spectrum

0.6 OZ. 16g

Inactive ingredients


ISOPROPYL PALMITATE,
ETHYLHEXYL PALMITATE,
POLYETHYLENE, SYNTHETIC
FLUORPHLOGOPITE, C12-15
ALKYL BENZOATE,
METHYL METHACRYLATE
CROSSPOLYMER,
POLYMETHYLSILSESQUIOXANE,
BUTYLENE GLYCOL,
DICAPRYLATE/DICAPRATE,
PHENYL TRIMETHICONE,
CAPRYLIC/CAPRIC
TRIGLYCERIDE, CAPRYLYL
METHICONE, OZOKERITE,
VINYL DIMETHICONE,
POLYHYDROXYSTEARIC
ACID, CALAMINE,
ALUMINUM STEARATE,
ALUMINA, CITRUS AURANTIUM
DULCIS (ORANGE) OIL,
POLYGLYCERYL-4
DIISOSTEARATE/POLYHYDR
OXYSTEARATE/SEBACATE,
TRIETHOXYCAPRYLSILANE,
STEARIC ACID, CITRUS NOBILIS
(MANDARIN ORANGE) PEEL OIL,
DEHYDROACETIC ACID,
LITSEA CUBEBA FRUIT OIL,
OCTYLDODECANOL,
DIOSPYROS KAKI LEAF
EXTRACT, ECHINUM
PLANTAGINEUM SEED OIL,
GLYCERIN, AQUA/WATER/EAU,
CARDIOSPERMUM
HALICACABUM
FLOWER/LEAF/VINE EXTRACT,
HELIANTHUS ANNUUS
(SUNFLOWER) SEED OIL,
UNSAAPONIFIABLES,
PANCRATIUM MARITIMUM
EXTRACT

Other information

• protect this product from
excessive heat and direct sun

01-021821





ATOMY DERMA CALMING SUN

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52257-1400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium Dioxide	1.41 g in 16 g

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52257-1400-1	16 g in 1 CARTON; Type 0: Not a Combination Product	05/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2021	

Labeler - ATOMY CO., LTD. (631154601)

Registrant - ATOMY CO., LTD. (631154601)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co.,Ltd. Bucheon Factory		963271763	manufacture(52257-1400)

Revised: 1/2024

ATOMY CO., LTD.