

SENNAPLUS- sennosides and docusate sodium tablet
Heartland Pharma Co.

hpc 455b

Active ingredient (in each tablet)

Docusate Sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts over two weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime;	4 tablets in the morning and

adults and children 12 years of age and older	increase as needed, or as directed by a doctor	4 tablets at bedtime
children under 12 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 3 mg
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken.
- store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F).

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Questions or Comments?

1-800-540-3765

Package Label

Drug Facts
Active ingredients (in each tablet)
 Docusate Sodium 50 mg.....Stool softener
 Sennosides 8.6 mg.....Laxative

Uses • relieves occasional constipation (irregularity)
 • this product generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use • if you are now taking mineral oil, unless directed by a doctor • laxative products for longer than 1 week unless directed by a doctor
Ask a doctor before use if you • have stomach pain, nausea or vomiting • have noticed a sudden change in bowel habits that lasts over two weeks
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
 These may indicate a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

Other information • each tablet contains: calcium 20 mg, sodium 3 mg • **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.
 • store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F).

Inactive ingredients: cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Questions or comments? 1-800-540-3765
 *This product is not manufactured or distributed by the owner of the registered trademark Senokot-S®.
 Distributed By: Northeast Pharma
 South Burlington, VT 05403 1-800-383-0648
 www.heartlandpharmaco.com Product of India

REV1222B
 8 50021 28503 6

SENNAPLUS

sennosides and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80136-555
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
--	-----------------	-------

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PSD22
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80136-555-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2022	06/30/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2022	06/30/2026

Labeler - Heartland Pharma Co. (119127089)

Registrant - Geri-Care Pharmaceutical Corp (611196254)