

# SENNAPLUS- sennosides and docusate sodium tablet

## NORTHEAST PHARMA

-----  
hpc 455b

### Active ingredient (in each tablet)

Docusate Sodium 50 mg  
Sennosides 8.6 mg

### Purpose

Stool softener  
Laxative

### Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

### Warnings

#### Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

#### Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts over two weeks

**Stop use and ask a doctor if** you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).

### Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime;	4 tablets in the morning and

adults and children 12 years of age and older	increase as needed, or as directed by a doctor	4 tablets at bedtime
children under 12 years	ask a doctor	ask a doctor

### Other information

- **each tablet contains:** calcium 20 mg, sodium 3 mg
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken.
- store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F).

### Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

### Questions or Comments?

**1-800-540-3765**

### Package Label

**Drug Facts**  
**Active ingredients (in each tablet)**  
 Docusate Sodium 50 mg.....Stool softener  
 Sennosides 8.6 mg.....Laxative

**Uses** • relieves occasional constipation (irregularity)  
 • this product generally produces a bowel movement in 6 to 12 hours

**Warnings**  
**Do not use** • if you are now taking mineral oil, unless directed by a doctor • laxative products for longer than 1 week unless directed by a doctor  
**Ask a doctor before use if you** • have stomach pain, nausea or vomiting • have noticed a sudden change in bowel habits that lasts over two weeks  
**Stop use and ask a doctor if you** have rectal bleeding or fail to have a bowel movement after use of a laxative.  
 These may indicate a serious condition.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

**Other information** • each tablet contains: calcium 20 mg, sodium 3 mg • **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.  
 • store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F).

**Inactive ingredients:** cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

**Questions or comments? 1-800-540-3765**  
 \*This product is not manufactured or distributed by the owner of the registered trademark Senokot-S®.  
 Distributed By: Northeast Pharma  
 South Burlington, VT 05403 1-800-383-0648  
 www.heartlandpharmaco.com Product of India

REV1222B  
 8 50021 28503 6

## SENNAPLUS

sennosides and docusate sodium tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80136-555
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
--	-----------------	-------

### Inactive Ingredients

Ingredient Name	Strength
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: L11K75P92J)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	PSD22
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80136-555-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2022	

**Labeler** - NORTHEAST PHARMA (081232935)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)