

**ARTIFICIAL TEARS- lubricant eye drops solution/ drops**  
**RITE AID CORPORATION**

-----  
**Drug Facts**

**Active ingredients**

Glycerin (0.3%)  
Propylene glycol (1.0%)

**Purpose**

Lubricant  
Lubricant

**Uses**

- temporary relief of burning and irritation due to dryness of the eye
- prevents further irritation

**Warnings**

**For external use only**

**Do not use**

- if solution changes color or becomes cloudy

**When using this product**

- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before using
- replace cap after use

**Stop use and ask a doctor if**

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- instill 1 or 2 drops in the affected eye(s) as needed

**Other information**

- store at 15-25°C (59-77°F)

- keep tightly closed
- use before expiration date marked on the carton and bottle

### **Inactive ingredients**

benzalkonium chloride (0.01%), boric acid, edetate disodium, potassium chloride, purified water, sodium borate, sodium chloride. Hydrochloric acid and/or sodium hydroxide may be used to adjust pH.

### **Questions or comments?**

**Call: 1-866-767-8975**

**DISTRIBUTED BY:**


**RITE AID,**

**30 HUNTER LANE,**

**CAMP HILL, PA 17011**

**[www.riteaid.com](http://www.riteaid.com)**

**Principal Display Panel - 30 mL Carton**



**ARTIFICIAL TEARS**

**lubricant eye drops**

**soothing relief for dryness and irritation**

STERILE  
1 FL OZ (30 mL)

**ARTIFICIAL TEARS**

lubricant eye drops solution/ drops

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0011
<b>Route of Administration</b>	OPHTHALMIC		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	3 mg in 1 mL
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	10 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11822-0011-3	1 in 1 CARTON	01/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-0011-5	1 in 1 CARTON	01/01/2017	
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M018	01/01/2017	

**Labeler** - RITE AID CORPORATION (014578892)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Bausch & Lomb Incorporated		114406598	manufacture(11822-0011)

Revised: 7/2024

RITE AID CORPORATION