

WART REMOVER LIQUID- salicylic acid liquid

Better Living Brands

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Signature Care Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Use

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C - 25°C (68°F to 77°F)

close tightly to prevent solidification

store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Signature Care


Liquid Wart

Remover

SALICYLIC ACID 17%/Wart Remover

- Helps remove Common & Plantar Warts
- Convenient Brush Applicator
- Safe & Effective

NET 0.31 FL OZ (9 mL)



LIQUID WART REMOVER

Salicylic Acid 17%/Wart Remover


- Helps Remove common & plantar warts
- Convenient Brush Application
- Safe & Effective

NET 0.31 FL. OZ. (9 mL)

Care
Wipe top of bottle clean after each use



- For optimal use, discard when signs of wart no longer appear
- Avoid surrounding skin when applying product
- Do not allow to come into contact with fabrics, floors, counter tops or other surfaces - will stain.



53-012AL

LIQUID WART REMOVER
Salicylic Acid 17% /Wart Remover



LIQUID WART REMOVER
Salicylic Acid 17%/Wart Remover

Compare to the active ingredient in Compound W®*

NDC 21130-220-78

- Helps Remove common & plantar warts
- Convenient Brush Application
- Safe & Effective

NET 0.31 FL. OZ. (9 mL)

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0099, 1-888-723-3929
Made in USA With U.S. and imported parts



Scan here for more information

*This product is not manufactured or distributed by Prestige Consumer Healthcare, Inc. owner of the registered trademark Compound W®.



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts
Active ingredient
Salicylic acid 17% w/w.....Wart remover
Purpose

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
For external use only.
Flammable
■ keep away from fire or flame
■ cap bottle tightly and store at room temperature away from heat

Do not use
■ if you are diabetic or have poor blood circulation
■ on genital warts and warts on the face
■ on moles, birthmarks and warts with hair growing from them
■ on mucous membranes
■ on irritated, infected or reddened skin

When using this product
■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ wash affected area, may soak wart in warm water for 5 minutes
■ dry area thoroughly
■ carefully apply one drop at a time with applicator to sufficiently cover each wart
■ do not apply to face or neck
■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information
■ store between 20°-25°C (68°-77°F)
■ close tightly to prevent solidification
■ store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

DO NOT USE IF NECKBAND IS BROKEN
Active ingredient: Salicylic acid (17% w/w) **Purpose:** Wart remover **Use:** For the removal of common and plantar warts. The common wart is easily recognized by the rough "cauliflower-like" appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat.

NDC 21130-220-78

Signature care.
LIQUID WART REMOVER

Salicylic Acid 17%/Wart Remover
 CLOSE CAP TIGHTLY AFTER USE

- Helps Remove common & plantar warts
- Convenient Brush Applicator
- Safe & Effective

NET 0.31 FL. OZ. (9 mL)

Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. **Do not use** on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. **Stop use and ask a doctor if** discomfort persists. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Carefully apply one drop at a time with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. **Other information:** Store between 20° - 25°C (68° - 77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, microcellulose **Questions? Call 1-866-964-0339** Keep packaging for complete drug facts information. Do not allow to come into contact with fabrics, floors, countertops or other surfaces -- will stain. RD 23130 S6662
Made in USA with U.S. & imported parts

50-012AL

WART REMOVER LIQUID

salicylic acid liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:21130-334 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 170 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| PYROXYLIN (UNII: KYR8BR2X6O) | |
| CAMPHOR (NATURAL) (UNII: N20HL7Q941) | |
| CASTOR OIL (UNII: D5340Y2I9G) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:21130-334-01 | 1 in 1 CARTON | 06/07/2023 | |
| 1 | | 9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part358B | 06/07/2023 | |

Labeler - Better Living Brands (009137209)

Revised: 6/2023

Better Living Brands