VITASTEM ULTRA- bacitracin zinc ointment ViaDerma Distribution, Inc

Vitastem ULTRA

Drug Facts

Active Ingredient

Bacitracin Zinc (500 units Bacitracin in 1g)

Purpose

First Aid/Antibiotic

Uses

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in VitaStem[™] ULTRA.

Do not use

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or punture wounds
- animal bites
- serious trauma

Stop use and ask a doctor if

condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- no claims regarding stem cell healing are implied for this product

Stop use if product is misused

Other Information

• store in a cool dry place

Inactive Ingredients

acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxethyl cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

Package Labeling:71262-007-15





Package Labeling:71262-007-55



Drug Facts

Active Ingredient Purpose First Aid/Antibiotic Bacitracin Zinc (500 units Bacitracin in 1g).

Indications First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings For external use only. May be harmful if swallowed. Allergy Alert Do not use if allergic to any ingredients in VitaStem™ ULTRA.

Do not use in eyes
 over large areas of the body
 longer than 1 week unless directed by doctor

Ask a doctor before use if you have deep or puncture wounds animal bites serious trauma

Stop use and ask a doctor if condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
 apply a small amount of this product (an amount equal to the surface area of the tip of a linger) on the area
 1 to 3 times daily
 may be covered with a sterile bandage

- Stop use if product is an otra using balandige this product is an OTC antibiotic for human use contains no alcohd, no animal ingredients Dended for typical skin color no caking regarding stem cell healing are implied for this product

Other Information store in cool dark place

Inactive Ingredients

acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactore, glycerin, histidine, fydroxethy-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

Licensed to **ViaDerma Distribution** by: **ViaDerma, Inc.** Distributed by: **ViaDerma Distribution**. Report any side effects to: **ViaDerma Distribution** 2235 E. Flamingo Rd, Suite 152 Las Vegas, NV 89119 Tel: 1-800-585-8685 viadermainc.com



Cultra clear formula

ENT-PEND

VIADERMA"

TASTEM

first aid & antibiotic

Bacitracin Zinc

.85 FL OZ (55ml)

Keep this and all drugs away from children. In case of accidental ingestion, seek medical assistance or contact Poison Control Center immediately.

topical

Bacitracin Zinc 500 units Bacitracin in 1 gram (active ingredients)

1AI

ENT-PEND

1.85 FL OZ (55ml)

ULTRA first aid & antibiotic topical antibiotic spray **Bacitracin Zinc** 500 units Bacitracin in 1 gram (active ingredients)

ERMA®

Cultra clear formula

VIADERMA" FNT-PEND TASTEM 1AL TE

Side Effect: Same as any other ingredients in **VitaStem™ ULTRA** products. See back panel for additional information.

first aid & antibiotic

Bacitracin Zind

.85 FL OZ (55ml)

top

PATENT PENDING NDC# 71262-003-00





/ITASTEM ULTRA				
acitracin zinc ointment				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source) NDO		NDC:71262-007
Route of Administration	TOPICAL			
Active Ingredient/Active	e Moiety			
		Basis of Streng	gth Strength	
BACITRACIN ZINC (UNII: 89Y4M2	234ES) (BACITRACIN - UNII:58	4ES) (BACITRACIN - UNII:58H6RWO52I)		500 U in 1 mL
nactive Ingredients				
	Ingredient Name			Strength
ACETIC ACID (UNII: Q40Q9N063)	P)			
ASCORBIC ACID (UNII: PQ6CK8P	DOR)			
CHLORHEXIDINE GLUCONATE	(UNII: MOR84MUD8E)			
CHOLECALCIFEROL (UNII: 1C6V	77QF41)			
DIMETHYL SULFOXIDE (UNII: YC	DW8V9698H)			
DIPROPYLENE GLYCOL (UNII: E	107L85C40)			
GLUCONOLACTONE (UNII: WQ29	9KQ9POT)			
GLYCERIN (UNII: PDC6A3C0OX)				
HISTIDINE (UNII: 4QD397987E)				
HYDROXYETHYL CELLULOSE, U		G28D)		
MAGNESIUM STEARATE (UNII: 7				
SODIUM HYDROXIDE (UNII: 55X				
SORBIC ACID (UNII: X045W)989B				
STEARIC ACID (UNII: 4ELV7Z65A	P)			

VV A	ATER (UNII: 059QF	UNDUR)				
Packaging						
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:71262-007- 15	1 in 1 CARTON	06/01/2021			
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product				
	NDC:71262-007- 55	1 in 1 CARTON	06/01/2021			
2		55 mL in 1 BOTTLE; Type 0: Not a Combination Product				
Μ	arketing I	nformation				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug		g M004	06/01/2021			

Labeler - ViaDerma Distribution, Inc (081113521)

Revised: 12/2023

ViaDerma Distribution, Inc