

VITASTEM ULTRA- bacitracin zinc ointment
ViaDerma Distribution, Inc

Vitastem ULTRA

Drug Facts

Active Ingredient

Bacitracin Zinc (500 units Bacitracin in 1g)

Purpose

First Aid/Antibiotic

Uses

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in VitaStem™ ULTRA.

Do not use

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

**Stop use and ask a doctor if
condition persists or gets worse.**

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- no claims regarding stem cell healing are implied for this product

Stop use if product is misused

Other Information

- store in a cool dry place

Inactive Ingredients

acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxethyl cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

Package Labeling:71262-007-15

Drug Facts

Active Ingredient *Purpose*
Bacitracin Zinc (500 units Bacitracin in 1g) . . First Aid/Antibiotic

Indications

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in VitaStem™ ULTRA.

Do not use

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Stop use if product is misused

- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- no claims regarding stem cell healing are implied for this product

Other Information

- store in cool dark place

Inactive Ingredients acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

VIA DERMA®
**VITASTEM™
ULTRA**

first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc
500 units Bacitracin in 1 gram
(active ingredients)



Keep this and all drugs away from children.
In case of accidental ingestion,
seek medical assistance or contact
Poison Control Center immediately.

topical antibiotic ointment
first aid & antibiotic
**VITASTEM™
ULTRA**
VIA DERMA®

MADE IN USA
VIA DERMA®
**VITASTEM™
ULTRA**

first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc
500 units Bacitracin in 1 gram
(active ingredients)



0.5 FL OZ (15ml)

VIA DERMA®
**VITASTEM™
ULTRA**

first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc
500 units Bacitracin in 1 gram
(active ingredients)



Side Effect: Same as any other
ingredients in VitaStem™ ULTRA products.
See back panel for additional information.

Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution. Report any side
effects to: ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 Tel: 1-800-585-8685 www.ViaDermaInc.com

PATENT PENDING



8 65393 00040 8
NDC# 71262-002-15

Licensed to **ViaDerma Distribution** by:
ViaDerma, Inc. Distributed by: **ViaDerma**
Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd,
Suite 152 Las Vegas, NV 89119
Tel: 1-800-585-8685 | **NDC# 71262-002-01**

VIADERMA®
Pharma



VITASTEM™ ULTRA

first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc
(500 units Bacitracin)

0.5 FL OZ (15ml)



KEEP THIS AND ALL DRUGS AWAY
FROM CHILDREN. IN CASE OF
ACCIDENTAL INGESTION, SEEK
MEDICAL ASSISTANCE OR CONTACT
POISON CONTROL IMMEDIATELY.

Package Labeling:71262-007-55

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE LONGER THAN WEEK UNLESS DIRECTED BY A DOCTOR. IN THE EYES, OR OVER
LARGE AREAS OF THE BODY, ASK A DOCTOR BEFORE USE. IF YOU HAVE DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SERIOUS
BURNS, STOP USE AND ASK A DOCTOR IF CONDITION PERSISTS OR GETS WORSE. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED,
GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS: CLEAN THE AFFECTED AREA. APPLY A SMALL AMOUNT OF THIS PRODUCT ON THE AREA 1 TO 3 TIMES DAILY AND BE COVERED
WITH A STERILE BANDAGE. **DISTRIBUTED BY:** VIA DERMA DISTRIBUTION, INC. 1050 E. FLAMINGO RD SUITE 107, LAS VEGAS, NV 89119
VIA DERMA DISTRIBUTION, INC. 1050 E. FLAMINGO RD SUITE 107, LAS VEGAS, NV 89119
Tel: 1-800-585-8685 WWW.VIADERMA.COM **MADE IN THE USA**

VIA

DERMA®
Pharma

VITASTEM™ ULTRA

First Aid Antibiotic

Topical Spray

Bacitracin Zinc
500 units Bacitracin in 1 gram

1.85 fl oz (55mL)



Drug Facts

Active ingredient (in each gram) Purpose
Bacitracin Zinc (500 units Bacitracin in 1g) First aid antibiotic

Use
First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings
For external use only.

Do not use

- longer than 1 week unless directed by a doctor
- in the eyes ■ over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if condition persists or gets worse.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store between 68-77°F (20-25°C)
- may stain cloth

Inactive ingredients
Acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, methylparaben, sodium hydroxide, sorbic acid, water

Questions or comments?
Call 1-800-585-8685 or visit:
www.viaderma.com

VIA DERMA[®]
VITASTEM[™]
ULTRA

First Aid Antibiotic

Topical Spray

Bacitracin Zinc
500 units Bacitracin in 1 gram



LICENSED TO: VIADERMA DISTRIBUTION INC BY: VIADERMA, INC.

DISTRIBUTED BY: VIADERMA DISTRIBUTION INC.

REPORT ANY SERIOUS ADVERSE EVENTS TO:
VIADERMA DISTRIBUTION INC., 1050 E FLAMINGO RD., SUITE 107
LAS VEGAS, NV 89119 TEL: 1-800-585-8685 WWW.VIADERMA.COM

MADE IN USA

VIA DERMA[®]
VITASTEM[™]
ULTRA

First Aid Antibiotic

Topical Spray

Bacitracin Zinc
500 units Bacitracin in 1 gram

VIA DERMA[®]
VITASTEM[™]
ULTRA

First Aid Antibiotic

Topical Spray

Bacitracin Zinc
500 units Bacitracin in 1 gram



1.85 fl oz (55mL)

 CONTAINS NO ALCOHOL
 NO ANIMAL INGREDIENTS

VITASTEM ULTRA

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-007-15	1 in 1 CARTON	06/01/2021	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:71262-007-55	1 in 1 CARTON	06/01/2021	
2		55 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	06/01/2021	

Labeler - ViaDerma Distribution, Inc (081113521)

Revised: 4/2025

ViaDerma Distribution, Inc