

POLYTUSSIN DM- dextromethorphan hbr, phenylephrine hcl, pyrilamine maleate syrup
Poly Pharmaceuticals, Inc.

Polytussin DM

Active ingredients

(in each 5 mL teaspoonful)

Dextromethorphan HBr..... 7.5 mg
Phenylephrine HCl..... 5 mg
Pyrilamine Maleate..... 12.5 mg

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

Uses

temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itching of nose or throat
- itchy, watery eyes
- cough due to minor throat and bronchial irritation
- nasal congestion
- reduces swelling of nasal passages

Warnings

Do not exceed recommended dosage.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a cough that lasts or is chronic such as occurs with smoking, asthma or emphysema
- a cough that occurs with too much phlegm (mucus)
- heart disease
- high blood

When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- cough or nasal congestion persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache. A persistent cough may be a

sign of a serious condition.

- new symptoms occur

If pregnant or breastfeeding ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

Adults 12 and over: 10 mL every 4 hours

Not to exceed 60 mL in 24hours

Children 6-12: 5 mL every 4 hours,

Not to exceed 30 mL in 24hrs

Children 2-6: Consult a doctor

Other information

Store at room temperature 15°C-30°C (59°F-86°F)

Questions? Comments? Serious side effects associated with use of this product may be reported to this number. Call 1-800-882-1041

Mon. - Fri. (8 a.m. to 5 p.m. CST).

Inactive ingredients

Citric Acid, Flavor, Methylparaben, Potassium Citrate, Propylene Glycol, Propylparaben, Purified water, Sucralose, Sorbitol

Antihistamine

Cough Suppressant

Nasal Decongestant

NDC 50991-132-16

POLYTUSSIN DM LIQUID

Antitussive • Nasal Decongestant
• Antihistamine

Each 5 mL (1 teaspoonful) contains:
Dextromethorphan HBr..... 7.5 mg
Phenylephrine HCl..... 5 mg
Pyrilamine Maleate..... 12.5 mg

Cotton Candy Flavor
SUGAR FREE / ALCOHOL FREE
DYE FREE / GLUTEN FREE

Distributed by:
Poly Pharmaceuticals
Owens Cross Roads, AL 35763
16 fl oz. (473 mL)

Drug Facts

Active ingredients Purpose (in each 5 mL teaspoonful)

Dextromethorphan HBr 7.5 mg	Antitussive
Phenylephrine HCl 5 mg	Nasal Decongestant
Pyrilamine Maleate 12.5 mg	Antihistamine

Uses temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose ■ sneezing
- itching of nose or throat
- itchy, watery eyes
- cough due to minor throat and bronchial irritation ■ nasal congestion
- reduces swelling of nasal passages

Warnings

Do not exceed recommended dosage.

Do not use this product

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma ■ trouble urinating due to

Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing. Dispense in a light-resistant container with a child-resistant cap. This bottle is not to be dispensed to consumer. Rev. 04/23

Peel Here →



POLYTUSSIN DM

dextromethorphan hbr, phenylephrine hcl, pyrilamine maleate syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50991-132
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	7.5 mg in 5 mL
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	12.5 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	COTTON CANDY (clear, colorless)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50991-132-16	480 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/08/2023	
2	NDC:50991-132-15	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/08/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/08/2023	

Labeler - Poly Pharmaceuticals, Inc. (198449894)

Revised: 12/2025

Poly Pharmaceuticals, Inc.