

HYDROGEN PEROXIDE- hydrogen peroxide liquid
Zhejiang Furuisen Spunlaced Nonwovens Co., Ltd.

79794-111

Active ingredient

HYDROGEN PEROXIDE 3%

Purpose

First aid antiseptic

Uses

First aid to help prevent the risk of infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body.
- Longer than 1 week.

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor

the condition persists or get worse.

irritation, pain, or redness persists or worsens.

swelling, rash, or fever develops.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area.

Spray a amount of product on the affected area 1 to 3 times a day .
May be covered with sterile bandage.

If bandaged,let dry first.

Other information

- Store in a cool and well-ventilated place, keep tightly closed.
- Protect from exposure to sunlight.
- Protect from overheating/heating up.
- Keep away from ignition source.

Inactive ingredients

Water

Question?

Call 718-975-2586

Package label

biopure.
3% Hydrogen Peroxide

First Aid Antiseptic
· For Minor Cuts & Abrasions to help prevent infection
· Topical Antiseptic
· Non - Aerosol Spray

DISTRIBUTED BY QUEST USA CORP.
495 FLATBUSH AVE, BROOKLYN NY 11225

©BIOPURE IS A REGISTERED TRADEMARK OF QUEST USA CORP. ALL OTHER TRADEMARKS AND TRADE NAMES ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. DESIGNED BY BIOPURE IN NEW YORK. ALL RIGHTS RESERVED QUEST USA CORP.

MADE IN CHINA

BP2690-DT

8 10116 71707 1

CAUTION:Do not point at self or others; product will squirt when squeezed.

biopure.
3% Hydrogen Peroxide

First Aid Antiseptic
· For Minor Cuts & Abrasions to help prevent infection
· Topical Antiseptic
· Non - Aerosol Spray

6 FL OZ (177 ml)

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%	First aid antiseptic
Uses	
■ First aid to help prevent the risk of infection in minor cuts, scrapes and burns.	
Warnings	
For external use only.	
Do not use	
■ In the eyes or apply over large areas of the body.	
■ Longer than 1 week.	
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.	
Stop use and ask a doctor if	
■ the condition persists or gets worse.	
■ Irritation, pain, or redness persists or worsens.	
■ swelling, rash, or fever develops.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
■ clean the affected area.	
■ spray a small amount of product on the affected area 1 to 3 times a day. ■ may be covered with sterile bandage.	
■ if bandaged, let dry first.	
Other information	
■ Store in a cool and well-ventilated place, keep tightly closed.	
■ Protect from exposure to sunlight.	
■ Protect from overheating/heating up.	
■ Keep away from ignition source.	
Inactive ingredients water	
Questions? call 718-975-2586	

HYDROGEN PEROXIDE

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79794-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79794-111-01	177 g in 1 CANISTER; Type 0: Not a Combination Product	06/09/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/09/2023	

Labeler - Zhejiang Furuisen Spunlaced Nonwovens Co., Ltd. (723796509)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Furuisen Spunlaced Nonwovens Co., Ltd.		723796509	manufacture(79794-111)

Revised: 7/2024

Zhejiang Furuisen Spunlaced Nonwovens Co., Ltd.