

**FEXOFENADINE HCL- fexofenadine hcl tablet**  
**TARGET CORPORATION**

-----  
**Fexofenadine HCL USP 180mg**

**Antihistamine**

**Active ingredient (in each tablet)**

Fexofenadine HCl USP, 180 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose ■ itchy, watery eyes ■ sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**

ask a health professional before use

## **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

adults and children 12 take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours years of age

children under 12 years of age do not use

adults 65 years of age and older ask a doctor

consumers with kidney disease ask a doctor

## **Other information**

- safety sealed: do not use if imprinted foil under bottle cap is opened or torn
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

## **Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

## **Questions or Comments?**

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

## **PDP**

COATING  
FREE AREA



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING. READ AND KEEP CAPTION FOR COMPLETE WARNINGS AND INFORMATION.

**Drug Facts**

**Active ingredient** (in each tablet) Purpose  
Fexofenadine HCl USP, 180 mg Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
• runny nose • itchy, watery eyes  
• sneezing  
• itching of the nose or throat

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

• do not take more than directed  
• do not take at the same time as aluminum or magnesium antacids  
• do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours

children under 12 years of age do not use

adults 65 years of age and older ask a doctor

consumers with kidney disease ask a doctor



COATING  
FREE AREA



**Non-Drowsy  
Allergy Relief**  
Fexofenadine HCl Tablets USP,  
180 mg / Antihistamine



**Non-Drowsy Allergy Relief**  
Fexofenadine HCl Tablets USP, 180 mg / Antihistamine  
Compare to active ingredient in Allegra® Allergy 24 Hour\*  
Indoor/outdoor allergy relief  
• Sneezing  
• Runny nose  
• Itchy, watery eyes  
• Itchy nose or throat



Actual Size  
150 Tablets

094 04 0367 R00 C-002262-01-009-0000



Lot  
Exp.

COATING  
FREE AREA

Compare to active ingredient in Allegra® Allergy 24 Hour\*

**Non-Drowsy Allergy Relief**

**Fexofenadine HCl  
Tablets USP,  
180 mg / Antihistamine**

Indoor/outdoor allergy relief

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy nose or throat



150 TABLETS





**NEVER EXCEED DO NOT USE** **UNLESS YOU OPEN CAP** **BEFORE USE**

**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION**

**Drug Facts**  
**Active ingredient (in each tablet):** Fexofenadine HCl USP, 180 mg  
**Purpose:** Allergy relief

**Warnings:**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease, heart disease, or asthma. If you need a different dose, ask your doctor.

**Directions:**  
 Take one (1) tablet with water once a day. Do not take more than 1 tablet in 24 hours.

**Non-Drowsy Allergy Relief**  
 Fexofenadine HCl Tablets USP, 180 mg / Antihistamine

**Drug Facts (continued)**  
**Other information:**  
 Keep up to speed on your allergies. See your doctor if you have a severe allergic reaction or if you are pregnant or breastfeeding.

**Warnings:**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease, heart disease, or asthma. If you need a different dose, ask your doctor.

Compare to active ingredient in Allegra® Allergy 24 Hour\*

**Non-Drowsy Allergy Relief**  
 Fexofenadine HCl Tablets USP, 180 mg / Antihistamine

Indoor/outdoor allergy relief

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy nose or throat

**24 Hours**

**Actual Size 30 Tablets**

**up&up** 30 TABLETS

**Non-Drowsy Allergy Relief**  
 Fexofenadine HCl Tablets USP, 180 mg / Antihistamine

**up&up**

**Drug Facts**  
**Active ingredient (in each tablet):** Fexofenadine HCl USP, 180 mg  
**Purpose:** Allergy relief

**Warnings:**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease, heart disease, or asthma. If you need a different dose, ask your doctor.

**Directions:**  
 Take one (1) tablet with water once a day. Do not take more than 1 tablet in 24 hours.

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease, heart disease, or asthma. If you need a different dose, ask your doctor.

**Directions:**  
 Take one (1) tablet with water once a day. Do not take more than 1 tablet in 24 hours.

**Other information:**  
 Keep up to speed on your allergies. See your doctor if you have a severe allergic reaction or if you are pregnant or breastfeeding.

**Warnings:**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease, heart disease, or asthma. If you need a different dose, ask your doctor.

**Directions:**  
 Take one (1) tablet with water once a day. Do not take more than 1 tablet in 24 hours.

**Other information:**  
 Keep up to speed on your allergies. See your doctor if you have a severe allergic reaction or if you are pregnant or breastfeeding.

**Drug Facts**  
**Active ingredient (in each tablet):** Fexofenadine HCl USP, 180 mg  
**Purpose:** Allergy relief

**Warnings:**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease, heart disease, or asthma. If you need a different dose, ask your doctor.

Compare to active ingredient in Allegra® Allergy 24 Hour\*

**Non-Drowsy Allergy Relief**  
 Fexofenadine HCl Tablets USP, 180 mg / Antihistamine

Indoor/outdoor allergy relief

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy nose or throat

**24 Hours**

**Actual Size 15 Tablets**

**up&up** 15 TABLETS

**Satisfaction guaranteed - Love it or your money back.**

Distributed by Target Corporation  
 Minneapolis, MN 55403  
 Made in India  
 TM & © 2020 Target Brands, Inc.

200000005794  
700000003609

NDC 11673-767-07  
 064 04 0178 R00 C-002262-01-008-0000  
 8 13874 02070 4



## FEXOFENADINE HCL

fexofenadine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-767
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FEXOFENADINE HYDROCHLORIDE</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>HYPROMELLOSE 2910 (15 MPA.S)</b> (UNII: 36SFW2JZ0W)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 6000</b> (UNII: 3OIQX730WE)	

## Product Characteristics

<b>Color</b>	orange ((PEACH))	<b>Score</b>	no score
<b>Shape</b>	OVAL ((Capsule-shaped))	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	G6
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-767-07	15 in 1 BLISTER PACK; Type 0: Not a Combination Product	03/01/2024	
2	NDC:11673-767-03	30 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2024	
3	NDC:11673-767-34	70 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2024	
4	NDC:11673-767-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	03/01/2024	

**Labeler** - TARGET CORPORATION (006961700)

Revised: 12/2025

TARGET CORPORATION