

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled Walgreens

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 14 days

ask a doctor or pharmacist before use

if you are presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

Other information

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33*, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Stool Softener

Docusate Sodium 100 mg / Laxative

- Effective relief of constipation

SOFTGELS

1 BOTTLE INSIDE

Compare to Phillips'® Stool Softener active ingredient≠≠

≠≠This product is not manufactured or distributed by Bayer HealthCare LLC., distributor of Phillips'® Stool Softener.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Label

Drug Facts

Active ingredient (in each softgel)
Docusate sodium 100 mg.....Stool softener laxative

Purpose
.....Stool softener laxative

Uses
■ for relief of occasional constipation (irregularity)
■ this product generally produces bowel movement in 12 to 72 hours

Warnings
Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking mineral oil.

Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

Other information
■ each softgel contains: sodium 6 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide
*contains one or more of these ingredients

Questions or comments?
Call 1-877-753-3935
Monday-Friday 9AM-5PM EST

WALGREENS PHARMACIST RECOMMENDED*

Stool Softener

Docusate Sodium
100 mg / Laxative

• Effective relief of constipation

30
SOFTGELS
1 BOTTLE INSIDE

Actual Size

Compare to Phillips® Stool Softener active ingredient**

Drug Facts

Active ingredient (in each softgel)
Docusate sodium 100 mg.....Stool softener laxative

Purpose
.....Stool softener laxative

Uses
■ for relief of occasional constipation (irregularity)
■ this product generally produces bowel movement in 12 to 72 hours

Warnings
Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking mineral oil.

Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

Other information
■ each softgel contains: sodium 6 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide
*contains one or more of these ingredients

Questions or comments?
Call 1-877-753-3935
Monday-Friday 9AM-5PM EST

WALGREENS PHARMACIST RECOMMENDED*

Stool Softener

Docusate Sodium 100 mg / Laxative

• Effective relief of constipation

30
SOFTGELS
1 BOTTLE INSIDE

Actual Size

Compare to Phillips® Stool Softener active ingredient**

*Walgreens Pharmacist Survey Study, November 2014.
**This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips® Stool Softener.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2017 Walgreen Co.

ITEM 934228 W10024-0817-L

3 11917 18327 5

PLD-B98L
FC004404

1 BOTTLE INSIDE

Lot No.:
Exp. Date:

WALGREENS Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0679
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA05BB0L)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10;SCU2;D1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0679-30	1 in 1 BOX	08/31/2017	02/28/2025
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/31/2017	02/28/2025

Labeler - Walgreens (008965063)