

**L'BEL EFFET PARFAIT SPOTS REDUCING EFFECT FOUNDATION SPF 18 - MEDIUM
6A - octinoxate, oxybenzone emulsion
Ventura International, LTD**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL EFFET PARFAIT Spots Reducing Effect Foundation SPF 18 - MEDIUM 6A

L'BEL EFFET PARFAIT Spots Reducing Effect Foundation SPF 18 - MEDIUM 6A

Active Ingredients

Octinoxate (7.5%), Oxybenzone (2.0%)

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.
- Apply using the sponge and cover the face evenly. Blend softly with the applicator or, if you prefer, your fingertips.

Inactive ingredients

Isostearyl Neopentanoate, Mica, C12-15 Alkyl Benzoate, Ethylhexyl Palmitate, Polymethyl Methacrylate, Dimethicone/Vinyl Dimethicone Crosspolymer, Ozokerite, Kaolin, Polyethylene, Copernicia Cerifera Cera (Copernicia Cerifera (Carnauba) Wax), Zea Mays Starch (Zea Mays (Corn) Starch), Kojic Dipalmitate, Phenoxyethanol, Dimethicone, Octyldodecanol, Glyceryl Isostearate, Isostearyl Alcohol, Methylparaben, Silica, Butyrospermum Parkii Butter (Butyrospermum Parkii (Shea) Butter), Microcristallina Cera (Microcrystalline Wax), Propylparaben, Beta-Sitosterol, Parfum (Fragrance), Candelilla Cera (Euphorbia Cerifera (Candelilla) Wax), Trimethylsiloxysilicate, Petrolatum, Phospholipids, Bht, Glycyrrhiza Glabra Root Extract (Glycyrrhiza Glabra (Licorice) Root Extract), Butylparaben, Ethylparaben, Cholesterol, Isobutylparaben, Cera Alba (Beeswax), Cetearyl Alcohol, Cetearyl Glucoside, Polyglyceryl-2 Dipolyhydroxystearate, Glycosphingolipids. May Contain: Ci 77891 (Titanium Dioxide), Ci 77492 (Iron Oxides), Ci 77491 (Iron Oxides), Ci 77499 (Iron Oxides), Chitosan

Purpose

Sunscreen

EFFET PARFAIT

Facial Perfecting Line

L'BEL presents its Effet Parfait line to maximize your skin's beauty. An innovative line of perfecting makeup that adds luminosity to the face and gives it a youthful appearance thanks to the latest concept in cosmetic technology: Perfecting Technology. Effet Parfait products transform the appearance of your face, returning the healthy look and glow of youth. In addition to concealing and correcting imperfections, they prepare your skin for applying makeup shades and express your skin's maximum beauty and splendor.

spot reducing effect foundation SPF 18

A foundation with coverage that adapts to the needs of your face. With continual use, its innovative Photo Bright Complex technology helps diminish existing spots and, thanks to its photoadjustable pigments, evens out skin tone and conceals dark areas and surfaces more effectively, minimizing the intensity of spots and imperfections immediately.

The result: uniform, natural and youthful skin.

- Covers spots and imperfections
- Evens out skin tone.
- Helps diminish existing spots.

USES: Helps prevent sunburn.

WARNINGS: Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Use in the morning after cleansing and toning. Apply small amounts using the fingertips and spreading with upward, circular movements. Rub gently until absorbed completely.
- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 years

- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other Information:

- Protect the product in its container from excessive heat and direct sun.
- Apply using the sponge and cover the face evenly. Blend softly with the applicator or, if you prefer, your fingertips.

Effet Parfait features a line of products with benefits that complement one another. Follow this routine to attain perfect skin:

Step 1: Apply the Perfect Face Effect Retexturizing Gel.

Step 2: Apply the Effet Parfait foundation that best meets your skin's needs.

Step 3: Apply the Rejuvenating Effect Concealer.

Step 4: Apply the Effet Parfait Compact Powder that best meets your skin's needs

L'BEL EFFET PARFAIT spot reducing effect foundation SPF 18 8g (.28 oz) www.lbel.com P.R. : Distributed by Ventura Corporation, Ltd., San Juan, Puerto Rico 00926. US: Distributed by Ventura International Ltd., DBA Belcorp USA, San Francisco, CA 94111. Made in Colombia

L'BEL EFFET PARFAIT Spots Reducing Effect Foundation SPF 18 - MEDIUM 6A 8g

**L'BEL
EFFET PARFAIT**

spots reducing effect foundation SPF 18

ACTIVE INGREDIENTS: OCTINOXATE (7,5 %) OXYBENZONE (2 %)

USES: Helps prevent sunburn. **WARNINGS: Skin Cancer / Skin Aging**

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. **For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if rash occurs. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **P.R.:** Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. **US:** Distributed by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111. Made in Colombia.

8 g e (.28 oz.)

L'BEL

EFFET PARFAIT

spot reducing effect
foundation SPF18

8 g e (.28 oz.)

www.lbel.com

EFFET PARFAIT Facial Perfecting Line

L'BEL presents its Effet Parfait line to maximize your skin's beauty. An innovative line of perfecting makeup that adds luminosity to the face and gives it a youthful appearance thanks to the latest concept in cosmetic technology: Perfecting Technology. Effet Parfait products transform the appearance of your face, returning the healthy look and glow of youth. In addition to concealing and correcting imperfections,

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

they prepare your skin for applying makeup shades and express your skin's maximum beauty and splendor.

spot reducing effect foundation SPF 18

A foundation with coverage that adapts to the needs of your face. With continual use, its innovative Photo Bright Complex technology helps diminish existing spots and, thanks to its photoadjustable pigments, evens out skin tone and conceals dark areas and surfaces more effectively, minimizing the intensity of spots and imperfections immediately.

The result: uniform, natural and youthful skin.

- Covers spots and imperfections.
- Evens out skin tone.
- Helps diminish existing spots.

USES: Helps prevent sunburn.

WARNINGS: Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. **For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if** rash occurs. **Keep out of reach of children.**

Other Information:

- Protect the product in this container from excessive heat and direct sun.
- Apply using the sponge and cover the face evenly. Blend softly with the applicator or, if you prefer, your fingertips.

Effet Parfait features a line of products with benefits that complement one another. Follow this routine to attain perfect skin:

Step 1: Apply the Perfect Face Effect Retexturizing Gel.

Step 2: Apply the Effet Parfait foundation that best meets your skin's needs.

Step 3: Apply the Rejuvenating Effect Concealer

Step 4: Apply the Effet Parfait Compact Powder that best meets your skin's needs.

Inactive ingredients
Isostearyl neopentanoate, mica, c12-15 alkyl benzoate, ethylhexyl palmitate, polymethyl methacrylate, dimethicone/vinyl dimethicone crosspolymer, ozokerite, kaolin, polyethylene, copernicia cerifera cera (copernicia cerifera (carnauba) wax), zea mays starch (zea mays starch (corn) starch), kojic dipalmitate, phenoxylethanol, dimethicone, octyldodecanol, glyceryl isostearate, isostearyl alcohol, methylparaben, silica, butyrospermum parkii butter (butyrospermum parkii (shea) butter), microcrystalline cera (microcrystalline wax), propylparaben, beta-sitosterol, parfum (fragrance), candelilla cera (euphorbia cerifera (candelilla) wax), trimethylsiloxysilicate, petrolatum, phospholipids, bht, glycyrrhiza glabra root extract (glycyrrhiza glabra (licorice) root extract), butylparaben, ethylparaben, cholesterol, isobutylparaben, cera alba (beeswax), cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids. **May contain:** CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides), chitosan.

Other information
■ Protect the product in this container from excessive heat and direct sun. ■ Apply using the sponge and cover the face evenly. Blend softly with the applicator or, if you prefer, your fingertips.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Warnings ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Uses ■ Helps prevent sunburn.

Active Ingredients
Octinoxate (7.5%) Oxybenzone (2.0%).....sunscreen


Purpose

Drug Facts

EFFET PARFAIT

spots reducing effect foundation SPF 18

8 g e (.28 oz.)



US: Distributed by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111 PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

LBEL EFFET PARFAIT SPOTS REDUCING EFFECT FOUNDATION SPF 18 - MEDIUM 6A

octinoxate, oxybenzone emulsion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:43455-0015 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 7.5 g in 100 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q) | |
| MICA (UNII: V8A1AW0880) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CERESIN (UNII: Q1LS2UJO3A) | |
| KAOLIN (UNII: 24H4NWX5CO) | |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| KOJIC DIPALMITATE (UNII: 13N249RWTM) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO) | |
| ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y) | |
| METHYL PARABEN (UNII: A2I8C7HI9T) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SHEA BUTTER (UNII: K49155WL9Y) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| PROPYL PARABEN (UNII: Z8IX2SC1OH) | |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4) | |
| CANDELILLA WAX (UNII: WL0328HX19) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) | |
| BUTYL PARABEN (UNII: 3QPI1U3FV8) | |
| ETHYL PARABEN (UNII: 14255EXE39) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| ISOBUTYL PARABEN (UNII: 0QQJ25X58G) | |
| WHITE WAX (UNII: 7G1J5DA97F) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

| | | | | |
|------------------------------|---|-----------------------------|---------------------------|--|
| 1 | NDC:43455-0015-0 | 8 g in 1 JAR | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part352 | 03/24/2012 | | |

Labeler - Ventura International, LTD (603192787)

| | | | |
|----------------------|----------------|---------------|----------------------------|
| Establishment | | | |
| Name | Address | ID/FEI | Business Operations |
| Bel Star S.A. | | 880160197 | manufacture |

Revised: 3/2012

Ventura International, LTD