

**ALLERGY RELIEF- levocetirizine dihydrochloride tablet, coated**  
**AMERISOURCEBERGEN DRUG CORPORATION**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Levocetirizine dihydrochloride USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

**Ask a doctor before use if you have**

- ever had trouble urinating or emptying your bladder

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask doctor if**

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

## Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

adults 65 years of age and older	<ul style="list-style-type: none"><li>ask a doctor</li></ul>
adults and children 12-64 years of age	<ul style="list-style-type: none"><li>take 1 tablet (5 mg) once daily in the evening</li><li>do not take more than 1 tablet (5 mg) in 24 hours</li><li>1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms</li></ul>
children 6-11 years of age	<ul style="list-style-type: none"><li>take 1/2 tablet (2.5 mg) once daily in the evening</li><li>do not take more than 1/2 tablet (2.5 mg) in 24 hours</li></ul>
children under 6 years of age	<ul style="list-style-type: none"><li>do not use</li></ul>
consumers with kidney disease	<ul style="list-style-type: none"><li>do not use</li></ul>

## Other information

- store between 20° and 25°C (68° and 77°F)
- safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

## Questions or comments?

Call **1-888-375-3784**

## Distributed By

AmerisourceBergen

1 West First Avenue

Conshohocken PA 19428

**Made in India**

## Carton Label

Compare to Xyzal® Allergy 24HR  
active ingredient\*

Good  
Neighbor  
Pharmacy®

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief**  
**levocetirizine dihydrochloride**  
**tablets USP, 5 mg**  
**Antihistamine**

Relief of:

- Sneezing
- Runny Nose
- Itchy Nose or Throat
- Itchy, Watery Eyes

24 HOUR

**80 count Carton:**



**GOOD NEIGHBOR PHARMACY®** NDC 46122-531-61

**ORIGINAL PRESCRIPTION STRENGTH**

**Allergy Relief**  
levocetirizine dihydrochloride tablets USP, 5 mg  
**Antihistamine**

Drug Facts	Purpose	Directions
<b>Active ingredient (in each tablet)</b> Levocetirizine dihydrochloride USP, 5 mg... Antihistamine		ask a doctor
<b>Uses</b> temporarily relieves these symptoms due to hay fever or other respiratory allergies: • runny nose • sneezing • itchy, watery eyes • itching of the nose or throat	adults and children 12-64 years of age	<ul style="list-style-type: none"> <li>take 1 tablet (5 mg) once daily in the evening</li> <li>do not take more than 1 tablet (5 mg) in 24 hours</li> <li>1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms</li> </ul>
<b>Warnings</b> Do not use: • if you have kidney disease • if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine	children 6-11 years of age	<ul style="list-style-type: none"> <li>take 1/2 tablet (2.5 mg) once daily in the evening</li> <li>do not take more than 1/2 tablet (2.5 mg) in 24 hours</li> </ul>
<b>Ask a doctor before use if you have</b> • ever had trouble urinating or emptying your bladder	children under 6 years of age	do not use
<b>When using this product</b> • drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery	consumers with kidney disease	do not use
<b>Stop use and ask a doctor if</b> • you have trouble urinating or emptying your bladder • an allergic reaction to this product occurs. Seek medical help right away.	<b>Other information</b> • store between 20° and 25°C (68° and 77°F) • safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing	
<b>If pregnant or breast-feeding:</b> • if pregnant: ask a health professional before use • if breast-feeding: not recommended	<b>Inactive ingredients</b> colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	<b>Questions or comments?</b> Call 1-888-375-3784	

\*This product is not manufactured or distributed by Chatterm, Inc. (part of the Sanofi Group), distributor of Xyzal® Allergy 24HR Tablets. Xyzal® is a registered trademark of UCB Biopharma SRL.

Distributed By  
Ammetsaus/Bergan  
1 West First Avenue  
Coneholettsen PA 19428  
Questions or Concerns?  
[www.mynp.com](http://www.mynp.com)  
Made in India





**GOOD NEIGHBOR PHARMACY®** NDC 46122-531-61

**ORIGINAL PRESCRIPTION STRENGTH**

**Allergy Relief**  
levocetirizine dihydrochloride tablets USP, 5 mg  
**Antihistamine**

24 Hour Relief Of:  
• Sneezing  
• Runny Nose  
• Itchy Nose or Throat  
• Itchy, Watery Eyes

**24 HOUR**

actual size 

**80 tablets**

• Clinically Proven Relief in 60 Minutes

• Clinically Proven Relief For 24 Hours



Actual Size



REV 01/25 ABC# 10261800



3 46122 53161 0

LOT

EXP

**35count Carton:**



Drug Facts		Drug Facts (continued)	
Active ingredient (in each tablet)	Purpose	Directions	
Levocetirizine dihydrochloride USP, 5 mg	Antihistamine	ask a doctor	
<b>Uses</b> temporarily relieves these symptoms due to hay fever or other respiratory allergies: <ul style="list-style-type: none"> <li>sneezing</li> <li>runny nose</li> <li>itchy, watery eyes</li> <li>itching of the nose or throat</li> </ul>	<b>Directions</b> adults 65 years of age and older <ul style="list-style-type: none"> <li>ask a doctor</li> </ul> adults and children 12-64 years of age <ul style="list-style-type: none"> <li>take 1 tablet (5 mg) once daily in the evening</li> <li>do not take more than 1 tablet (5 mg) in 24 hours</li> <li>1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms</li> </ul> children 6-11 years of age <ul style="list-style-type: none"> <li>take 1/2 tablet (2.5 mg) once daily in the evening</li> <li>do not take more than 1/2 tablet (2.5 mg) in 24 hours</li> </ul> children under 6 years of age <ul style="list-style-type: none"> <li>do not use</li> </ul>		
<b>Warnings</b> Do not use <ul style="list-style-type: none"> <li>if you have kidney disease</li> <li>if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine</li> </ul>	<b>Other information</b> <ul style="list-style-type: none"> <li>store between 20° and 25°C (68° and 77°F)</li> <li>safety sealed; do not use if carton was opened or if printed foil inner seal on bottle is torn or missing</li> </ul>		
<b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>ever had trouble urinating or emptying your bladder</li> </ul>	<b>Inactive ingredients</b> colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide		
<b>When using this product</b> <ul style="list-style-type: none"> <li>drowsiness may occur</li> <li>avoid alcoholic drinks</li> <li>alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>be careful when driving a motor vehicle or operating machinery</li> </ul>	<b>Questions or comments?</b> Call 1-888-375-3784		
<b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>you have trouble urinating or emptying your bladder</li> <li>an allergic reaction to this product occurs. Seek medical help right away.</li> </ul>	<b>Read directions and warnings before use. Keep this carton. It has important information.</b>		
<b>If pregnant or breast-feeding:</b> <ul style="list-style-type: none"> <li>breast-feeding: not recommended</li> <li>if pregnant: ask a health professional before use</li> </ul>			
<b>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</b>			

This product is not manufactured or distributed by Chatterm, Inc. (part of the Sanofi Group), distributor of Xyzal® Allergy 24HR Tablets. Xyzal® is a registered trademark of UCB Biopharma SRL.

Distributed By  
 Amersource/Bergen  
 1 West First Avenue  
 Conshohocken PA 19428  
 Questions or Concerns?  
[www.mynp.com](http://www.mynp.com)



- Clinically Proven Relief in 60 Minutes
- Clinically Proven Relief For 24 Hours



**Bottle Label**

Good Neighbor Pharmacy®

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief  
 levocetirizine dihydrochloride tablets USP, 5 mg  
 Antihistamine**

24 HOUR

**80count Container:**



NDC 46122-531-61

ORIGINAL PRESCRIPTION STRENGTH

# Allergy Relief levocetirizine dihydrochloride tablets USP, 5 mg

**Antihistamine**

80 tablets

24  
HOUR

### Active ingredient (in each tablet) Purpose

Levocetirizine dihydrochloride USP, 5 mg.....Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings Do not use** ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder **When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery **Stop use and ask a doctor if** ■ you have trouble urinating or

(Continued On Back Of Label)

Distributed By: AmerisourceBergens  
1 West First Avenue  
Conshohocken PA 19428  
Made in India

ISSUED: 08/23

150093733



emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** adults 65 years of age and older ■ ask a doctor adults and children 12-64 years of age ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms children 6-11 years of age ■ take 1/2 tablet (2.5 mg) once daily in

the evening ■ do not take more than 1/2 tablet (2.5 mg) in 24 hours children under 6 years of age ■ do not use consumers with kidney disease ■ do not use

**Other information** ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

**Inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions and comments?** call 1-888-375-3784

## 35count Container:



NDC 46122-531-05

ORIGINAL PRESCRIPTION STRENGTH

# Allergy Relief levocetirizine dihydrochloride tablets USP, 5 mg

**Antihistamine**

35 tablets

24  
HOUR

### Active ingredient (in each tablet) Purpose

Levocetirizine dihydrochloride USP, 5 mg.....Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings Do not use** ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder **When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery **Stop use and ask a doctor if** ■ you have trouble urinating or

(Continued On Back Of Label)

Distributed By: AmerisourceBergens  
1 West First Avenue  
Conshohocken PA 19428  
Made in India

REV 08/22

150090477



emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** adults 65 years of age and older ■ ask a doctor adults and children 12-64 years of age ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms children 6-11 years of age ■ take 1/2 tablet (2.5 mg) once daily in

the evening ■ do not take more than 1/2 tablet (2.5 mg) in 24 hours children under 6 years of age ■ do not use consumers with kidney disease ■ do not use

**Other information** ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

**Inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions and comments?** call 1-888-375-3784

# ALLERGY RELIEF

levocetirizine dihydrochloride tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-531
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>levocetirizine dihydrochloride</b> (UNII: SOD6A38AGA) (levocetirizine - UNII:6U5EA9RT2O)	levocetirizine dihydrochloride	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>Polyethylene Glycol, Unspecified</b> (UNII: 3WJQ0SDW1A)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	L
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-531-05	1 in 1 CARTON	04/20/2018	
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-531-52	2 in 1 CARTON	07/06/2018	06/30/2025
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:46122-531-61	1 in 1 CARTON	09/01/2023	
3		80 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210375	04/20/2018	

**Labeler** - AMERISOURCEBERGEN DRUG CORPORATION (007914906)

Revised: 12/2025

AMERISOURCEBERGEN DRUG CORPORATION