

**ALLERGY RELIEF- levocetirizine dihydrochloride tablet, coated**  
**AMERISOURCEBERGEN DRUG CORPORATION**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Levocetirizine dihydrochloride USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

**Ask a doctor before use if you have**

- ever had trouble urinating or emptying your bladder

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask doctor if**

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

## Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

adults 65 years of age and older	<ul style="list-style-type: none"><li>ask a doctor</li></ul>
adults and children 12-64 years of age	<ul style="list-style-type: none"><li>take 1 tablet (5 mg) once daily in the evening</li><li>do not take more than 1 tablet (5 mg) in 24 hours</li><li>1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms</li></ul>
children 6-11 years of age	<ul style="list-style-type: none"><li>take 1/2 tablet (2.5 mg) once daily in the evening</li><li>do not take more than 1/2 tablet (2.5 mg) in 24 hours</li></ul>
children under 6 years of age	<ul style="list-style-type: none"><li>do not use</li></ul>
consumers with kidney disease	<ul style="list-style-type: none"><li>do not use</li></ul>

## Other information

- store between 20° and 25°C (68° and 77°F)
- safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

## Questions or comments?

Call **1-888-375-3784**

## Carton Label

Compare to Xyzal<sup>®</sup> Allergy 24HR  
active ingredient\*

Good  
Neighbor

Pharmacy®

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief**  
**levocetirizine dihydrochloride**  
**tablets USP, 5 mg**  
**Antihistamine**

Relief of:

- Sneezing
- Runny Nose
- Itchy Nose or Throat
- Itchy, Watery Eyes

24 HOUR

**Drug Facts**

Active ingredient (in each tablet)	Purpose
levocetirizine dihydrochloride USP, 5 mg...Antihistamine	

**Directions**

adults and children 12-64 years of age and older	ask a doctor
take 1 tablet (5 mg) once daily in the evening	
do not take more than 1 tablet (5 mg) in 24 hours	
1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms	

**Warnings**

Do not use

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have

- ever had trouble urinating or emptying your bladder

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

if pregnant or breast-feeding:

- if breast-feeding, not recommended
- if pregnant, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

ISSUED: 06/23

**Drug Facts (continued)**

children 6-11 years of age

- take 1/2 tablet (2.5 mg) once daily in the evening
- do not take more than 1/2 tablet (2.5 mg) in 24 hours

children under 6 years of age

- do not use

consumers with kidney disease

- do not use

**Other information**

- store between 20° and 25°C (68° and 77°F)
- safety sealed; do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

**Inactive ingredients**

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions or comments?**

Call 1-888-376-3764

Read directions and warnings before use. Keep this carton. It has important information.

This product is not manufactured or distributed by Chattem, Inc. (part of the Sanofi Group), distributor of Xyzal® Allergy 24HR Tablets. Xyzal® is a registered trademark of UCB Group of companies.

Made in India

Distributed By  
Amersource/Bergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
www.gnp.com

Compare to Xyzal® Allergy 24HR active ingredient\*

Relief of:

- Sneezing
- Runny Nose
- Itchy Nose or Throat
- Itchy, Watery Eyes

24 HOUR

actual size

80 tablets

24 hr

Actual Size

ABC# 10261800

**Bottle Label**


Good  
Neighbor  
Pharmacy®

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief**  
**levocetirizine**  
**dihydrochloride**  
**tablets USP, 5 mg**

# Antihistamine

24 HOUR



NDC 46122-531-61

**Active ingredient (in each tablet)** *Purpose*  
 Levocetirizine dihydrochloride USP, 5 mg.....Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings** Do not use ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder

**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** ■ you have trouble urinating or

(Continued On Back Of Label)

ISSUED: 08/23

150093733

LOT  
EXP  
PEEL HERE

**ORIGINAL PRESCRIPTION STRENGTH**

**Allergy Relief**  
**levocetirizine dihydrochloride tablets USP, 5 mg**  
**Antihistamine**

24 HOUR

80 tablets

Distributed By: AmerisourceBergen  
 1 West First Avenue  
 Conshohocken PA 19428  
 Made in India

emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** adults 65 years of age and older ■ ask a doctor adults and children 12-64 years of age ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms children 6-11 years of age ■ take 1/2 tablet (2.5 mg) once daily in

the evening ■ do not take more than 1/2 tablet (2.5 mg) in 24 hours children under 6 years of age ■ do not use consumers with kidney disease ■ do not use

**Other information** ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

**Inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions and comments?** call 1-888-375-3784

ALLERGY RELIEF			
levocetirizine dihydrochloride tablet, coated			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-531
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
levocetirizine dihydrochloride (UNII: SOD6A38AGA) (levocetirizine - UNII:6U5EA9RT2O)	levocetirizine dihydrochloride	5 mg	
Inactive Ingredients			
Ingredient Name	Strength		
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
MAGNESIUM STEARATE (UNII: 70097M6130)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

**Polyethylene Glycol, Unspecified** (UNII: 3WJQ0SDW1A)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	L
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-531-05	1 in 1 CARTON	04/20/2018	
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-531-52	2 in 1 CARTON	07/06/2018	06/30/2025
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:46122-531-61	1 in 1 CARTON	09/01/2023	
3		80 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210375	04/20/2018	

**Labeler** - AMERISOURCEBERGEN DRUG CORPORATION (007914906)

Revised: 10/2024

AMERISOURCEBERGEN DRUG CORPORATION