

BRONCOFIN- dextromethorphan hbr, phenylephrine hcl liquid
Menper Distributors, Inc.

Broncofin

Active Ingredients (in each teaspoonful, (5mL))

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Cough suppressant

Nasal decongestant

Uses

Temporarily relieves cough due to minor throat and bronchial irritation and nasal congestion as may occur with the common cold or inhaled irritants

Do not exceed recommended dosage.

If nervousness, dizziness, or sleepiness occur, discontinue use and consult a doctor. A persistent cough may be a sign of a serious condition. If cough persists more than one week, tends to recur, or is accompanied by fever, rash, or persistent headache, consult a doctor.

Do not use

- this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
- if you have heart disease, high blood pressure, thyroid disease, diabetes, or trouble urinating due to enlargement of the prostate gland, unless directed by a doctor

If you are pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over: take 2 teaspoons (10 mL) every 4 hours. Do not exceed 6 doses in 24 hours.

Children under 12 years of age: consult a doctor.

Other information

Store this product between 15°-30°C (59°-86°F)

Inactive ingredients

cherry flavor, FD&C red #40, FD&C yellow #6, glycerin, menthol, methylparaben, propylene glycol, propylparaben, sucrose, water


Questions?

call 1-800-560-5223 M-F 9 AM to 4 PM Eastern

NASAL DECONGESTANT
COUGH SUPPRESSANT

Broncofin

Broncofin



SUPRESOR DE LA TOS-(Dextrometorfan HBr)
DESCONGESTIONANTE NASAL-(Fenilefrina HCl)

4 OZ. FL. (118 mL)

Datos Farmacológicos

Ingredientes activos **Propósito**
(en cada cucharadita, 5 mL)
Dextrometorfan HBr 10 mg Supresor de la Tos
Fenilefrina HCl 5 mg Descongestionante Nasal

Usos
■ Aliviar temporalmente la tos producida por dolores menores de garganta, irritación bronquial y la congestión nasal durante el catarro común o inhalación de productos irritantes

Advertencias
No exceda la dosis recomendada. Si tiene nerviosismo, mareo, o somnolencia ocurre, descontinúe su uso y consulte a un doctor. La tos persistente puede ser la señal de una condición seria. Si la tos persiste por más de una semana, tiende a recurrir o es acompañada por fiebre, erupciones o dolor de cabeza persistente, consulte al doctor.

No use
■ este producto para tos persistente o crónica como ocurre al fumar, asma, bronquitis crónica, o enfisema, o si la tos está acompañada de flema excesiva (mocos), únicamente indicado por su doctor.
■ si usted está tomando ahora una prescripción que contenga el inhibidor monoamine oxidase (MAOI) (algunas drogas para la depresión, o condiciones emocionales o sanguíneas, o el mal de Parkinson), o después de 2 semanas de dejar de usar la droga MAOI. Si usted no sabe si la prescripción contiene MAOI, pregunte al doctor o farmacéutico antes de tomar este producto.
■ si usted tiene una enfermedad de corazón, presión arterial alta, enfermedad de la tiroides, diabetes o dificultades al orinar por agrandamiento de la próstata, solamente por orientación médica.

Si está embarazada o amamantando, pregunte a un profesional de la salud antes de usar.
Mantener fuera del alcance de los niños. En caso de sobredosis accidental, busque asistencia profesional o contacte al Centro de Control de Envenenamiento inmediatamente.

Instrucciones
■ Adultos y niños de 12 años de edad o más: 2 cucharaditas (10 mL) cada 4 horas. No exceda 6 dosis en 24 horas.
■ Niños menores de 12 años de edad: consulte al doctor.

Otra información
Almacenar este producto entre 15°-30°C (59°-86°F)

Ingredientes inactivos
sabor a cereza, FD&C rojo #40, FD&C amarillo #6, glicerina, mentol, metilparaben, propilenglicol, propilparaben, sucrosa, agua.

Preguntas? 1-800-560-5223 L-V 9 AM a 4 PM
Este

EVIDENCIA DE SEGURIDAD: no use si el sello impreso sobre la tapa está torcido, roto o no aparece.

Distribuido y comercializado por: **Meigs Distributors, Inc.**
11421 N.W. 107 Street, Suite 424
Miami, FL 33178
www.meigsdistributors.com

Broncofin



COUGH SUPPRESSANT-(Dextromethorphan HBr)
NASAL DECONGESTANT-(Phenylephrine HCl)

4 FL. OZ. (118 mL)

Drug Facts

Active ingredients **Purpose**
(in each teaspoonful, (5 mL)
Dextromethorphan HBr 10 mg Cough Suppressant
Phenylephrine HCl 5 mg Nasal Decongestant

Uses
■ Temporarily relieves cough due to minor throat and bronchial irritation and nasal congestion as may occur with the common cold or inhaled irritants

Warnings
Do not exceed recommended dosage. If nervousness, dizziness, or sleeplessness occur, discontinue use and consult a doctor. A persistent cough may be a sign of a serious condition. If cough persists for more than one week, tends to recur, or is accompanied by fever, rash, or persistent headache, consult a doctor.

Do not use
■ this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor.
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
■ if you have heart disease, high blood pressure, thyroid disease, diabetes, or trouble urinating due to enlargement of the prostate gland, unless directed by a doctor.

If you are pregnant or breast-feeding, ask a health professional before use.
Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and children 12 years of age and over: take 2 teaspoonfuls (10 mL) every 4 hours. Do not exceed 6 doses in 24 hours.
■ Children under 12 years of age: consult a doctor.

Other information
Store this product between 15°-30°C (59°-86°F)

Inactive ingredients
cherry flavor, FD&C red #40, FD&C yellow #6, glycerin, menthol, methylparaben, propylene glycol, propylparaben, sucrose, water.

Questions? 1-800-560-5223 M-F 9 AM to 4 PM
Eastern

TAMPER-EVIDENT FEATURE: do not use if imprinted safety seal over cap is torn, broken or missing.



BRONCOFIN

dextromethorphan hbr, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-026
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-026-34	1 in 1 CARTON	02/21/2012	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/21/2012	

Labeler - Menper Distributors, Inc. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(53145-026)