# TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment Acme United Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Drug Facts**

# Active Ingredients (in each gram)

Bacitracin Zinc (400 units Bacitracin)

Neomycin Sulfate 3.5 mg

Polymyxin-B Sulfate 5000 units

# **Purpose**

First Aid Antibiotics

#### Uses

first aid to help prevent infection in minor cuts, scrapes, and burns

# **Warnings**

# For external use only

#### Do not use

- in eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- for more than 1 week unless directed by a doctor

#### Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

#### **Directions**

# Adults and children 2 years and over:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may cover with a sterile bandage

# Children under 2 years:

consult a doctor

#### Other information

- store at room temperature (do not freeze)
- do not use any opened or torn packets

# **Inactive ingredients**

petrolatum

# PRINCIPAL DISPLAY PANEL - packet

NDC 0924-5603-01

**Physicians CARE** 

Triple Antibiotic Ointment

0.5 g (1/57 oz.)

Acme United Corporation Fairfield, CT 06824 **800-835-2263** 

NDC 0924-5603-01



# Triple Antibiotic Ointment 0.5 g(1/57 oz.)

Acme United Corporation Fairfield, CT 06824 **800-835-2263** 

# **Drug Facts**

Active ingredient Purpose

(in each gram)

Bacitracin zinc 400 units

Neomycin sulfate

(3.5 mg Neomycin)

Polymyxin B sulfate First Aid 5000 units ..... Antibiotics

**Use** first aid to help prevent infection in minor scrapes, cuts, and burns

Warnings

For external use only



# Drug Facts (continued)

Warnings (continued)

Do not use ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

Stop use and ask a doctor if

■ a rash or allergic reaction develops ■ condition worsens or persists

Keep out of reach of children If ingested, contact a Poison Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

Inactive ingredients
petrolatum

# PRINCIPAL DISPLAY PANEL - bag

UNIT 12-001B

**PAC-KIT FIRST AID** 

Triple Antibiotic Ointment Packets

ANSI Z308.1-2003R Contents: 6 Single Use Packets 0.5 gr. (1/57 fl. oz.) See reverse for Drug Facts

Distributed by **Acme United Corporation** Fairfield, CT 06824 · 800-835-2263

UNIT 12-001B



# TRIPLE ANTIBIOTIC OINTMENT PACKETS

ANSI Z308.1-2003R
Contents: 6 Single Use Packets
0.5 gr. (1/57 fl. oz.)
See reverse for Drug Facts.

Distributed by **Acme United Corporation**Fairfield, CT 06824 · 800-835-2263

# **Drug Facts**

Active ingredients (in each gram) Purpose
Bacitracin Zinc (400 units Bacitracin) .....

Neomycin Sulfate 3.5 mg
Polymyxin-B Sulfate 5000 units.....

#### Uses

First aid to help prevent infection in minor cuts, scrapes and burns

# Warnings

For external use only

#### Do not use

- in the eyes internally over large areas of the body if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

#### Stop use and ask a doctor if

# Drug Facts (continued)

# Warnings (continued)

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

# Directions

# Adults and children 2 years and over:

- clean the affected area apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

# Children under 2 years:

consult a doctor

# Other information

- store at room temperature (do not freeze)
- do not use any anonad or torn nackate.

# Inactive ingredients petrolatum



Distributed by Acme United Corporation Fairfield, CT 06824 · 800-835-2263

# TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-5603
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
bacitracin zinc (UNII: 89 Y4M234ES) (bacitracin zinc - UNII:89 Y4M234ES)	bacitracin zinc	400 [iU] in 1 g	
neomycin sulfate (UNII: 057Y626693) (neomycin - UNII:116QD7X297)	neomycin sulfate	3.5 mg in 1 g	
polymyxin b sulfate (UNII: 19371312D4) (polymyxin b - UNII:J2VZ07J96K)	polymyxin b sulfate	5000 [iU] in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-5603-02	6 in 1 BAG		
1	NDC:0924-5603-01	0.5 g in 1 PACKET		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	0 1/27/20 12		

# Labeler - Acme United Corporation (001180207)

Establishment				
Name	Address	ID/FEI	Business Operations	
Safetec of America, Inc.		874965262	MANUFACTURE	

Revised: 1/2012 Acme United Corporation