#### SPF 30 LIP BALM- titanium dioxide stick Malin and Goetz Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## spf 30 Lip Balm

Active Ingredient Purpose

Titanium Dioxide 3.32% Sunscreen

#### Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Stop use and ask a doctor

• If rash occurs

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

• Keep out of eyes. Rinse with water to remove

## Directions

- Apply Liberally and evenly 15 minutes before sun exposure
- Children under 6 months of age: Ask a doctor

## Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun especially from 10 am- 2pm
- Wear long-sleeved shirts, pants, hats & sunglasses
- Reapply after 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

# Other information

• Protect the product in this container from excessive heat and direct sun

# **Inactive Ingredients**

Hydrogenated Polyisobutene, Ethylhexyl Palmitate, Hydrogenated Styrene/Isoprene

Copolymer, Hydrogenated Polydecene, Flavor, Cinnamal, Cinnamyl Alcohol, Coumarin, d-Limonene, Eugenol, Methyl 2 Octynoate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Urolic Acid, Tocopherol, Stearic Acid, Aluminum Hydroxide.

(Malin+Goetz)


spf 30 lip balm.

Broad Spectrum Mineral Sunscreen

Water Resistant 40 minutes

0.3fl. oz./10ml

#### (MALIN+GOETZ) slug/specs for vendors. ARTWORK BREAKDOWN FOR PRO TRANSLATION - SKU NUMBER. measurements. SKU: SPF 30 LIP BALM, US + CA VERSION. CATEGORY: FACE. FONTS USED: SWISS 721 FAMILY. APPLICATION USED: ADOBE ILLUSTRATOR CC. COLORS: PM \$ 804 C PM \$ 7540 C м = Drug Facts WWW MALINANDGOETZ.COM Drug Facts (continued) 87930 ActiveIngredient Purpos Other information Titanium Dioxide 3.32%. Sun screer Protect the product in this container from excessive heat Uses + Helps prevent sunbur 001 and direct sun If used as directed with other sun protection measures (see Inactive Ingredients Directions), decreases the risk Hydrogenated Polyisobutene, of skin cancer and early skin aging caused by the sun NOX Telescological genated Styrene/Isoprene TEL +1 212 244 7771 Warnings: For external use only Polydecene, Flavor, Cinnamal, Do not use on damaged or Cinnamyl Alcohol, Coumarin, iroken skin の当 d-Limonene, Eugenal, Methyl When using this product • Keep out of eyes. Rinse with 2 Octynoate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhyd-N+GOET NEW YORK, NY 10001, Stop use and ask a doctor + if rocinnamate, Ursolic Acid, **3**41 Tocopherol, Stearic Acid, Aluminum Hydroxide. Directions Apply liberally and evenly 15 minutes before sun exposure + Children under 6 months of DISTRIBUTED BY: MALIN +GOETZ ING., 330 SEVENTH AVE., MADE IN USA, QUALINH-DOETZP Spf 30 lip balm. WATER-RESISTANT 40 MINUTES-FIN-159-10. 0.3fl.oz./10ml Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sun screen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun especially from 10am-2pm + Wear long-sleeved shirts, pants, hats, & sunglasses • Reapply after 40 minutes of swimming or sweating Immediately after towel drying At least every 2 hours -



SPF 30 LIP BALM titanium dioxide stick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53634-129
Route of Administration	TOPICAL		

	Ingredient Name	Basis of St	rength Strength
TITANIUM DIOXIDE	(UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15F		-
		······································	;; ;
Inactive Ingred			
	Ingredient Name		Streng
	DL (UNII: SS8YOP444F)		
EUGENOL (UNII: 3T8			
LIMONENE, (+)- (UN			
	CARBONATE (UNII: 0TTP6YT2T3)		
255PIF62MS)	. TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDRC	DXYPHENYL)PROPIONA	TE) (UNII:
Coumarin (UNII: A4	VZ22K1WT)		
TOCOPHEROL (UNII	: R0ZB2556P8)		
JRSOLIC ACID (UNII	I: P3M2575F3F)		
CINNAMALDEHYDE	(UNII: SR60A3XG0F)		
STEARIC ACID (UNII	: 4ELV7Z65AP)		
HYDROGENATED PO	OLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)		
ETHYLHEXYL PALM	ITATE (UNII: 2865993309)		
HYDROGENATED PO	DLYDECENE TYPE I (UNII: U333RI6EB7)		
Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
	10 mL in 1 TUBE; Type 0: Not a Combination Product	05/01/2023	
Marketing I	nformation		
	Application Number or Monograph	Marketing Sta	rt Marketing End
Marketing Category	Citation	Date	Date

Labeler - Malin and Goetz Inc (138615930)

Revised: 6/2023

Malin and Goetz Inc