

**PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine  
hcl tablet, coated  
Big Lots**

-----

**Drug Facts**

**Active ingredients (in each caplet)**

**Acetaminophen 500 mg**

Diphenhydramine HCL 25 mg

**Purpose**

**Pain reliever**

Nighttime sleep-aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years of age: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients**

croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol,

polyvinyl alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide, sodium starch glycolate, talc, titanium dioxide

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

Compare to Extra Strength Tylenol® PM active ingredients\*

**Pain Reliever PM**

Acetaminophen 500 mg Diphenhydramine HCl 25 mg

Pain Reliever, Nighttime Sleep Aid

CAPLETS

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed By:

Big Lots Stores, Inc.

P.O. Box 28523

Columbus, OH 43228-0523

**Package Label**

Exp. Date:  
Lot No.:

PLD-8696A FC007894



### Drug Facts

#### Active ingredients (in each caplet)

Acetaminophen 500 mg..... Pain reliever  
Diphenhydramine HCl 25 mg..... Nighttime sleep-aid

**Uses** temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ with any other product containing diphenhydramine, even one used on skin  
■ in children under 12 years of age  
■ if you have ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if you have

■ liver disease  
■ a breathing problem such as emphysema or chronic bronchitis  
■ trouble urinating due to an enlarged prostate gland  
■ glaucoma

### Drug Facts (continued)

#### Ask a doctor or pharmacist before use if you are

■ taking the blood thinning drug warfarin  
■ taking sedatives or tranquilizers

#### When using this product

■ drowsiness will occur  
■ avoid alcoholic drinks  
■ do not drive a motor vehicle or operate machinery

#### Stop use and ask a doctor if

■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.  
■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ redness or swelling is present  
■ new symptoms occur  
These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

■ do not take more than directed (see Overdose warning)  
■ adults and children 12 years of age and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.  
■ children under 12 years of age: do not use

### Other information

■ store between 20-25°C (68-77°F)  
■ avoid high humidity and excessive heat

### Drug Facts (continued)

**Inactive ingredients** croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromelloses, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide, sodium starch glycolate, talc, titanium dioxide

### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by:  
Big Lots Stores, Inc.  
P.O. Box 28523  
Columbus, OH 43228-0523

V#:5005202 ITEM#:120080073  
PRODUCT OF INDIA



Compare to Extra Strength Tylenol® PM active ingredients\*

NDC 50594-863-10

# Pain Relief PM

Acetaminophen 500 mg / Diphenhydramine HCl 25 mg

Pain Reliever, Nighttime Sleep Aid

100 CAPLETS

Actual Size



**SOUNDBODY Pain Relief PM**

**PAIN RELIEVER PM EXTRA STRENGTH**

acetaminophen, diphenhydramine hcl tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50594-863
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	P525
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50594-863-10	1 in 1 BOX	08/20/2021	08/20/2026
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/20/2021	08/20/2026

**Labeler** - Big Lots (017885351)

Revised: 6/2025

Big Lots